Product technical sheet

# CLIMBOO 0406



3 - 14 years | 6 kids | 24,2 m²

## Material specification

- Hot-dip galvanized and powder coated or powder galvanized and powder coated steel construction of 80 x 80 mm profile,
- Hot-dip galvanized and powder coated steel bars,
- Stainless steel screws and/or screws covered with plastic caps,
- Safe end caps on top of the structure made of rubber or polypropylene,

**Physical development**

pull-up

**Vinci Group Sp. z o.o.**
Seminaryjna 9 Street
99-400 Łowicz


VAT: 534-250-14-46
PHONE: +48 42 203 24 99 ext. 26
M: +48 793 404 991


biuro@vinci-play.com
info@vinci-play.com
**www.vinci-play.com**


**1**
number of activity elements

**Product technical sheet**

# CLIMBOO 0406



## Product data

| | |
|---|---|
| Length | 241 cm |
| Width | 88 cm |
| Total height | 195 cm |
| Age group | 3 - 14 years |
| Number of users | 6 kids |
| Safety zone | 24,2 m2 |
| Free fall height | 194 cm |
| In accordance with norm EN | 1176-1:2017 |
| Weight of the heaviest part | 17 kg |
| Dimensions of the largest part | 225x85x29 cm |
| Availability of spare parts | YES |
| Installation time | 2 h |
| Color options | |

Data is subject to change without prior notice.

## Additional information

- equipment intended for public playgrounds;
- equipment has a certificate issued by an accredited entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of jimming the head, fingers or any other body parts;
- anchoring on flat surface, 80/70/60 cm deep;
- render is for reference only, the actual appearance of the equipment and its color may vary;

## Guarantee

**30** 30 year guarantee - Structural strength of steel and stainless steel components

**15** 15 year guarantee - Structural failure of steel and stainless steel, for dynamic equipment

**10** 10 year guarantee - Structural failure of high density polyethylene and high pressure laminates components

**5** 5 year guarantee - Corrosion of stainless steel and hot dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements

Detailed information in the guarantee card

**Vinci Group Sp. z o.o.**
Seminaryjna 9 Street
99-400 Łowicz

VAT: 534-250-14-46
PHONE: +48 42 203 24 99 ext. 26
M: +48 793 404 991


biuro@vinci-play.com
info@vinci-play.com
**www.vinci-play.com**

**Product technical sheet**

# CLIMBOO 0406

## Surfaces according to EN 1176-1:2017

| | Description (mm) | Layer thickness (cm) | Maximum fall heights (cm) |
|---|---|---|---|
| Turf/ top layer of soil (A,B,C) | - | - | ≤100 |
| bark (A,C) | Particle size from 20 to 80 | 30 | ≤200 |
| | | 40 | ≤300 |
| woodchips (A,C) | Particle size from 5 to 30 | 30 | ≤200 |
| | | 40 | ≤300 |
| sand or gravel (A,C) | Particle size from 0,25 to 8 | 30 | ≤200 |
| | | 40 | ≤300 |
| synthetic attested (A,B,C) | Tested according to EN 1177 | | 194 |




## Amount of safe surface corresponding with free fall height:

| | |
|---|---|
| HIC 194 | 24,2 $m^2$ |

Data is subject to change without prior notice.

**Vinci Group Sp. z o.o.**
Seminaryjna 9 Street
99-400 Łowicz

VAT: 534-250-14-46
PHONE: +48 42 203 24 99 ext. 26
M: +48 793 404 991

biuro@vinci-play.com
info@vinci-play.com
**www.vinci-play.com**