

Product technical sheet

ROBINIA RB1385







Material specification

- Construction made of Robinia very durable acacia wood with a diameter of ~ 18 cm without sharp edges, resistant to weather conditions,
- Hot-dip galvanized steel construction,
- Platforms made of durable anti-slip and waterproof HPL plate,
- Stainless steel rope and other stringing elements, •
- Attested, safe seats,
- Stainless steel ladders and handrails, •
- Screws covered with plastic caps and/or stainless steel screws,




Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz


VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991




biuro@vinci-play.com info@vinci-play.com www.vinci-play.com









Guarantee



30 year guarantee -Structural strength of steel and stainless steel components

Detailed information in the guarantee card



15

Structural failure of steel

10

10 year guarantee - Structural failure of high density polyethylene and high pressure laminates components



5 year guarantee - Corrosion of stainless steel and hot dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements

| Vinci Group Sp. z o.o. | | | |
|------------------------|--|--|--|
| Seminaryjna 9 Street | | | |
| 99-400 Łowicz | | | |

VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com

21/07/2022

Product technical sheet ROBINIA RB1385 Product data Length 2465 cm Width 340 cm Total height 400 cm 5 - 14 years Age group Number of users 1 kids 84.4 m2 Safety zone

175 cm

98 cm

111 kg

YES

1176-1:2017

480x18x18 cm

Installation time 3 h

Data is subject to change without prior notice.

Additional information

Free fall height

The height of the platforms

In accordance with norm EN Weight of the heaviest part

Dimensions of the largest part

Availability of spare parts

- equipment intended for public playgrounds; •
- equipment has a certificate issued by an accredited entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of • jimming the head, fingers or any other body parts;
- anchoring on flat surface, 80 cm deep; •
- render is for reference only, the actual appearance of the equipment and its color may vary;



Surfaces according to EN 1176-1:2017


| | Description (mm) | Layer thickness (cm) | Maximum fall heights (cm) |
|---------------------------------|---------------------------------|-------------------------|------------------------------|
| Turf/ top layer of soil (A,B,C) | - | - | ≤100 |
| bark (A,C) | Particle size from 20 to 80 | 30 | ≤200 |
| | | 40 | ≤300 |
| woodchips (A,C) | Particle size from 5 to 30 | 30 | ≤200 |
| | | 40 | ≤300 |
| sand or gravel (A,C) | Particle size from 0,25 to 8 | 30 | ≤200 |
| | | 40 | ≤300 |
| synthetic attested (A,B,C) | Tested according to EN 1177 | | 175 |


Product technical sheet **ROBINIA RB1385**

Amount of safe surface corresponding with free fall height:

| HIC 175 | 84,4 m ² |
|---------|---------------------|
| | |

Data is subject to change without prior notice.





Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com