

vinci  
play





**200 mln of  
happy kids**



**High quality**



**2800  
material variants**



**Over 60 countries  
all over the world**



**Advanced  
production  
processes**



**Up to 30 years'  
guarantee on  
components**



**Compliant with  
safety standards**



**ISO and TÜV  
certificates**

# Simply Vinci quality

Safety is of the utmost importance to us!

At Vinci Play, we have been taking care of the quality of manufactured playground equipment for almost 20 years, providing millions of children around the world with top-class entertainment and fun.

We subject production processes to detailed control, both in terms of aesthetics and safety of our products.

Our inventive designs stimulate children's unbridled curiosity, whilst encouraging them to play together. Millions of children play every day on Vinci Play playgrounds, built in more than 60 countries around the world.

Operating in the global market, we understand how important it is to consciously manage our social, environmental and organizational impacts. We listen carefully to our stakeholders, constantly look for new solutions and never lose sight of what is most important which is customer values.

Our professional approach makes us a reliable business partner for companies and institutions who are looking for a competent playground manufacturer. We are passionate about helping to create happy communities





# Quality under control

Vinci Play playgrounds have been providing children in dozens of countries around the world with lots of fun for years. As a socially responsible company, we put safety of our users first. Thanks to the high quality standards of Vinci Play, playgrounds have a strictly defined structure that protects their users from potential threats. Our products are characterized by gentle edges, a well-thought-out design and no dangerously protruding elements, so that even the most expressive children shall not hurt themselves while using them. We are certain that our many years of experience ensure that the materials and components used, combined with the work of professionals, guarantee the highest quality and failure-free operation of our products for many years.



## Advanced production

Thanks to the use of the latest technologies, our equipment is characterized by high workmanship. We make sure that all production processes are modern and efficient, and ensuring perfection is of the utmost priority to our production specialists.

## Exceptional design

Elegant colors, natural materials and original graphics prepared by our talented graphic designers are characterized by attention to the smallest detail, ensuring we are able to meet all requests, even the most demanding project.





### Highest level of quality

All elements that make up the final Vinci Play product undergo multi-phase and precise quality control to ensure compliance with the EN-PN 1176, EN-PN 16630 or EN-PN 15312+A1 standard. Our quality specialists use a modern laboratory, as well as devices and measuring equipment to assess the quality of materials at every stage of production - from material delivery to shipping the finished product to customers.

### Customer Service

Our Customer Service Department operates on the basis of the highest standards of cooperation, confirmed by the ISO 9001:2015 certificate. The department's employees try to respond to inquiries addressed to the company in the shortest possible time and meet the expectations of even the most demanding purchasers. We guarantee cooperation based on understanding the customer's needs and full support at every stage of order execution, both during and after the warranty period.



### Highest quality material

At Vinci Play we believe that every detail matters, which is why we use the highest quality materials and components with certificates and approvals to produce our equipment. Thanks to this, the final product is not only aesthetically pleasing and functional, but also safe, durable and compliant with applicable standards.

# Quality Guarantee



Quality is the pillar of our company's activity. High standards, according to which we design play equipment, guarantees the best finish. We design playground equipment considering young users' individual needs, ensuring a high-class final product.



## FSC CERTIFICATE

A certificate confirming our commitment to sustainable development. This mark informs about the specific origin of the wood, thus certifying that we are a company that takes a responsible approach when obtaining raw materials. Thanks to this, stakeholders are sure that we produce our products from pine and robinia wood by monitoring the supply chain. This means that the customer can trace the origin of the raw materials used to produce a given product, from the forest to the final product.

## TÜV CERTIFICATES

We cooperate with certification bodies - TÜV Rheinland and TÜV SÜD, which test our products and issue certificates for their compliance with the relevant standards. These documents are proof that our priority is to care for quality and safety. For Vinci Play devices that do not yet have certificates, we issue declarations of conformity, proving that they meet the requirements of the EN 1176 standard. When choosing our equipment, consumers are sure that they are trustworthy products that maintain high quality and safety standards.





## QUALITY MANAGEMENT SYSTEM

The international standard ISO 9001 defines the management of an organization according to precisely developed criteria. At Vinci Play, the quality management system compliant with the ISO 9001 standard is based on: understanding the customer, leadership, the implementation process and the involvement and improvement of the entire production. By acting in accordance with these principles, contractors are certain of the quality of manufactured products and the clarity of the entire production process.

## ENVIRONMENTAL MANAGEMENT SYSTEM

ISO 14001 is a standard regarding environmental management. Vinci Play, acting within its framework, takes care of environmental protection and responsible management of production processes. By implementing a specific environmental policy, our company minimizes the negative impact on the environment, being a transparent and socially responsible enterprise.



## SAFETY STANDARDS

EN 1176 is a whole spectrum of points and parameters related to playground equipment. The standards in this group define the requirements for the construction of the most harmless equipment possible, paying special attention to high safety standards for the youngest users, while providing them with conditions for development. At Vinci Play, the health and protection of children is of paramount importance for us, which is why we strive to safeguard the quality of our equipment. For products dedicated to young people and adults, such as workout and fitness, the relevant standard is EN 16630. In this case, as for playground equipment, the priority for us is both the functionality of the devices and their safety.





# Long-term Warranty

The highest quality of our products is ensured by experienced specialists and high quality materials. That is why we can offer our customers a long-term guarantee of fault-free and fully safe use of our devices. We also provide post-warranty services. Orders for most spare parts are completed within 48 hours.

## Selected warranty periods:



### Year guarantee

Corrosion resistance of stainless steel and hot-dip galvanized and powder-coated steel elements, resistance to bark beetles and rotting of wooden structural elements.



### Year guarantee

Structural strength of HDPE, 100% recycled HDPE and HPL elements; structural elements made of 100% recycled material (composite).



### Year guarantee

Durability of steel and stainless steel structures of mobile devices; durability of Robinia wood structural elements.



### Year guarantee

Durability of steel and stainless steel structural elements.

## Spare parts

The high quality of our products translates into their exceptional durability and, with proper maintenance, long service life significantly exceeding the warranty period. We deliver maintenance instructions to ensure long-term use. However, individual materials naturally wear out or can be sometimes damaged. Therefore, we understand that the availability of spare parts and a quick response to vandalism-related problems is crucial to our customers being able to restore any damaged or worn-out components. We guarantee the availability of spare parts throughout the entire period of use and always provide support and advice on replacing and repairing devices. Orders for most spare parts are fulfilled within 48 hours. Spare parts or their equivalents are also available after the warranty has expired; we ensure their availability for up to 10 years.




Watch movie:





# What makes us unique

Advanced production processes! From design, through production, to shipping, at every stage our priorities are the highest quality and safety of the playground. In the production process we use only certified materials, and a multi-stage quality control system guarantees that all elements of the products that leave our production line meet strict safety standards. We employ the best specialists who ensure a high standard of production, reliable customer service and professional service of devices. Modern machinery and advanced production organization enables a quick 4-week order fulfillment. We are proud that thanks to the strict standards and quality safety procedures applied in our company, we can guarantee children, their parents or guardians carefree fun and relaxation on the playground.



## Welding robots

Welding robots working on a set matrix built specifically for our needs, increase production efficiency thanks to the possibility of conducting welding processes in a continuous manner. The quality of welding joints is at the highest, always repeatable level thanks to the latest CMT technology. All robots work on high-class welding machines.

## Laser cutting of steel

The LC5 laser, which is the most modern integrated system for cutting profiles and sheets, allows for obtaining optimal metal processing parameters, allowing for achieving the best results in the shortest time.



## Powder coating

Thanks to the modern powder coating line, our devices are aesthetic and attractive in terms of color. We use the highest quality, child-safe paints with the QUALICOAT certificate. In the powder coating process, we adhere to strict standards for paint curing temperature, coating thickness and paint adhesion to steel elements.



## Steel welding

Our products are characterized by the highest quality of welds and precise finishing, which guarantees safe use and durability of playground equipment. A team of highly qualified welders, supported by the most modern welding robots, ensures the highest quality connections of steel elements.

## Abrasive processing (shot blasting)

The steel used in Vinci Play devices is cleaned by shot blasting before painting. Thanks to this, we obtain the correct surface and even welds and edges. This ensures better paint adhesion and makes the product even safer, more durable and aesthetic. In professional shot blasting chambers, we process elements of various dimensions, in all weather conditions and at any time of the year. For hot-dip galvanized steel, we use electrocorundum shot blasting, and for black steel, shot blasting with broken steel shot.



## Processing ropes

For the production of climbing devices and elements, bridges and interlacings, we use 16 mm thick steel ropes in polypropylene or nylon braiding. We connect them using durable fasteners made of plastic, stainless steel or aluminum. Rope elements are dimensioned, cut to the appropriate length and then forged using hydraulic presses with a pressure of 150 tons each.




## Galvanizing

We always galvanize black steel components before applying powder coating. Galvanizing effectively protects the metal surface against corrosion caused by atmospheric factors. We use two types of galvanizing: powder and hot-dip galvanizing. We store metal components galvanized using both methods in our warehouses, so we can quickly fulfill the customer's order.

## Welding of stainless steel tubes

Vinci Play's qualified employees participate in the entire production process of stainless steel tube slides. They design the tubes, roll them precisely, fit all the elements of the device, and then connect them using durable and safe welds. At Vinci Play, we use high-quality AISI 304 and AISI 316 steel.





### Hand made finish

Our experienced carpenters passionately hand-process and finish all wooden elements, and each piece of equipment is prepared individually. This process is complemented by modern 5D machining centers, which guarantees the details are precisely replicated. In this way, we achieve the highest quality of elements, fast implementation and high production efficiency.

### Cutting and milling Robinia

A 5-axis machine for cutting and milling black locust wood is an excellent tool for precise production of even the most complex details. The work of the machinery park and robots, supplemented by meticulous manual work on surface grinding, allows us to achieve the best production effects of the Robinia series and a perfectly smooth wood surface.



### CNC

We purchase HDPE and HPL boards used for the production of devices from world leading manufacturers which ensures that we use the highest quality products. The boards are processed using CNC milling plotters, guaranteeing precise cutting, milling and punching. The desired shapes and millings, consistent with even the most complex design, have high aesthetic and educational values, and at the same time meet the highest safety standards.





## Wood cutting

CNC saws and industrial robots precisely cut and process the timber for the wooden parts of the playground. Beveling the edges of the wood removes sharp edges, and four-sided surface grinding prepares the wood for the impregnation process. The high quality of the wooden elements guarantees the safety of the devices, and the automation of the process allows for short production times and quick order fulfillment.



## Wood painting

We use pressure-glued wood in layers to produce wooden devices. The processing of the wooden beams, which involves grinding, impregnation, painting, drying and hardening, takes place on a fully automated production line. The wood undergoes a multi-stage protection process, thanks to which we can guarantee long-term durability of the wooden parts of the devices regardless of weather conditions and climate.





Watch movie.





# Materials and components

At Vinci Play, we believe that every detail matters, which is why we use the highest quality materials and components with certificates and approvals to produce our devices, collaborating with world-famous suppliers. Thanks to this we can obtain a final product that will be not only aesthetic and functional, but also safe and compliant with applicable standards.



## Wood

Laminated wood with a cross-section of 90 x 90 mm. Top quality first-class wood: without knots, uniform colour, straight grain. Sanded, impregnated and varnished in a multi-stage production process. Secured from above with durable plastic overlays, and from below with hot-dip galvanised steel anchors, which protect the wood from direct contact with the ground, and thus prevent the development of rot and extend its life.



## Robinia wood

Robinia - black locust is the most durable wood found in Europe. It is characterised by a light, warm colour. It contains many oils that very well protect the material against weather conditions, naturally preserving, protecting against rotting processes and pests. It is distinguished by its exceptional hardness, resistance to moisture when in contact with soil. When sourcing wood, we make sure that it comes from European forests with the FSC® certificate and other controlled sources.



## Stainless steel

A structure made of AISI 304 or 316 stainless steel with an appropriately smooth surface finish is completely resistant to weather conditions, which ensures long service life. It is used to produce playground equipment, slides, tube slides, fasteners and chains.



## Steel

- A steel construction of components is made of profiles with different cross-sections. Those steel components are galvanized before applying powder coating, in two options:
- hot-dip galvanizing powder coated with UV-resistant paints with a QUALICOAT certificate,
- powder galvanizing powder coated with UV-resistant paints with a QUALICOAT certificate.



## Recycled composite

A structure made of composite, an ecological and innovative material derived 100% from recycled consumer waste, mainly clothing. This material is as durable as steel, does not absorb water, does not corrode or rot. It is also resistant to UV radiation.



## HEXA platforms

Platforms and climbing walls made of anti-slip and waterproof HPL board or optionally cross-plywood. They are covered with a phenolic film with a honeycomb imprint surface pressed hot, providing increased resistance to abrasion, mechanical damage and chemicals. They are PEFC certified.



## Recycled HDPE

High-quality polyethylene made 100% from recycled waste, including ocean waste such as fishing nets and ropes. Highly durable, environmentally friendly material, resistant to weather conditions: frost, moisture, temperature fluctuations, UV radiation. Used for the production of various types of panels, covers, roofs and other playground components. Available in green.



## HDPE

HDPE is a high-density polyethylene, resistant to weather conditions, such as moisture, frost and UV radiation. Three-layer boards with a black filling made of 100% recycled re-granulate are used to produce panels, roofs and other playground components.



## HPL

HPL is a duroplastic pressure laminate. Cured polyurethane-acrylic resins create a highly resistant top layer, which makes the boards resistant to chemical and biological factors, UV radiation and changing weather conditions. This laminate is used to produce covers, panels, roofs and other playground components. It has a PEFC certificate.



## Polycarbonate with print

Polycarbonate is a very durable material, with a transparency similar to glass, and at the same time twice as light and two hundred times more impact resistant. Additionally, it is resistant to weather conditions, including UV radiation and temperatures in a wide range. We use it to produce panels, covers and 3D spherical windows (portholes). Some elements are covered with a very durable double-sided print, also resistant to weather conditions.



## Ropes

16 mm diameter galvanized steel ropes covered with polypropylene or nylon material, connected with plastic, stainless steel or aluminum, resistant to UV radiation, abrasion and rot.



## Slides

Slides made of AISI 304 stainless steel, resistant to vandalism and external environment. Also available in fiberglass option. Side covers of the slide made of HDPE or HPL boards resistant to weather conditions, including frost and UV radiation.



## Stainless steel slides

Slides made of AISI 304 stainless steel, resistant to vandalism and external factors. Made with attention to every detail, with the highest quality welds, they are an elegant finish for playground products.



## Tube slides

Slides made of certified AISI 304 and AISI 316 stainless steel. Sheet thickness: 2.5 mm, diameter of 79 cm, sanded surface. The length of the slide exit depends on the length of the slide itself, the exit cap is made of a pipe with a diameter of 33.7 mm. Available variants: straight, curved or spiral (360 degrees). The tube slides meet the EN 1176 Standard.



## PE tube slides

Straight, curved or spiral slides made of colorful, impact- and scratch-resistant polyethylene (PE). The internal diameter is approx. 75 cm. Available in various vivid colors and in different heights.



## Moving elements

Moving elements in the Fitness series are based on two solutions: a Swiss joint system - safe and durable, allowing for fully guided movement, resistant to overloads, weather conditions and vandalism, with mechanical stopping and a durable bearing system enclosed in a housing, thanks to which it does not require lubrication and maintenance. These parts ensure long service life of devices with moving elements.



## PP tunnels

Double-walled tunnels resistant to distortion, made of PP (diameter 500 or 600 mm). Resistant to wear, vandalism and external factors.



## Climbing stones

Colourful climbing stones made of durable composite resin with mineral fillers, resistant to abrasion and UV radiation.



## Anchors

In wooden products, we use anchors made of hot-dip galvanized steel, protecting the wood from direct contact with the ground, which prevents the development of rot, thus extending the life of wooden products and ensuring their long-term use.



## Chains

Certified chains made of AISI 304 and AISI 316 stainless steel. Calibrated to protect fingers from getting pinched. Safety plugs Rubber or polypropylene safety plugs protect steel profiles from weather conditions and protect children from injuries.



## Protective plugs

Rubber or polypropylene protective plugs protect the main construction profiles against weather conditions and children from injuries.



## Screws

Screws made of AISI 304 and AISI 316 stainless steel or galvanized and secured with durable polyamide caps, protecting against contact with the external environment. Thanks to this, our devices are resistant to wear and tear or changing weather conditions.





# Colours

Different colours of play panels, ropes or construction elements allow our products to fit into various environments. Vinci Play products are aesthetic solutions tailored to the customer's expectations. When choosing colours, we pay special attention to functionality, the visual aspect, and matching the product to users' needs.

## HDPE:



## HPL:



## Lamellas:



## Ropes:




## Climbing stones:



# Steel components:

## Matte:



## Gloss:





# Safety first

The playground, fitness and workout equipment manufactured by Vinci Play is characterized by a refined style, attention to detail and design in accordance to European safety standards. We subject all products to multi-stage verification with particular care before making them available, thanks to which we are sure that they are perfect, both visually and in the context of safety.



## Versatile playgrounds for everyone

Our equipment is characterized by high versatility, thanks to which it is adapted to various needs - the size of the playground, the age of the target group, budget or color guidelines. Our mission is to bring smiles to all users, including those with special needs. Thanks to integration playgrounds, everyone can experience the joy of play.


## Beneficial effect on children

Before designing new equipment, we conduct an in-depth analysis of children's needs, thanks to which playing on our equipment provides children with a lot of positive stimuli. Graphics that arouse joy in children stimulate friendly emotions, eliminating fears and stress, which contributes to building a sense of security and inner peace. The cheerful illustrations created by our artists support the proper development of children's psyche, directly affecting the central nervous system. While playing on the playground, the youngest users gain their first experiences in forming relationships with others, learn to share, wait patiently, deal with emotions and cooperate in a group setting.



### Development of imagination

Unique structures and effective design take children to the land of smiles, providing them with an unprecedented range of emotions. Themed designs referring to ships, castles or other interesting places encourage creative play and active spending of time outdoors. All this helps in the development of a child's imagination and social integration.



### More and more ideas

We constantly follow the latest trends on the market and analyze the needs of children around the world. Thanks to this, we provide our customers with increasingly innovative solutions, while maintaining the highest quality. Vinci Play is a company of the future, where quality, safety and style combine into one to produce industry leading playgrounds.



# Sustainability at Vinci Play

At Vinci Play, we have been ensuring stable and sustainable growth for many years. Operating on a global market, we understand how important it is to be aware when managing our social, environmental and organizational influences. We listen carefully to the opinions of our stakeholders, we look for new solutions every day and never lose sight of what is most important, such as values in business.

Sustainable development is one of the key foundations supporting Vinci Play's business growth strategy. We persist in efforts to ensure that our operational activities support the implementation of the UN Sustainable Development Goals. Our intention is to implement the assumptions of the ESG strategy by 2026, which includes 73 tasks that maximize our positive impact in the value chain. We reflect the global partnership for sustainable development in three pillars of responsibility: towards people, the planet and the community. Each of them pursues specific goals that provide an answer to the expectations of our stakeholders: employees, customers, social and business partners.

We continuously invest in social potential, responsible resource management, and product safety and quality. We develop our portfolio in the spirit of a circular economy, we focus on the development of renewable energy sources and ecological education. We want our products to support the development of social bonds in every corner of the world. We believe in the power of collective partnership, which is why we are an active signatory to real changes in the world, guided by the maxim of "conscious participation in positive transformation for the good of future generations".





### For Society

Vinci Play supports social connections and involvement. We intend to develop related projects with ecological education and supporting intergenerational integration and the development of social bonds in the places where we operate. The goals we set for ourselves in this regard include: improving the ESG management structure, raising standards ethics and respect for the rights of stakeholders.

### For the Planet

We will intensify actions to mitigate the effects of climate change. We are planning the transformation of our offices and production plants.

We will innovate in terms of designing and expanding the product portfolio focusing on a circular and low emission economy, as well as responsible use of natural resources. The goals we set for ourselves in this plan are, to name a few, measuring carbon footprint emissions, investing in renewable energy, increasing recycling and upcycling of waste.



### For the People

Vinci Play aims to increase its efforts to support development of the company's employee potential. The company intends to implement numerous projects in the field of employee safety and health and diversity management. The goals we set for ourselves in this policy, among others, are: an increase in satisfaction of our employees and establishing partnership cooperation throughout value chain.

# The idea of ecological playgrounds

A playground is a place where children can play, develop and learn. Ecological playgrounds use natural materials and sustainable solutions to create a safe and pleasant place for children to play, while taking care of the natural environment.

Green playgrounds are not only a place to play, but also an important element of education and building ecological awareness among children. They are also an example of a responsible approach to the design and construction of public spaces, with respect for the natural environment and the well-being of future generations.

## Why it is worth creating ecological playgrounds:



### Reducing CO2 emissions

The wood we use to produce playgrounds is a more ecological raw material than steel, aluminium or plastic. Using wood in production reduces the climate footprint.

### Promoting sustainable development

Children playing on Vinci Play playgrounds learn about environmental protection and responsible use of natural resources.

### Improving health and well-being

Contact with nature has a positive effect on children's health and well-being. Through ecological playgrounds, we encourage physical activity and spending time outdoors.

### Creating a pleasant place to play

We design playgrounds with aesthetics and functionality in mind, creating a friendly and encouraging environment for play.

### Reducing the impact on the environment

In the production process of ecological playgrounds, we use materials from recycled or renewable sources.

### Waste minimization

The materials from which we create playgrounds allow them to be reused after use.

## Our solutions



### Recycled textile composite

Out of concern for the future of children and subsequent generations, the idea was born to replace our classic elements of playground equipment construction with materials from post-consumer recycling. As a result, we created the Recycled series. Composite posts are made entirely of recycled clothing, and at the same time they are durable and aesthetic.



### Ocean Waste

Recycled HDPE used in the Recycled product series is based on secondary raw materials. High-quality polyethylene is made from recycled ocean waste. Fishing nets and ropes extracted from the water, properly processed, are a highly durable, environmentally friendly material, resistant to weather conditions: frost, moisture, temperature fluctuations and UV radiation. Used to produce various types of panels, side panels, roofs and other playground components.



### Robinia wood

Robinia series is manufactured from natural black locust wood obtained from European plantations. Acacia wood used to produce Robinia series devices contains many oils that protect the material very well against weather conditions, naturally preserving it, protecting it from rotting processes and pests. Our black locust wood comes from European plantations with the FSC® certificate and other controlled sources, thanks to which we care for the future in the spirit of sustainable development.

# Play is ECO!



A playground is a place where children spend time in carefree play, developing their imagination and improving their motor skills. We make every effort to ensure that these spaces are not only safe and attractive, but also environmentally friendly. Ecological playgrounds are not just devices, but the entire ideology of the company, which takes care of sustainable solutions in the production process. Thanks to the increasing social awareness of eco-responsibility, we have access to many sources that help us create 'green' devices. In 2022, Vinci Play introduced a special "Recycled" series, which uses materials originating in the majority of percentage from consumer waste.



## Recycled plastic

We have replaced ordinary plastic with raw material made from used ropes and fishing nets. By using "green plastic", we reduce the amount of plastic waste on land and in the oceans.



## Textile waste

Our durable posts are made of used textiles and foil. Recycling clothes and bags is key to reducing carbon dioxide emissions and reducing waste in landfills.



## Wood

Our wood comes from controlled farms that care for biodiversity and ecological balance. Sustainable forest management prevents unfavorable climate changes.



## Environmental protection

Caring for the natural environment is an important aspect of our business activities. FSC® certificate number RINA-COC-000904: (FSC® license number C163573) confirms the use of materials from properly managed FSC-certified forests and other controlled sources. In all our activities, we are guided by the principles of sustainable development, including the selection of contractors and suppliers. We have an ISO 14001:2015 certificate, which confirms the implementation of an environmental management system.

# Our solutions

## Stainless steel

Stainless steel is a durable and corrosion-resistant material, thanks to which devices manufactured with it have a long service life, which reduces the need to replace them, and therefore reduces the amount of waste. It is also fully recyclable, after use it can be melted down and reused to produce new products. The stainless steel recycling process is effective and the material does not lose its properties, which makes it a virtually endless cycle.



## Recycled tyre edges

Trampoline edges made from recycled rubber tyres are designed to protect its users from injuries. The SBR rubber edging glued to the structural frame of the trampolines protects the edges.

## Minimizing wastes

In the process of producing devices from robinia wood, we try to minimize the waste generated - we select all the poles and try to use the simplest elements in the highest structures of tower devices. We use the remaining pieces in other, smaller devices, including for the production of rockers or small architecture.


## Parts replacement

The possibility of replacing parts in devices and their availability means that the amount of waste is decreasing globally. A damaged or partially used device, instead of ending up in a landfill, remains in use after repair. The production of a new device is energy-intensive, replacing only parts promotes sustainable development through more efficient use of resources. We support the circular economy model, where products are repaired and refurbished for further use.



# Design under control

Designers and engineers creating playground equipment, with attention to detail, refine each play element so that it meets the individual needs of users. Thanks to personalization, we implement projects tailored to the unique preferences of customers. Each series of products is characterized by a different style and various features of appearance and functionality, which means that our customers can choose from a wide range of items that will perfectly fit into the existing playground environment.







### Graphic artists (customized graphic design)


Many elements of Vinci Play devices are made of polycarbonate with creative graphics made by our talented artists. The diverse styles of our illustrators allow you to give an individual character to each device from the offer. The uniqueness of our designs is confirmed by the involvement of our creators in the production processes, creating various play environments with individual styles.



# Diverse designs

We create all Vinci Play playground equipment based on safety standards, while ensuring the highest quality design. When designing new play equipment, we make sure that its appearance is attractive and unique, modern and stylish, and at the same time safe and reliable.





# Design your playground



Design a functional and safe playground with the 3D planner application. Thanks to this user-friendly app you will be able to create several versions of the playground and choose the one you like the best in just 5 minutes. Upload a photo of the space you have at your disposal and fill it up with Vinci Play equipment. See what your new playground will look like in the morning, in the evening and during different seasons of the year. You will be able to export the created visualizations to .jpg/.png or .pdf files. Our 3D application will calculate the area needed for the installation of the Vinci Play equipment based on their safety zones, so that your modern playground can meet all the requirements of the EN 1176 standard.

## 1. How to start?

You can easily name the project, define the size of the area and the shape and size of the playground.

## 2. Choosing Vinci Play products

You can search for a Vinci Play product by the age of users, product series, materials or colour versions through a quick and intuitive search engine. The application contains an up-to-date library of all devices available in the offer.

## 3. Adding products, plants and creating a playground of your dreams

Adding equipment or plants is child's play. As soon as you make your choice - just click on the product (or on a plant) and drag it to the selected area. When putting more products, special attention should be paid to ensure that the safety zones of individual elements do not overlap (this is very important!) - when this happens, the contact area will be highlighted in red.

## 4. Defining surface texture

Each playground also has a surface. Not all devices can be installed on grass or sand. You can easily sketch various shapes on the surface that can be made of flexible poured surfaces. Just choose a defined shape - circle, square or hexagon, or draw an irregular shape by hand. It is very easy! Then you can choose the colour or texture of each element of the surface.

## 5. Displaying a 3D view and printing

All steps so far have taken place in top view. It's cool, but the visualization of the playground is something that interests us much more. How to show a 3D view? It's also very easy. Just click one button and the playground we have created will show up in all its glory! The view can be zoomed in and out, shown from different angles, thanks to which we will feel as if we are walking on an already existing playground. We can also quickly print a specific view and leave it with the customer together with the offer.

# Development through play

Play is the key to a child's happy and healthy development, it is a natural need of every toddler, and at the same time it is an excellent tool for learning and exploring the world.

The numerous benefits of playing, such as: physical, cognitive, social and emotional development, prove that it is a key element of human development. It is an important factor in the process of shaping motor skills in children. Parents can support the development of their children's motor coordination by providing them with access to places dedicated to them. The ideal area that guarantees these conditions is a playground, which stimulates them from an early age. Playing also has a significant role in building social and emotional skills in children, such as establishing relationships with peers, resolving conflicts, expressing emotions or dealing with difficulties. The entertainment provided by the playground stimulates cognitive development, including logical thinking, imagination and creativity.



## Social development

Social skills are: the ability to communicate, cooperate, and function in social life.



## Psychomotor development

The entire spectrum of movement and reasoning skills can be called psychomotor skills.



## Emotional development

Emotions are: fundamental psychological experiences that influence thoughts, behaviours, and interactions with others.



## Cognitive development

The key skills in human life are: thinking, understanding, and processing information from the environment.



## Motor development

Fine motor skills are precise movements, while gross motor skills define general movements performed by larger muscle groups.





## Our solutions



### Integrating equipment

Playing together and interacting with peers allows children to develop socially. Through cooperation and sharing, they acquire social competences. Thanks to the ability to find their place in a group, they gain self-awareness and learn how social interactions work. Inclusive playgrounds provide a safe space for children with various disabilities to play.



### Educational elements

Products focused on the education and development of toddlers. They help to increase children's awareness, developing mathematical skills and logical thinking. Manipulative elements allows children to develop their motor skills.



### Obstacles and balances

Equipment elements that engage many muscle groups and help strengthen them. They require maintaining balance, which helps develop balancing skills and body stability.



### Thematic products

Imagination and one's own internal development are the basis of human personality. Products that enable self-expression and the creation of imaginative play scenarios have a positive impact on the development of the creative side of children's minds.



# Play for all

Inclusiveness is about creating an environment where everyone is welcome and respected. This means removing barriers and providing everyone with equal opportunities to participate in different aspects of social life. Integration makes everyone feel accepted and valued, which strengthens social bonds. Playgrounds play a key role in children's development, offering them a space to play, learn and integrate. These unique places are not only a source of entertainment, but also stimulate children's all-round development, helping to build their self-confidence.



## Inclusive playground



## Integrate playground



## Segregate playground



## Exclusive playground



## Our solutions



### Wheelchair ramps

Wheelchair ramps are designed to allow people with disabilities to use the device in an active way, exploring places previously inaccessible.



### Educational elements

They are places of rest from physical activity, playing with them stimulates brain development. Thanks to their location, they are easily accessible for people with disabilities.



### Inclusive carousels

We offer various types of inclusive product, including carousels. Both spinning wheels and traditional rotating carousels enable everyone to play, including wheelchair users.



### Stairs with a special platform

Stairs with handles for the disabled have been designed to make it easier for people with limited mobility to get to the device.



### Moving panels

They support development and arouse children's curiosity, encouraging them to play. The panels also act as a cover for the devices, thanks to which most of them are easily accessible.



### Trampoline for wheelchairs

This model of trampoline has been designed to make it possible for a wheelchair to enter it and for people who are able bodied to use it also.



### Logic games

Thanks to the location of the logic game elements at the bottom of the products, the youngest children and those with limited mobility can easily use them.



### Rest areas

Swings, hammocks and horizontal climbing nets have been designed in a way that makes it easier for people with disabilities to use them, while supporting their integration with other users of the playground.

# Inclusive playground with reduced carbon footprint



1 RECYCLED RC1433 p. 71

2 RECYCLED RC0630 p. 80

3 RECYCLED RC1482 p. 72

4 RECYCLED RC1551 p. 71

5 RECYCLED RC1552 p. 71

6 HOOP 0703-1 p. 249

7 SWING ST0511 p. 242



8 RECYCLED RC1437 p. 62

9 RECYCLED RC1505 p. 65

10 RECYCLED RC1427 p. 72

11 RECYCLED RC0924 p. 88

12 RECYCLED RC0934 p. 88

13 PARK 0940 p. 282

# Playground with low CO<sub>2</sub> emission



- 1 RECYCLED RC0934 p. 88
- 2 RECYCLED RC0924 p. 88
- 3 CLIMBOO 0417-1 p. 225

- 4 RECYCLED RC1449 p. 66
- 5 RECYCLED RC0499 p. 78

- 6 RECYCLED RC0712 p. 84
- 7 RECYCLED RC1443 p. 77



8 RECYCLED RC1405 p. 66

9 RECYCLED RC1452 p. 69

10 RECYCLED RC0685 p. 76

# Reduced carbon footprint sport arena



1 RECYCLED RC0924 p. 88

2 RECYCLED RC0934 p. 88

3 ARENA 241308-002 p. 257



4 WORKOUT RB2301 p. 271

5 FITNESS RB1117 p. 267

6 WORKOUT RB2323 p. 272

7 WORKOUT RB2399 p. 273

8 FITNESS RB1111 p. 267

9 FITNESS RB1108 p. 267

# Natural playground



**LOW CO<sub>2</sub> EMISSION**

- 1 ROBINIA RB1392 p. 138
- 2 ROBINIA RB1228 p. 126
- 3 ROBINIA RB1322 p. 111

- 4 ROBINIA RB1321 p. 111
- 5 ROBINIA RB1369 p. 118

- 6 ROBINIA RB1315 p. 99
- 7 ROBINIA RB1277 p. 130



8 ROBINIA RB1327 p. 112

9 ROBINIA RB1247 p. 107

10 ROBINIA RB1362 p. 118

11 ROBINIA RB1227 p. 126

12 ROBINIA RB1306 p. 96

13 ROBINIA RB1492 p. 123

# Nature play in the city



1 ROBINIA RB1327 p. 112

2 ROBINIA RB1330 p. 108

3 ROBINIA RB1366 p. 118

4 ROBINIA RB1307 p. 96

5 ROBINIA RB1387 p. 138

6 ROBINIA RB0700 p. 119



- 7 ROBINIA RB0514 p. 120
- 8 ROBINIA RB1306 p. 96
- 9 ROBINIA RB1390 p. 138

- 10 ROBINIA RB1351 p. 120
- 11 ROBINIA RB1323 p. 111

- 12 ROBINIA RB1309 p. 96
- 13 ROBINIA RB1324 p. 111

# Natural water & sand playground



1 ROBINIA RB1393 p. 138

2 ROBINIA RB1379 p. 136

3 ROBINIA RB1288 p. 130

4 ROBINIA RB1269 p. 124



5 ROBINIA RB1223 p. 135

6 ROBINIA RB1336 p. 109

7 ROBINIA RB2867 p. 115

# Thematic playground



- 1 SOLO 0826 p. 189
- 2 CLIMBOO 0419-1 p. 225

- 3 CASTILLO 3028-1 p. 159
- 4 SWING ST1494 p. 243

- 5 SPRING 0651 p. 232



6 CASTILLO 3080 p. 163

7 SOLO 0802-1 p. 192

8 SPRING 0622 p. 234

9 SPRING 0674 p. 235

# Inclusive playground



- 1 STEEL+ 1725 p. 165
- 2 SPRING 0630 p. 234
- 3 PARK 0926 p. 280

- 4 HOOP 0701-1 p. 250
- 5 SOLO 1755 p. 191

- 6 CLIMBOO 0499 p.222
- 7 SPRING 0671 p. 235



8 SWING ST1494 p. 243

9 SWING ST0531 p. 241

10 SPRING 0608-2 p. 233

11 STEEL+ 1726 p. 165

12 HOOP 0728 p. 248

13 SOLO 0842 p. 192

14 PARK 0905-1 p. 281

# Relax in Nature - Camper and obstacle courses for dogs



1 WOOF 5004 p. 278

2 WOOF 5002 p.278

3 WOOF 5005 p.278

4 WOOF 5009 p. 279

5 WOOF 5006 p. 278

6 WOOF 5099 p. 279

7 WOOF 5010 p. 278

new  
series  
**uniq**  
coming  
soon



8 ROBINIA RB1392 p. 138

9 ROBINIA RB1291 p. 117

10 ROBINIA RB1393 p.138

11 ROBINIA RB1368 p.118

12 UNIQ 4001

# Thematic playground Robinia Castle



1 ROBINIA RB1921 p. 94

2 ROBINIA RB1367 p. 118

3 ROBINIA RB1937 p. 109

4 ROBINIA RB1901 p. 94

5 ROBINIA RB1261 p. 126



6

6 ROBINIA RB1903 p. 94

# Full Body Workout Outdoor Gym



1 ACTIVE 2706 p. 277

2 ACTIVE 2704 p. 277

3 ACTIVE 2703 p. 277

4 ACTIVE 2707 p. 276

5 ACTIVE 2711 p. 276

6 ACTIVE 2702 p. 277

7 WORKOUT 2323 p. 270

8 WORKOUT 2310 p. 269

9 WORKOUT 2328 p. 270



10 WORKOUT 2325 p. 270

11 WORKOUT PRO 2353 p. 274

12 WORKOUT PRO 2356 p. 274

13 WORKOUT PRO 2351 p. 274





**Be more eco  
with Vinci Play!**



# Recycled, a better way!



Caring for the future of children and future generations, the idea was born to replace our classic elements of play equipment construction with post-consumer recycled materials. As a result, we have created a group of Recycled products based in 100% on recyclable materials that lower carbon emission.

Towers, slides, ladders, sandboxes, educational panels, spring rockers, swings and complementary elements, such as benches and litter bins - all produced with the use of recyclable materials.

**LOW CO<sub>2</sub>  
EMISSION**





### Composite posts

Recycled posts made of an innovative material made of used clothing and foil. The characteristics include, among others that this material: does not corrode, is durable as steel, resistant to algae formation, does not absorb water and is resistant to UV radiation.



### Recycled HDPE panels

Roofs, side panels and moving elements manufactured from ocean waste – fishing ropes and nets. With high durability and resistance to weather conditions these panels allow to create a playground with almost 100% recycled elements, contributing to a healthier environment for future generations.



### Plywood platforms

Anti-slip and waterproof platforms and climbing walls made of plywood coated with a hot-pressed phenolic film with a honeycomb surface imprint – it offers increased resistance to abrasion, mechanical damage and chemical agents. It is PEFC-certified.



### HDPE with recycled core

A high-quality material resistant to atmospheric agents, i.e. it is waterproof, resistant to frost, UV radiation or moisture. We use three-layer plates (a black core is made of 100% recycled granulate) for the production of various panels, roofs and other playground components.



### Stainless steel bars

AISI304 or AISI316 stainless steel bars are used as handrails, fireman's poles, climbing frames, ladders. With a smooth surface, it is completely weather-resistant, thus ensuring its long life span.



### HPL elements

HPL panels are being used as supplement in various types of equipment, harmonising with recycled style of the series. This laminate is resistant to chemical and biological factors and weather conditions.



# wooden recycled

## Wooden now in Recycled option!

The WOODEN series now available in a new material version. Instead of painted wood construction, products are available in the Recycled option.

Various educational and sensory panels combined with moving elements will bring children a lot of joy and arouse great interest.

The environmentally friendly Recycled series devices stimulate the child's comprehensive physical development and also allow a large group of children to play together. Thanks to this, the child learns to establish relationships with peers and cooperate in a group.



RC1503

Watch movie:



RC1401



RC1402



RC1403



RC1437



RC1407

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels variants	
											steel	wood	recycled	HDPE	HPL
RC1503	●	342 cm	336 cm	247 cm	1 - 8	25	33,8 m <sup>2</sup>	< 60 cm	59 cm	35, 59 cm	-	-	●	●	-
RC1401	●	97 cm	96 cm	139 cm	1 - 8	4	13,8 m <sup>2</sup>	< 60 cm	-	-	-	-	●	●	-
RC1402	●	166 cm	99 cm	191 cm	1 - 8	6	15,6 m <sup>2</sup>	< 60 cm	-	35 cm	-	-	●	●	-
RC1403	●	204 cm	139 cm	170 cm	3 - 14	7	18,8 m <sup>2</sup>	90 cm	90 cm	90 cm	-	-	●	●	-
RC1437	●	349 cm	173 cm	103 cm	1 - 8	15	27,3 m <sup>2</sup>	< 60 cm	-	-	-	-	●	●	-
RC1407	●	260 cm	270 cm	280 cm	3 - 14	13	27,5 m <sup>2</sup>	90 cm	90 cm	90 cm	-	-	●	●	-

LOW CO<sub>2</sub>  
EMISSION







RC1434



RC1436



RC1504



RC1506



RC1502



RC1505



RC1507



RC1501

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels variants	
											steel	wood	recycled	HDPE	HPL
RC1434	●	215 cm	145 cm	280 cm	1 - 8	7	19,5 m <sup>2</sup>	90 cm	90 cm	59, 90 cm	-	-	●	●	-
RC1436	-	360 cm	315 cm	280 cm	1 - 8	14	30,4 m <sup>2</sup>	90 cm	59, 90 cm	59, 90 cm	-	-	●	●	-
RC1504	●	440 cm	451 cm	367 cm	3 - 12	29	43,4 m <sup>2</sup>	180 cm	120, 150 cm	35, 120, 150, 180 cm	-	-	●	●	-
RC1506	●	825 cm	830 cm	280 cm	1 - 8	90	96,2 m <sup>2</sup>	90 cm	59, 90 cm	35, 40, 59, 90 cm	-	-	●	●	-
RC1505	●	675 cm	580 cm	280 cm	1 - 8	58	62,1 m <sup>2</sup>	90 cm	90 cm	35, 40, 59, 90 cm	-	-	●	●	-
RC1507	●	505 cm	215 cm	115 cm	1 - 8	34	36,6 m <sup>2</sup>	< 60 cm	-	35 cm	-	-	●	●	-
RC1502	●	247 cm	213 cm	307 cm	1 - 8	11	22,7 m <sup>2</sup>	120 cm	120 cm	120 cm	-	-	●	●	-
RC1501	●	218 cm	224 cm	277 cm	1 - 8	9	21,7 m <sup>2</sup>	90 cm	90 cm	40, 90 cm	-	-	●	●	-



RC1405



RC1404



RC1406



RC1454



RC1408



RC1409



RC1449



RC1438




RC1410

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels variants
											steel wood recycled	HDPE HPL
RC1405	●	328 cm	245 cm	337 cm	3 - 14	13	26,4 m <sup>2</sup>	150 cm	150 cm	150 cm	- - ●	● -
RC1404	-	314 cm	150 cm	307 cm	3 - 14	7	22,4 m <sup>2</sup>	120 cm	120 cm	120 cm	- - ●	● -
RC1406	-	316 cm	252 cm	310 cm	3 - 14	11	26,2 m <sup>2</sup>	120 cm	90, 120 cm	90, 120 cm	- - ●	● -
RC1454	-	910 cm	405 cm	410 cm	3 - 14	30	55,3 m <sup>2</sup>	220 cm	210 cm	120, 150, 180, 210 cm	- - ●	● -
RC1408	●	365 cm	290 cm	310 cm	3 - 14	13	31,1 m <sup>2</sup>	120 cm	120 cm	90, 120 cm	- - ●	● -
RC1409	-	460 cm	355 cm	340 cm	3 - 14	19	38,3 m <sup>2</sup>	190 cm	150 cm	90, 150 cm	- - ●	● -
RC1449	-	322 cm	278 cm	367 cm	3 - 14	16	28,5 m <sup>2</sup>	220 cm	-	120, 150, 180 cm	- - ●	● -
RC1438	●	328 cm	474 cm	307 cm	3 - 14	12	38,1 m <sup>2</sup>	130 cm	120 cm	120 cm	- - ●	● -
RC1410	-	405 cm	335 cm	370 cm	3 - 14	23	41,2 m <sup>2</sup>	220 cm	150 cm	150, 180 cm	- - ●	● -



RC1411



RC1508



RC1412



RC1413

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels variants	
											steel	wood	recycled	HDPE	HPL
RC1411	●	563 cm	357 cm	367 cm	3 - 14	30	47,4 m <sup>2</sup>	180 cm	150 cm	120, 150, 180 cm	-	-	●	●	-
RC1412	●	565 cm	424 cm	367 cm	3 - 14	31	50,2 m <sup>2</sup>	210 cm	90, 180 cm	90, 120, 150, 180 cm	-	-	●	●	-
RC1413	●	627 cm	319 cm	340 cm	3 - 14	51	56,2 m <sup>2</sup>	220 cm	-	120, 150, 180 cm	-	-	●	●	-
RC1508	-	635 cm	295 cm	230 cm	6 - 14	4	34,8 m <sup>2</sup>	120 cm	-	-	-	-	●	●	-



**LOW CO<sub>2</sub>  
EMISSION**





RC1439



RC1450



RC1451



RC1452

Product code	🌱	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels variants	
											steel	wood	recycled	HDPE	HPL
RC1439	-	306 cm	230 cm	230 cm	3 - 14	17	29,9 m <sup>2</sup>	220 cm	-	120, 150 cm	-	-	●	●	-
RC1450	●	535 cm	510 cm	235 cm	7 - 16	31	45,3 m <sup>2</sup>	220 cm	120, 150 cm	120, 150 cm	-	-	●	●	-
RC1451	-	427 cm	206 cm	260 cm	7 - 16	14	33,2 m <sup>2</sup>	250 cm	-	150, 180 cm	-	-	●	●	-
RC1452	-	528 cm	428 cm	260 cm	7 - 16	31	47,8 m <sup>2</sup>	250 cm	-	150, 180 cm	-	-	●	●	-



RC1414



RC1415



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels variants	
											steel	wood	recycled	HDPE	HPL
RC1414	●	395 cm	330 cm	260 cm	3 - 14	21	31,4 m <sup>2</sup>	90 cm	90 cm	90 cm	-	-	●	●	-
RC1415	●	615 cm	395 cm	290 cm	3 - 14	34	47,7 m <sup>2</sup>	120 cm	90, 120 cm	90, 120 cm	-	-	●	●	-



RC1433



RC1581



RC1418



RC1580



RC1550



RC1551



RC1552

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels variants	
											steel	wood	recycled	HDPE	HPL
RC1433	●	300 cm	275 cm	250 cm	1 - 8	14	25,1 m <sup>2</sup>	< 60 cm	59 cm	35, 59 cm	-	-	●	●	-
RC1581	●	1100 cm	525 cm	485 cm	3 - 14	52	74,6 m <sup>2</sup>	150 cm	90, 150 cm	35, 90, 120, 150 cm	-	-	●	●	-
RC1418	●	1575 cm	805 cm	490 cm	3 - 14	120	134,5 m <sup>2</sup>	180 cm	120, 150, 180* cm	120, 150, 180 cm	-	-	●	●	-
RC1580	●	1285 cm	740 cm	490 cm	3 - 14	82	108,3 m <sup>2</sup>	180 cm	120, 150, 180 cm	120, 150, 180 cm	-	-	●	●	-
RC1550	●	386 cm	336 cm	260 cm	3 - 12	28	33,3 m <sup>2</sup>	120 cm	90 cm	40, 90, 120 cm	-	-	●	●	-
RC1551	●	292 cm	220 cm	214 cm	1 - 8	12	25,3 m <sup>2</sup>	< 60 cm	59 cm	59 cm	-	-	●	●	-
RC1552	●	244 cm	100 cm	184 cm	1 - 8	10	19,9 m <sup>2</sup>	< 60 cm	-	35 cm	-	-	●	●	-

\*Height of tube slides.

# solo • recycled

## Fun for the youngest!

The SOLO series is a paradise for preschoolers, ruled by sand, water, sound and movement.

Free fun develops natural creativity, encourages experimentation and unleashes imagination and the desire to cooperate with other children.

Numerous manual and sound elements and educational panels stimulate the senses in a comprehensive way, stimulating the child's intellectual development.



RC0824



RC1455




RC1427



RC0800

RC1456



RC1416




RC1482




RC1457

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	wood	recycled	HDPE	HPL
RC0824	●	188 cm	141 cm	155 cm	1 - 8	13	17,6 m <sup>2</sup>	< 60 cm	-	-	-	●	-
RC1455	●	348 cm	171 cm	191 cm	1 - 12	23	28,6 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1427	●	167 cm	97 cm	114 cm	1 - 8	5	14,5 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC0800	●	30 cm	30 cm	40 cm	1 - 12	1	8,7 m <sup>2</sup>	< 60 cm	●	-	-	●	-
RC1456	●	145 cm	62 cm	170 cm	1 - 12	5	13,7 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1416	-	415 cm	165 cm	140 cm	1 - 12	11	27,0 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1482	●	139 cm	139 cm	78 cm	1 - 12	8	17,3 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1457	-	380 cm	210 cm	35 cm	1 - 12	11	32,7 m <sup>2</sup>	< 60 cm	-	-	●	●	-



RC1458



RC1429



RC0801



RC0802

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	wood	recycled	HDPE	HPL
RC1458	-	258 cm	258 cm	28 cm	1 - 12	16	29,2 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1429	-	254 cm	221 cm	28 cm	1 - 12	9	21,8 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC0801	-	178 cm	178 cm	30 cm	1 - 12	11	20,9 m <sup>2</sup>	< 60 cm	●	-	-	●	-
RC0802	-	323 cm	287 cm	43 cm	1 - 12	18	29,1 m <sup>2</sup>	< 60 cm	●	-	-	●	-



RC0810



RC0813



RC0811



RC0812



RC0825

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	wood	recycled	HDPE	HPL
RC0810	-	168 cm	94 cm	166 cm	3 - 12	5	16,5 m <sup>2</sup>	< 60 cm	●	-	-	●	-
RC0811	-	143 cm	92 cm	74 cm	3 - 12	4	15,4 m <sup>2</sup>	< 60 cm	●	-	-	●	-
RC0812	-	130 cm	89 cm	96 cm	3 - 12	4	14,8 m <sup>2</sup>	90 cm	●	-	-	●	-
RC0813	-	143 cm	94 cm	166 cm	3 - 12	6	15,4 m <sup>2</sup>	< 60 cm	●	-	-	●	-
RC0825	-	734 cm	94 cm	166 cm	3 - 12	20	38,6 m <sup>2</sup>	90 cm	●	-	-	●	-



RC1467



RC1468



RC1469



RC1470



RC1471



RC1472



RC1473



RC1474




RC1475



RC1476



RC1477



RC1478



RC1560



RC1561



RC1562



RC1563




RC1564



RC1565

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	wood	recycled	HDPE	HPL
RC1467	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1468	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1469	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1470	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1471	●	84 cm	12 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1472	●	84 cm	15 cm	130 cm	1 - 8	2	10,2 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1473	●	84 cm	21 cm	130 cm	1 - 8	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1474	●	84 cm	21 cm	130 cm	1 - 8	2	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1475	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1476	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1477	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1478	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	-	●
RC1560	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1561	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1562	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1563	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1564	●	84 cm	15 cm	130 cm	1 - 8	2	10,2 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1565	●	84 cm	10 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	-



RC0685





RC0817



RC0816

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	wood	recycled	HDPE	HPL
RC0685	-	84 cm	79 cm	123 cm	3 - 12	2	11,5 m <sup>2</sup>	< 60 cm	●	-	-	●	-
RC0817	-	120 cm	50 cm	59 cm	3 - 12	2	12,0 m <sup>2</sup>	< 60 cm	●	-	-	●	-
RC0816	-	94 cm	87 cm	< 60 cm	3 - 12	3	11,9 m <sup>2</sup>	< 60 cm	●	-	-	●	-



Product code		Product length	Product width	Product height (A)	Age range	Number of users	Safety zone	Free-fall height	Slide height (B)	Slide length (C)	Platform height (D)	Construction			Panels variants	
												steel	wood	recycled	HDPE	HPL
RC1440	-	168 cm	84 cm	141 cm	1 - 8	3	15,8 m <sup>2</sup>	< 60 cm	59 cm	90 cm	35 cm	-	-	●	●	-
RC1441	-	203 cm	84 cm	171 cm	1 - 8	3	16,7 m <sup>2</sup>	< 60 cm	90 cm	135 cm	35 cm	-	-	●	●	-
RC1442	-	239 cm	84 cm	201 cm	3 - 14	3	17,9 m <sup>2</sup>	< 60 cm	120 cm	180 cm	35 cm	-	-	●	●	-
RC1443	-	285 cm	84 cm	231 cm	3 - 14	3	19,5 m <sup>2</sup>	< 60 cm	150 cm	240 cm	35 cm	-	-	●	●	-
RC1444	-	321 cm	84 cm	261 cm	3 - 14	3	20,8 m <sup>2</sup>	< 60 cm	180 cm	285 cm	35 cm	-	-	●	●	-
RC1445	-	358 cm	84 cm	291 cm	3 - 14	3	22,1 m <sup>2</sup>	< 60 cm	210 cm	330 cm	35 cm	-	-	●	●	-
RC1446	-	515 cm	84 cm	380 cm	3 - 14	3	27,0 m <sup>2</sup>	< 60 cm	300 cm	513 cm	35 cm	-	-	●	●	-
RC1447	-	635 cm	84 cm	480 cm	3 - 14	3	31,1 m <sup>2</sup>	< 60 cm	400 cm	670 cm	35 cm	-	-	●	●	-
RC1448	-	755 cm	84 cm	581 cm	3 - 14	3	35,2 m <sup>2</sup>	< 60 cm	500 cm	826 cm	35 cm	-	-	●	●	-

# climboo recycled

## Climb, crawl and pull-up


The CLIMBOO series develops the skills and coordination of older children, increasing their self-confidence.

Various ladders and climbing walls of varying degrees of difficulty strengthen muscles and teach the child to concentrate and maintain balance.

This series is an ideal place to organize games with elements of competition, where exciting physical challenges are accompanied by maximum safety.



RC1463



RC1459



RC1461



RC1462



RC1460

See also from regular CLIMBOO series on: [www.vinci-play.com](http://www.vinci-play.com)



RC0499



RC1419



0417-1



0421



1716

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants	
									steel	wood	recycled	HDPE / HPL	ropes
RC1463	-	536 cm	316 cm	230 cm	7 - 16	52	60,4 m <sup>2</sup>	220 cm	150 cm	-	-	●	●
RC1459	-	102 cm	84 cm	104 cm	1 - 12	1	13,5 m <sup>2</sup>	< 60 cm	-	-	-	●	-
RC1461	-	535 cm	306 cm	140 cm	3 - 14	28	44,7 m <sup>2</sup>	< 60 cm	29, 59 cm	-	-	●	●
RC1462	-	240 cm	233 cm	230 cm	3 - 14	23	33,9 m <sup>2</sup>	220 cm	120 cm	-	-	●	●
RC1460	-	232 cm	87 cm	110 cm	1 - 8	7	16,7 m <sup>2</sup>	99 cm	-	-	-	●	●
RC0499	-	135 cm	185 cm	45 cm	3 - 14	4	19,2 m <sup>2</sup>	< 60 cm	-	-	-	●	●
RC1419	-	310 cm	306 cm	230 cm	3 - 14	11	31,2 m <sup>2</sup>	220 cm	-	-	-	●	●



RC1464



RC1465



RC1466



RC1420



RC1417



RC1487

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants		
									steel	wood	recycled	HDPE / HPL	ropes	
RC1464	-	158 cm	10 cm	46 cm	7 - 16	4	12,2 m <sup>2</sup>	< 60 cm	-	-	-	●	-	-
RC1465	-	158 cm	84 cm	200 cm	7 - 16	6	20,2 m <sup>2</sup>	190 cm	-	-	-	●	-	-
RC1466	-	232cm	158 cm	200 cm	7 - 16	19	25,3 m <sup>2</sup>	190 cm	-	-	-	●	-	●
RC1487	-	290 cm	255 cm	230 cm	7 - 16	18	30,7 m <sup>2</sup>	220 cm	-	-	-	●	-	-
RC1417	-	162 cm	91 cm	230 cm	3 - 14	9	22,1 m <sup>2</sup>	220 cm	-	-	-	●	●	●
RC1420	-	290 cm	255 cm	200 cm	3 - 14	18	31,8 m <sup>2</sup>	190 cm	-	-	-	●	●	●

# spring recycled

## Rocking and swaying

The SPRING series is pure energy on springs. It satisfies a child's natural need for free and carefree swinging.

Various vehicles and cheerful animals on springs encourage toddlers to energetically jump and swing in rhythm with body movements.

Spring riders and rockers, loved by children, allow for joyful play, which also brings huge benefits for their psychomotor development.



RC0607

See also from regular SPRING series on: [www.vinci-play.com](http://www.vinci-play.com)



0652




0611-1



0681



RC0622



RC0633




RC0630

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
RC0607	-	74 cm	43 cm	81 cm	1 - 12	1	10,9 m <sup>2</sup>	< 60 cm	●	-
RC0622	-	79 cm	69 cm	84 cm	1 - 12	2	12,0 m <sup>2</sup>	< 60 cm	●	-
RC0633	-	73 cm	43 cm	75 cm	1 - 12	1	10,9 m <sup>2</sup>	< 60 cm	●	-
RC0630	●	110 cm	82 cm	82 cm	1 - 12	2	13,8 m <sup>2</sup>	< 60 cm	●	-




Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
RC0608	-	70 cm	45 cm	80 cm	1 - 12	1	10,9 m <sup>2</sup>	< 60 cm	●	-
RC0606	-	80 cm	43 cm	86 cm	1 - 12	1	11,1 m <sup>2</sup>	< 60 cm	●	-
RC0615	-	62 cm	43 cm	80 cm	1 - 12	1	10,5 m <sup>2</sup>	< 60 cm	●	-
RC0609	-	80 cm	43 cm	75 cm	1 - 12	1	11,1 m <sup>2</sup>	< 60 cm	●	-



RC0627



RC0612



RC0619


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
RC0627	-	493 cm	431 cm	45 cm	3 - 14	27	45,4 m <sup>2</sup>	< 60 cm	●	-
RC0612	-	104 cm	27 cm	46 cm	3 - 12	1	11,3 m <sup>2</sup>	< 60 cm	●	-
RC0619	-	100 cm	100 cm	45 cm	3 - 14	3	12,6 m <sup>2</sup>	< 60 cm	●	-



RC0671



RC0660



RC0670

LOW CO<sub>2</sub>  
EMISSION



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
RC0671	-	260 cm	116 cm	89 cm	3 - 12	8	16,0 m <sup>2</sup>	< 60 cm	●	-
RC0660	-	206 cm	181 cm	87 cm	1 - 12	6	18,8 m <sup>2</sup>	< 60 cm	●	-
RC0670	-	333 cm	25 cm	85 cm	1 - 12	4	18,8 m <sup>2</sup>	< 60 cm	●	-

# hoop recycled

## Spin, spin!

The HOOP series consists of carousels and spinners that power the world of laughing children.

Spinning is an important activity in a child's development - it helps the nervous system mature, stimulates the sense of balance, strengthens the muscles and skeletal system.

See also from regular HOOP series on: [www.vinci-play.com](http://www.vinci-play.com)



0703-1



0714



0711



RC0712



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour variants	
									steel	wood	recycled	HDPE	HPL
RC0712	-	73 cm	73 cm	146 cm	3 - 12	2	17,6 m <sup>2</sup>	100 cm	●	-	-	●	-




# swing recycled

## Swinging in a full swing!

The SWING series includes classic equipment loved by both younger and older children.

Colourful single swings, multi-person swings like the bird's nest, swing sets or see-saw swings provide children with a pleasant thrill and encourage them to play with friends.



RC1425



RC0522

See also from regular SWING series on: [www.vinci-play.com](http://www.vinci-play.com)



ST1421



ST0528



ST0511

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour variants	
									steel	wood	recycled	HDPE	HPL
RC1425	-	270 cm	40 cm	115 cm	3 - 14	2	11,1 m <sup>2</sup>	99 cm	-	-	●	●	-
RC0522	-	240 cm	39 cm	81 cm	1 - 8	2	9,7 m <sup>2</sup>	< 60 cm	●	-	-	●	-

Available suspensions:

Anti-wrap



Standard



RC1421

MODULAR SYSTEM



More configurations available on [www.vinci-play.com](http://www.vinci-play.com)



RC0520

Available seats:



RC1423



RC1422



RC1424



RC1492



RC1497



RC1491



RC1494



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction steel wood recycled	Colour variants HDPE HPL
RC1492	●	195 cm	505 cm	240 cm	1 - 3/3 - 14	8	31,8 m <sup>2</sup>	130 cm	- - ●	● -
RC0520	-	195 cm	250 cm	240 cm	1 +	2	13,0 m <sup>2</sup>	175 cm	- - ●	● -
RC1421	-	195 cm	246 cm	240 cm	1 - 3/3 - 14	1	13,0 m <sup>2</sup>	130 cm	- - ●	● -
RC1422	-	195 cm	365 cm	240 cm	1 - 3/3 - 14	2	21,5 m <sup>2</sup>	130 cm	- - ●	● -
RC1423	●	195 cm	365 cm	240 cm	3 - 12	7	18,1 m <sup>2</sup>	130 cm	- - ●	● -
RC1424	-	195 cm	665 cm	240 cm	1 - 3/3 - 14	4	43,7 m <sup>2</sup>	130 cm	- - ●	● -
RC1491	-	195 cm	550 cm	240 cm	1 - 3/3 - 14	3	35,1 m <sup>2</sup>	130 cm	- - ●	● -
RC1494	●	195 cm	615 cm	240 cm	1 - 3/3 - 14	9	40,3 m <sup>2</sup>	130 cm	- - ●	● -
RC1497	●	195 cm	575 cm	240 cm	3 - 12	14	37,0 m <sup>2</sup>	130 cm	- - ●	● -



# park-recycled

## Small park architecture

The PARK series is an essential addition to a child-friendly playground.

Comfortable benches and tables, waste bins, information boards and fences provide comfortable rest for children and their parents and guardians.

The modern and aesthetic design of small architecture harmoniously matches the playground equipment.



RC0962



RC0923



RC0924



RC0960



RC0961

See also from regular PARK series on: [www.vinci-play.com](http://www.vinci-play.com)



0913



0920



0940




RC0934



RC1483

Product code		Product length	Product width	Product height	Panels		Construction		
					HDPE	HPL	steel	wood	recycled
RC0962	-	180 cm	140 cm	75 cm	-	-	-	-	●
RC0923	-	159 cm	35 cm	36 cm	●	-	●	-	-
RC0924	-	159 cm	42 cm	78 cm	●	-	●	-	-
RC0960	-	180 cm	40 cm	45 cm	-	-	-	-	●
RC0961	-	180 cm	50 cm	85 cm	-	-	-	-	●
RC0934	-	36 cm	35 cm	100 cm	●	-	●	-	-
RC1483	-	50 cm	10 cm	170 cm	-	-	-	-	●



RC0921



RC1484



RC1485



RC1486



RC0942



RC0943



RC0944



RC0945

Product code		Product length	Product width	Product height	Panels		Construction		
					HDPE	HPL	steel	wood	recycled
RC0921	-	261 cm	6 cm	116 cm	●	-	●	-	-
RC1484	-	120 cm	13 cm	76 cm	●	-	-	-	●
RC1485	-	170 cm	14 cm	76 cm	●	-	-	-	●
RC1486	-	280 cm	12 cm	76 cm	●	-	-	-	●
RC0942	-	190 cm	9 cm	20 cm	-	-	-	-	●
RC0943	-	190 cm	9 cm	35 cm	-	-	-	-	●
RC0944	-	190 cm	9 cm	40 cm	-	-	-	-	●
RC0945	-	190 cm	9 cm	55 cm	-	-	-	-	●

Characteristics of the RECYCLED series:



100% recycled HDPE



Composite construction or elements



HDPE with recycled core



HPL HEXA platforms



Stainless steel construction or elements



Galvanised steel construction or elements



Stainless steel slides



PE tube slides



Ropes with steel core



PP tunnels



Stainless steel chains



Durable steel spring



Spinning elements



Durable connectors

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)





**Be closer  
to nature  
with Vinci Play!**




# Robinia, naturally!

The ROBINIA series is an inexhaustible source of inspiration for play for younger and older children. The variety of educational and sensory panels, as well as moving elements, stimulate in children great interest and joy.

The environmentally friendly, wooden devices in the ROBINIA series stimulate the comprehensive physical development of a child and allow a large group of children to play at the same time. Thanks to this, the child learns to establish relationships with peers, and cooperate in a group.

Over 150 playground-equipment, sports, and small architecture products fit perfectly into both the natural landscape and modern architecture.





### Robinia wood

The acacia wood used in the production of the Robinia series contains many oils which protect the material very well against weather conditions, naturally preserving it against rotting processes and pests. By obtaining wood, we are sure that it comes from European plantations with FSC® certification and other controlled sources, thanks to which we care for the future in the spirit of sustainable development.



### Safety standards

In order to maintain the unique and irregular nature of the acacia wood, each product is individually prepared in accordance with the safety standards. In the Robinia series, we have developed unique technical solutions ensuring compliance with the EN 1176 safety standard. The products are certified by the international certifying institution TÜV SÜD and TÜV Rheinland. In addition, our production plants undergo periodic control audits by independent certification bodies.



### Safe finish

Thanks to the processing of wood by sanding, we smooth its surface, erasing any rough edges or unevenness, so we make the product not only aesthetic but also safe.



### Polycarbonate

Our devices are enriched with components made of transparent polycarbonate, which is an excellent alternative to glass. Twice lighter and at the same time two hundred times more resistant to impacts, this material is perfect as a functional and aesthetic detail in devices for playgrounds. Additionally, it is resistant to UV rays, weather conditions and temperatures in a wide range.



### Stainless steel

Gutters, troughs and bathtubs made of AISI 304 or AISI 316 stainless steel with a suitably smooth surface finish allow children to play in water and sand. With proper maintenance, stainless steel remains unaffected by weather conditions, which ensures its long service life.



### Surface anchoring in Robinia

For most Robinia equipment, anchoring to concrete (K3 surface anchoring) is available, where Robinia logs are put on hot-dip galvanized anchors. A solid solution allows the installation of products of this series in various environments, adapting to various projects.



### Quick and easy installation

Before shipment, all products undergo preliminary assembly in our factory to prevent jams. We have developed a special connection system, consisting of appropriate undercutting, specialised fastening, and machining holes in key places. Thanks to the clear instructions and the individual marking of the components, it is possible to install quickly and easily, without specialist knowledge and tools.



### Packing and transportation

All elements are manufactured in such a way, that it is possible to transport both by road (by bus, or semi-trailer), or by sea or air. The appropriate packing of the elements optimises space and transport costs, and facilitates convenient unloading without the need for cranes or specialist equipment.



# Robinia



## Destination: nature!

The ROBINIA series consists of playground equipment made of natural raw material - Robinia acacia wood, the most durable wood found in Europe. This timber is characterized by natural, bright colours, has high weather resistance, does not require impregnation and can be anchored directly in the ground.

The unique Robinia series has been designed in a comprehensive way to enable creating of an offer containing all types of playground equipment: from tower sets with many climbing elements, through spring riders, carousels and swings, to small architecture.



RB1903



RB1920



RB1902



RB1901



RB1921

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1903	●	840 cm	665 cm	445 cm	6+	38	78,0 m <sup>2</sup>	250 cm
RB1920	●	140 cm	140 cm	190 cm	1+	4	17,0 m <sup>2</sup>	< 60 cm
RB1901	●	490 cm	190 cm	445 cm	6+	13	36,1 m <sup>2</sup>	190 cm
RB1921	●	335 cm	140 cm	190 cm	1+	7	22,3 m <sup>2</sup>	< 60 cm
RB1902	●	770 cm	490 cm	505 cm	6+	24	64,3 m <sup>2</sup>	210 cm



**ROBINIA  
WOOD**



**New!**

RB1904

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1904		950 cm	810 cm	445 cm	6+	44	86,8 m <sup>2</sup>	250 cm



RB1208



RB1308



RB1209



RB1306



RB1309



RB1307

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1208	●	540 cm	385 cm	235 cm	3+	32	44,3 m <sup>2</sup>	< 60 cm
RB1209	●	770 cm	695 cm	290 cm	3+	52	76,5 m <sup>2</sup>	100 cm
RB1308	●	290 cm	225 cm	280 cm	3+	5	23,2 m <sup>2</sup>	90 cm
RB1306	-	195 cm	185 cm	265 cm	3+	3	19,2 m <sup>2</sup>	< 60 cm
RB1307	-	380 cm	215 cm	270 cm	3+	7	27,1 m <sup>2</sup>	< 60 cm
RB1309	-	450 cm	360 cm	270 cm	3+	13	37,3 m <sup>2</sup>	< 60 cm





RB1334



RB1301



RB1302

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1334	-	120 cm	120 cm	160 cm	1+	4	16,5 m <sup>2</sup>	< 60 cm
RB1301	-	295 cm	195 cm	200 cm	3+	5	21,5 m <sup>2</sup>	90 cm
RB1302	-	371 cm	326 cm	200 cm	3+	12	32,9 m <sup>2</sup>	165 cm



RB1313



RB1305



RB1314



RB1384



RB1311



RB1315



RB1316

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1313	-	510 cm	310 cm	345 cm	5+	5	35,6 m <sup>2</sup>	165 cm
RB1314	-	855 cm	410 cm	340 cm	5+	12	54,1 m <sup>2</sup>	165 cm
RB1315	-	1110 cm	780 cm	370 cm	5+	21	88,9 m <sup>2</sup>	180 cm
RB1305	-	605 cm	292 cm	250 cm	3+	6	35,6 m <sup>2</sup>	130 cm
RB1384	-	670 cm	310 cm	230 cm	6+	5	39,5 m <sup>2</sup>	90 cm
RB1311	-	615 cm	375 cm	250 cm	3+	18	51,0 m <sup>2</sup>	200 cm
RB1316	-	525 cm	385 cm	280 cm	5+	16	40,0 m <sup>2</sup>	90 cm



RB1201



RB1205



RB1202



RB1203



RB1206



RB1207

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1201	●	150 cm	150 cm	195 cm	1+	4	18,3 m <sup>2</sup>	< 60 cm
RB1202	●	240 cm	150 cm	195 cm	1+	8	20,7 m <sup>2</sup>	< 60 cm
RB1203	●	270 cm	270 cm	220 cm	1+	9	26,3 m <sup>2</sup>	< 60 cm
RB1205	-	340 cm	220 cm	315 cm	2+	8	26,7 m <sup>2</sup>	90 cm
RB1206	-	350 cm	335 cm	315 cm	2+	9	30,0 m <sup>2</sup>	90 cm
RB1207	●	580 cm	340 cm	315 cm	2+	21	45,0 m <sup>2</sup>	90 cm



RB1211



RB1215

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1211	●	460 cm	330 cm	375 cm	3+	10	32,2 m <sup>2</sup>	150 cm
RB1215	-	630 cm	560 cm	435 cm	5+	22	50,2 m <sup>2</sup>	238 cm





RB1216



RB1217

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1216	-	680 cm	680 cm	355 cm	5+	28	61,5 m <sup>2</sup>	238 cm
RB1217	-	950 cm	890 cm	435 cm	5+	39	84,3 m <sup>2</sup>	238 cm



RB1241



RB1243



RB1244



RB1242



RB1245



RB1246

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1241	●	275 cm	130 cm	210 cm	1+	12	22,8 m <sup>2</sup>	< 60 cm
RB1242	●	400 cm	270 cm	290 cm	2+	11	32,7 m <sup>2</sup>	90 cm
RB1243	●	170 cm	130 cm	135 cm	1+	10	18,3 m <sup>2</sup>	< 60 cm
RB1244	●	170 cm	130 cm	170 cm	1+	11	18,3 m <sup>2</sup>	< 60 cm
RB1245	●	430 cm	230 cm	170 cm	1+	25	29,3 m <sup>2</sup>	< 60 cm
RB1246	●	830 cm	350 cm	290 cm	2+	36	52,3 m <sup>2</sup>	90 cm




Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1231	●	490 cm	290 cm	400 cm	3+	12	29,8 m <sup>2</sup>	90 cm
RB1232	●	320 cm	150 cm	160 cm	2+	9	22,6 m <sup>2</sup>	110 cm
RB1234	●	400 cm	150 cm	350 cm	1+	9	25,0 m <sup>2</sup>	110 cm
RB1235	●	370 cm	300 cm	300 cm	2+	6	28,6 m <sup>2</sup>	110 cm
RB1233	●	590 cm	190 cm	310 cm	2+	8	33,4 m <sup>2</sup>	110 cm
RB1236	-	320 cm	180 cm	500 cm	3+	5	22,1 m <sup>2</sup>	150 cm
RB1237	-	820 cm	340 cm	400 cm	3+	20	49,3 m <sup>2</sup>	90 cm



RB1238



**New!**



RB1239

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1238	●	850 cm	630 cm	460 cm	3+	40	76,5 m <sup>2</sup>	150 cm
RB1239	-	750 cm	585 cm	795 cm	5+	18	75,5 m <sup>2</sup>	300 cm



RB1247

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1247	-	1140 cm	535 cm	310 cm	3+	36	83,9 m <sup>2</sup>	120 cm



RB1330



RB1340



RB1339

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1330	●	195 cm	75 cm	190 cm	1+	3	16,6 m <sup>2</sup>	< 60 cm
RB1340	●	125 cm	45 cm	115 cm	1+	2	12,7 m <sup>2</sup>	< 60 cm
RB1339	●	220 cm	75 cm	120 cm	1+	3	15,3 m <sup>2</sup>	< 60 cm



RB1937

**MODULAR SYSTEM**



More configurations available on [www.vinci-play.com](http://www.vinci-play.com)



RB1931

**New!**



RB1932



RB1933



RB1934



RB1336



RB1337



RB1338



RB1345



RB1346

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1937	●	475 cm	70 cm	190cm	1+	20	25,7 m <sup>2</sup>	< 60 cm
RB1931	●	155 cm	45 cm	190 cm	1+	5	13,5 m <sup>2</sup>	< 60 cm
RB1932	●	155 cm	45 cm	190 cm	1+	5	13,5 m <sup>2</sup>	< 60 cm
RB1933	●	155 cm	45 cm	190 cm	1+	5	13,5 m <sup>2</sup>	< 60 cm
RB1934	●	155 cm	45 cm	190 cm	1+	5	13,5m <sup>2</sup>	< 60 cm
RB1336	●	195 cm	65 cm	225 cm	2+	2	16,1 m <sup>2</sup>	< 60 cm
RB1337	●	40 cm	25 cm	100 cm	2+	1	9,1 m <sup>2</sup>	< 60 cm
RB1338	●	40 cm	30 cm	100 cm	2+	1	9,3 m <sup>2</sup>	< 60 cm
RB1345	●	37 cm	22 cm	90 cm	1+	2	9,6 m <sup>2</sup>	< 60 cm
RB1346	●	45 cm	35 cm	110 cm	1+	2	9,6 m <sup>2</sup>	< 60 cm






RB1323



RB1324




RB1322




RB1344



RB1321




More configurations available on [www.vinci-play.com](http://www.vinci-play.com)



RB1341



RB1342



RB1343

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1323	-	150 cm	30 cm	20 cm	-	-	-	-
RB1324	-	85 cm	25 cm	25 cm	-	-	-	-
RB1322	-	190 cm	160 cm	215 cm	-	-	-	-
RB1321	-	155 cm	150 cm	130 cm	-	-	-	-
RB1344	●	311 cm	309 cm	150 cm	1+	10	25,2 m <sup>2</sup>	< 60 cm
RB1341	●	155 cm	25 cm	150 cm	1+	2	12,9 m <sup>2</sup>	< 60 cm
RB1342	●	125 cm	20 cm	140 cm	1+	2	11,7 m <sup>2</sup>	< 60 cm
RB1343	●	130 cm	130 cm	140 cm	1+	4	15,1 m <sup>2</sup>	< 60 cm



RB1326



RB1347



RB0492



RB1327



RB1329



RB1328

More configurations  
available on [www.vinci-play.com](http://www.vinci-play.com)




RB1331



RB1333

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1326	●	195 cm	150 cm	215 cm	1+	5	17,9 m <sup>2</sup>	< 60 cm
RB1327	●	260 cm	170 cm	215 cm	1+	8	21,0 m <sup>2</sup>	< 60 cm
RB1328	●	405 cm	195 cm	280 cm	3+	12	26,5 m <sup>2</sup>	< 60 cm
RB1347	●	100 cm	420 cm	170 cm	3+	2	20,2 m <sup>2</sup>	99 cm
RB0492	●	200 cm	45 cm	95 cm	1+	1	14,9 m <sup>2</sup>	< 60 cm
RB1329	●	390 cm	245 cm	215 cm	1+	14	32,0 m <sup>2</sup>	< 60 cm
RB1331	-	190 cm	190 cm	19 cm	1+	5	23,0 m <sup>2</sup>	< 60 cm
RB1333	●	560 cm	560 cm	210 cm	1+	52	72,0 m <sup>2</sup>	< 60 cm





RB2851



RB2852




RB2854




RB2856



RB2859



RB2862



**MODULAR  
SYSTEM**



RB2864

**More configurations  
available on [www.vinci-play.com](http://www.vinci-play.com)**

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB2851	●	95 cm	80 cm	120 cm	1+	5	12,6 m <sup>2</sup>	< 60 cm
RB2852	●	295 cm	30 cm	120 cm	1+	9	17,4 m <sup>2</sup>	< 60 cm
RB2854	●	340 cm	90 cm	155 cm	1+	16	21,9 m <sup>2</sup>	< 60 cm
RB2856	●	200 cm	180 cm	180 cm	1+	14	20,2 m <sup>2</sup>	< 60 cm
RB2859	●	375 cm	315 cm	125 cm	1+	14	27,7 m <sup>2</sup>	< 60 cm
RB2862	●	310 cm	225 cm	170 cm	1+	12	26,9 m <sup>2</sup>	95 cm
RB2864	●	355 cm	330 cm	185 cm	1+	20	32,9 m <sup>2</sup>	< 60 cm



RB2866



RB2867



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB2866	●	430 cm	325 cm	285 cm	1+	17	33,2 m <sup>2</sup>	90 cm
RB2867	●	715 cm	410 cm	185 cm	1+	41	52,5 m <sup>2</sup>	90 cm







RB1291



RB1295



Product code		Product length	Product width	Product height (A)	Age range	Number of users	Safety zone	Free-fall height	Slide height (B)	Slide length (C)	Platform height (D)
RB1290	-	160 cm	110 cm	150 cm	2+	4	16,0 m <sup>2</sup>	< 60 cm	59 cm	94 cm	59 cm
RB1291	-	201 cm	102 cm	180 cm	2+	4	17,1 m <sup>2</sup>	90 cm	90 cm	153 cm	90 cm
RB1292	-	250 cm	102 cm	208 cm	3+	4	18,6 m <sup>2</sup>	120 cm	120 cm	214 cm	120 cm
RB1293	-	298 cm	102 cm	238 cm	3+	4	19,8 m <sup>2</sup>	150 cm	150 cm	266 cm	150 cm
RB1294	-	346 cm	102 cm	267 cm	3+	5	23,4 m <sup>2</sup>	180 cm	180 cm	319 cm	180 cm
RB1295	-	190 cm	102 cm	178 cm	3+	2	16,9 m <sup>2</sup>	< 60 cm	90 cm	153 cm	25 cm
RB1296	-	233 cm	102 cm	208 cm	3+	2	17,8 m <sup>2</sup>	< 60 cm	120 cm	214 cm	25 cm
RB1297	-	276 cm	102 cm	238 cm	3+	2	18,9 m <sup>2</sup>	< 60 cm	150 cm	266 cm	25 cm
RB1298	-	319 cm	102 cm	268 cm	3+	2	19,9 m <sup>2</sup>	< 60 cm	180 cm	319 cm	25 cm
RB1299	-	361 cm	102 cm	298 cm	3+	2	21,2 m <sup>2</sup>	< 60 cm	210 cm	372 cm	25 cm



RB1361



RB1368



RB1367



RB1363



RB1364



RB1370



RB1362



RB1365



RB1369



RB1366



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1361	-	73 cm	36 cm	84 cm	1+	1	10,8 m <sup>2</sup>	< 60 cm
RB1368	-	90 cm	40 cm	85 cm	1+	1	11,0 m <sup>2</sup>	< 60 cm
RB1367	-	85 cm	40 cm	85 cm	1+	1	10,9 m <sup>2</sup>	< 60 cm
RB1363	-	84 cm	40 cm	84 cm	1+	1	11,1 m <sup>2</sup>	< 60 cm
RB1370	-	100 cm	40 cm	85 cm	3+	2	11,4 m <sup>2</sup>	< 60 cm
RB1364	-	170 cm	135 cm	80 cm	3+	4	15,9 m <sup>2</sup>	< 60 cm
RB1362	-	81 cm	36 cm	84 cm	1+	1	10,9 m <sup>2</sup>	< 60 cm
RB1366	-	90 cm	50 cm	85 cm	1+	1	11,7 m <sup>2</sup>	< 60 cm
RB1365	-	325 cm	22 cm	59 cm	1+	6	18,8 m <sup>2</sup>	< 60 cm
RB1369	●	97 cm	97 cm	47 cm	3+	3	12,4 m <sup>2</sup>	< 60 cm



RB1372



RB1373




RB1375



RB0700

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1372	-	120 cm	120 cm	73 cm	3+	4	21,3 m <sup>2</sup>	73 cm
RB1373	-	150 cm	150 cm	68 cm	3+	8	23,8 m <sup>2</sup>	100 cm
RB1375	-	255 cm	20 cm	150 cm	3+	3	16,7 m <sup>2</sup>	< 60 cm
RB0700	-	50 cm	50 cm	45 cm	3+	3	15,9 m <sup>2</sup>	100 cm



RB1351



RB1352



RB0514




RB0510



RB0511



RB0512



Available seats:



More configurations available on [www.vinci-play.com](http://www.vinci-play.com)

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1351	-	320 cm	64 cm	96 cm	3+	2	13,4 m <sup>2</sup>	99 cm
RB1352	-	410 cm	64 cm	96 cm	3+	4	15,9 m <sup>2</sup>	99 cm
RB0514	-	125 cm	25 cm	145 cm	1+/3+	1	11,9 m <sup>2</sup>	< 60 cm
RB0510	-	20 cm	170 cm	180 cm	1+/3+	1	11,4 m <sup>2</sup>	99 cm
RB0511	-	20 cm	320 cm	180 cm	1+/3+	2	21,2 m <sup>2</sup>	99 cm
RB0512	-	20 cm	470 cm	180 cm	1+/3+	3	31,0 m <sup>2</sup>	99 cm



Available suspensions:

Anti-wrap



Standard



RB1421

Available seats:



RB0520

**MODULAR SYSTEM**



More configurations available on [www.vinci-play.com](http://www.vinci-play.com)



RB1422



RB1491



RB1497



RB0517

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1421	-	205 cm	260 cm	238 cm	1+/3+	1	13,0 m <sup>2</sup>	130 cm
RB1422	-	205 cm	370 cm	238 cm	1+/3+	2	21,5 m <sup>2</sup>	130 cm
RB1491	-	207 cm	556 cm	238 cm	1+/3+	3	35,2 m <sup>2</sup>	130 cm
RB1497	●	205 cm	581 cm	238 cm	3+	14	37,0 m <sup>2</sup>	130 cm
RB0520	-	210 cm	270 cm	240 cm	1+	2	13,0 m <sup>2</sup>	175 cm
RB0517	●	250 cm	355 cm	300 cm	3+	1	18,1 m <sup>2</sup>	145 cm



RB1492



RB1494



RB1424

**MODULAR SYSTEM**



More configurations available on [www.vinci-play.com](http://www.vinci-play.com)



RB1423



RB0513



RB0515



RB0521-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1492	●	205 cm	512 cm	238 cm	1+/3+	8	31,8 m <sup>2</sup>	130 cm
RB1494	●	205 cm	625 cm	238 cm	1+/3+	9	40,3 m <sup>2</sup>	130 cm
RB1424	-	205 cm	670 cm	238 cm	1+/3+	4	42,5 m <sup>2</sup>	130 cm
RB1423	●	205 cm	327 cm	238 cm	3+	7	18,1 m <sup>2</sup>	130 cm
RB0513	●	100 cm	310 cm	180 cm	3+	7	15,5 m <sup>2</sup>	105 cm
RB0515	-	650 cm	620 cm	240 cm	1+/3+	5	46,5 m <sup>2</sup>	130 cm
RB0521-1	-	500 cm	320 cm	280 cm	3+	4	13,6 m <sup>2</sup>	130 cm



RB1251



RB1252



RB1259



RB1258



RB1269



RB1270



RB1253

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1251	-	20 cm	20 cm	30 cm	1+	1	8,3 m <sup>2</sup>	< 60 cm
RB1252	-	100 cm	50 cm	35 cm	1+	2	12,1 m <sup>2</sup>	< 60 cm
RB1259	-	180 cm	65 cm	30 cm	3+	5	15,0 m <sup>2</sup>	< 60 cm
RB1258	-	274 cm	19 cm	40 cm	3+	6	17,3 m <sup>2</sup>	< 60 cm
RB1269	-	200 cm	60 cm	30 cm	2+	8	14,6 m <sup>2</sup>	< 60 cm
RB1270	-	119 cm	110 cm	90 cm	1+	5	15,2 m <sup>2</sup>	< 60 cm
RB1253	-	200 cm	30 cm	50 cm	6+	3	14,6 m <sup>2</sup>	< 60 cm



RB1278



RB1254



RB1255



RB1283



RB1257



RB1256




RB1284



RB1263



RB1267



RB1264



RB1265



RB1266

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1278	-	226 cm	70 cm	25 cm	3+	5	17,1 m <sup>2</sup>	< 60 cm
RB1283	-	450 cm	140 cm	115 cm	4+	4	31,1 m <sup>2</sup>	115 cm
RB1284	-	210 cm	75 cm	210 cm	4+	4	23,8 m <sup>2</sup>	210 cm
RB1254	-	400 cm	20 cm	50 cm	3+	7	21,1 m <sup>2</sup>	< 60 cm
RB1255	-	300 cm	20 cm	50 cm	3+	6	18,5 m <sup>2</sup>	< 60 cm
RB1257	-	630 cm	290 cm	59 cm	3+	16	34,5 m <sup>2</sup>	< 60 cm
RB1256	-	500 cm	170 cm	59 cm	3+	11	25,7 m <sup>2</sup>	< 60 cm
RB1263	-	319 cm	118 cm	95 cm	3+	12	23,9 m <sup>2</sup>	80 cm
RB1267	-	180 cm	100 cm	200 cm	4+	6	22,1 m <sup>2</sup>	190 cm
RB1264	-	190 cm	89 cm	155 cm	3+	4	15,6 m <sup>2</sup>	126 cm
RB1265	-	261 cm	159 cm	155 cm	3+	6	17,8 m <sup>2</sup>	126 cm
RB1266	-	169 cm	75 cm	138 cm	3+	6	16,5 m <sup>2</sup>	120 cm



RB1228



RB1227



RB1229



RB1289



RB1261



RB1357

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1228	-	210 cm	50 cm	200 cm	2+	10	15,9 m <sup>2</sup>	< 60 cm
RB1227	-	220 cm	70 cm	200 cm	2+	10	15,9 m <sup>2</sup>	< 60 cm
RB1229	-	260 cm	210 cm	330 cm	2+	8	21,9 m <sup>2</sup>	< 60 cm
RB1289	-	175 cm	150 cm	285 cm	3+	9	16,8 m <sup>2</sup>	< 60 cm
RB1261	-	215 cm	60 cm	195 cm	3+	5	15,1 m <sup>2</sup>	< 60 cm
RB1357	-	215 cm	130 cm	350 cm	3+	11	17,5 m <sup>2</sup>	< 60 cm





New!



RB1286



RB1250



RB1279



RB1262



RB1260



RB1274



RB1272



RB1271



RB1273



RB1287



RB1280

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1286	-	360 cm	125 cm	105 cm	6+	8	26,1 m <sup>2</sup>	< 60 cm
RB1250	-	190 cm	130 cm	115 cm	2+	3	19,0 m <sup>2</sup>	< 60 cm
RB1279	-	225 cm	125 cm	99 cm	2+	3	20,4 m <sup>2</sup>	99 cm
RB1262	-	206 cm	116 cm	238 cm	5+	6	21,3 m <sup>2</sup>	238 cm
RB1260	-	250 cm	140 cm	130 cm	3+	4	20,7 m <sup>2</sup>	< 60 cm
RB1274	-	324 cm	200 cm	117 cm	3+	16	29,7 m <sup>2</sup>	117 cm
RB1272	-	375 cm	50 cm	160 cm	3+	7	21,7 m <sup>2</sup>	< 60 cm
RB1271	-	250 cm	40 cm	150 cm	3+	5	17,2 m <sup>2</sup>	< 60 cm
RB1287	-	245 cm	70 cm	155 cm	4+	2	18,2 m <sup>2</sup>	< 60 cm
RB1280	-	515 cm	475 cm	170 cm	4+	6	45,9 m <sup>2</sup>	83 cm
RB1273	-	475 cm	290 cm	180 cm	3+	11	30,8 m <sup>2</sup>	90 cm



RB1282



RB1312



RB1281



RB1310



RB1288



RB1285



RB1275



RB1276



RB1277

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1282	-	347 cm	43 cm	220 cm	3+	10	20,6 m <sup>2</sup>	120 cm
RB1281	●	335 cm	320 cm	115 cm	3+	8	30,3 m <sup>2</sup>	115 cm
RB1312	-	444 cm	441 cm	240 cm	5+	22	53,5 m <sup>2</sup>	240 cm
RB1310	-	281 cm	232 cm	200 cm	4+	11	33,2 m <sup>2</sup>	200 cm
RB1288	-	295 cm	130 cm	100 cm	4+	6	23,7 m <sup>2</sup>	77 cm
RB1285	-	175 cm	83 cm	175 cm	3+	3	18,7 m <sup>2</sup>	175 cm
RB1275	-	314 cm	253 cm	110 cm	3+	14	27,2 m <sup>2</sup>	110 cm
RB1276	-	191 cm	185 cm	110 cm	3+	4	19,6 m <sup>2</sup>	110 cm
RB1277	-	230 cm	230 cm	200 cm	4+	10	32,0 m <sup>2</sup>	190 cm



**MODULAR SYSTEM**




**New!**



RB1420



RB1380



**More configurations available on [www.vinci-play.com](http://www.vinci-play.com)**

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1420	-	260 cm	290 cm	200 cm	3+	18	32,8 m <sup>2</sup>	190 cm
RB1380		170 cm	170 cm	50 cm	4+	6	20,2 m <sup>2</sup>	< 60 cm



RB1385

Available length:  
20 m, 30 m, 40 m



RB1386

Available length:  
20 m, 30 m, 40 m



RB1385H



RB1386H

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1385	-	2465 cm	340 cm	400 cm	5+	1	84,4 m <sup>2</sup>	175 cm
RB1386	-	2440 cm	310 cm	400 cm	5+	2	133,4 m <sup>2</sup>	175 cm
RB1385H	-	2465 cm	340 cm	400 cm	5+	1	84,4 m <sup>2</sup>	85 cm
RB1386H	-	2440 cm	265 cm	400 cm	5+	2	133,4 m <sup>2</sup>	85 cm





RB1353



RB1354



RB1358




RB1359




RB1355



RB1356



RB1268



RB1360

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1353	-	360 cm	45 cm	445 cm	3+	6	20,8 m <sup>2</sup>	< 60 cm
RB1354	-	235 cm	115 cm	145 cm	3+	4	20,3 m <sup>2</sup>	< 60 cm
RB1358	-	425 cm	20 cm	210 cm	3+	8	21,3 m <sup>2</sup>	125 cm
RB1359	-	400 cm	20 cm	290 cm	3+	7	20,5 m <sup>2</sup>	< 60 cm
RB1355	-	440 cm	160 cm	130 cm	3+	6	32,1 m <sup>2</sup>	< 60 cm
RB1356	-	240 cm	235 cm	140 cm	3+	3	27,0 m <sup>2</sup>	< 60 cm
RB1268	-	275 cm	65 cm	120 cm	3+	5	19,4 m <sup>2</sup>	< 60 cm
RB1360	-	275 cm	70 cm	235 cm	3+	5	19,4 m <sup>2</sup>	< 60 cm

**MODULAR SYSTEM**




RB1218

RB1219

RB1221


**Customise your own obstacle course**



**New!**

RB1220

More configurations available on [www.vinci-play.com](http://www.vinci-play.com)



RB1951

RB1952

RB1953


RB1954

RB1955

RB1956

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1218	-	860 cm	50 cm	190 cm	3+	16	38,6 m <sup>2</sup>	< 60 cm
RB1219	-	1060 cm	280 cm	195 cm	3+	24	53,5 m <sup>2</sup>	< 60 cm
RB1221	-	1195 cm	195 cm	190 cm	3+	23	55,9 m <sup>2</sup>	< 60 cm
RB1220	-	1380 cm	565 cm	190 cm	3+	51	106,3 m <sup>2</sup>	< 60 cm
RB1951	-	230 cm	40 cm	175 cm	3+	2	15,9 m <sup>2</sup>	< 60 cm
RB1952	-	200 cm	100 cm	130 cm	3+	3	18,0 m <sup>2</sup>	< 60 cm
RB1953	-	245 cm	85 cm	125 cm	3+	3	18,9 m <sup>2</sup>	< 60 cm
RB1954	-	210 cm	20 cm	185 cm	3+	1	14,4 m <sup>2</sup>	< 60 cm
RB1955	-	185 cm	20 cm	185 cm	3+	3	13,6 m <sup>2</sup>	< 60 cm
RB1956	-	190 cm	40 cm	175 cm	3+	3	14,6 m <sup>2</sup>	< 60 cm

More configurations  
available on [www.vinci-play.com](http://www.vinci-play.com)




Customise your own  
obstacle course

New!




Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1224	-	1330 cm	940 cm	295 cm	6+	62	130,9 m <sup>2</sup>	200 cm
RB1223	-	940 cm	510 cm	295 cm	3+	42	82,8 m <sup>2</sup>	190 cm
RB1222	-	1225 cm	520 cm	245 cm	5+	46	98,9 m <sup>2</sup>	190 cm
RB1957	-	300 cm	25 cm	240 cm	3+	2	17,4 m <sup>2</sup>	< 60 cm
RB1958	-	340 cm	35 cm	270 cm	3+	3	19,4 m <sup>2</sup>	< 60 cm
RB1959	-	305 cm	50 cm	260 cm	3+	3	19,0 m <sup>2</sup>	< 60 cm
RB1960	-	320 cm	75 cm	215 cm	3+	3	21,3 m <sup>2</sup>	100 cm
RB1961	-	370 cm	70 cm	200 cm	3+	3	26,4 m <sup>2</sup>	170 cm
RB1962	-	245 cm	25 cm	300 cm	3+	4	18,7 m <sup>2</sup>	170 cm



RB1319



**New!**




RB1379


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1319	-	780 cm	690 cm	240 cm	3+	49	75,4 m <sup>2</sup>	200 cm
RB1379	-	890 cm	530 cm	380 cm	5+	50	83,0 m <sup>2</sup>	210 cm



RB1381




RB1382



RB1383

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1381	-	270 cm	270 cm	255 cm	3+	10	30,6 m <sup>2</sup>	99 cm
RB1382	-	310 cm	310 cm	305 cm	3+	14	35,3 m <sup>2</sup>	99 cm
RB1383	-	700 cm	700 cm	450 cm	3+	44	78,5 m <sup>2</sup>	100 cm



0987

0988

0989

More configurations available on [www.vinci-play.com](http://www.vinci-play.com)



RB1387



RB1388



RB1389



RB1350



RB1349



RB1348



RB1395



RB1399



RB1391



RB1392



RB1390



RB1394



RB1393

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1387	-	475 cm	420 cm	240 cm	-	-	-	-
RB1388	-	480 cm	480 cm	240 cm	-	-	-	-
RB1389	-	930 cm	575 cm	340 cm	-	-	-	-
RB1350	-	189 cm	92 cm	70 cm	-	-	-	-
RB1349	-	210 cm	180 cm	40 cm	-	-	-	-
RB1348	-	216 cm	207 cm	160 cm	-	-	-	-
RB1391	-	161 cm	61 cm	80 cm	-	-	-	-
RB1392	-	150 cm	44 cm	43 cm	-	-	-	-
RB1390	-	155 cm	60 cm	85 cm	-	-	-	-
RB1395	-	37 cm	30 cm	76 cm	-	-	-	-
RB1399	-	50 cm	20 cm	180 cm	-	-	-	-
RB1394	-	150 cm	75 cm	75 cm	-	-	-	-
RB1393	-	150 cm	170 cm	75 cm	-	-	-	-



RB1396



RB1398



RB1397



RB0941



RB0943



RB0946



RB0951



RB0952



RB0953



RB0949

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1396	-	180 cm	14 cm	90 cm	-	-	-	-
RB1398	-	133 cm	19 cm	110 cm	-	-	-	-
RB1397	-	168 cm	20 cm	110 cm	-	-	-	-
RB0941	-	100 cm	105 cm	5 cm	-	-	-	-
RB0943	-	340 cm	25 cm	35 cm	-	-	-	-
RB0946	-	340 cm	25 cm	65 cm	-	-	-	-
RB0949	-	345 cm	25 cm	95 cm	-	-	-	-
RB0951	-	20 cm	20 cm	150 cm	-	-	-	-
RB0952	-	20 cm	20 cm	210 cm	-	-	-	-
RB0953	-	20 cm	20 cm	300 cm	-	-	-	-

Characteristics of the ROBINIA series:



Robinia wood construction



Stainless steel elements



HPL panels



Stainless steel slides



Ropes with steel core



Polycarbonate (PC) panels



Durable connectors






**Get higher  
with Vinci Play!**






# Let's play in the sky!

Tall conical and cubic towers reaching to the sky are a paradise for children. Made of the highest quality materials, with a beautiful design, enriched with educational elements and musical panels, as well as stainless steel tube slides. Thanks to the modular system, they can be the whole playground themselves or be its main advantage.





### Construction

Steel construction of high modular tower equipment is made of sturdy profiles hot-dip galvanised and powder coated with UV-resistant paints holding the QUALICOAT certificate available in a great variety of colours. Our products are aesthetically pleasing and prepared with great care to obtain highest quality design requirements.



### Modular system

High tower sets can consist of many different configurations. They are available with different height options, can be made of single elements, or connected by steel passages or bridges. This makes them flexible to fit any project.



### Educational panels

Various educational elements made of the highest quality HPL panels make the playground more attractive, creating an interesting place not only for teenagers but also for younger children.



### Design by Vinci Play

Side walls of tower sets can be made of very durable material, resistant to weather conditions, including UV rays and a wide range of temperatures. Covered with cheerful graphics created from scratch by a team of creative graphic artists, it allows to customize the appearance of any playground.



### Openwork steel passages

Passages made of thick stainless wire create openwork spiral passages connecting individual parts of equipment. This makes the structure look lighter and allows children to play with a bit of a thrill.



### Musical panels

To make it even more fun our products can be boosted by musical elements made of the highest quality stainless steel and colorful talking tubes.



### Activity elements

Inside the cubes and cones, there are many activity ladders, nets, and bridges, made of galvanised steel ropes in polypropylene braid, linked with durable fasteners. The rope elements are processed using hydraulic presses with a pressure of 150 tons. These rope nets are a real challenge for children, thus supporting their psycho-motor development.



### Stainless steel tube slides

Slides made of certified AISI 304 and AISI 316 stainless steel with 790mm diameter, sanded surface. Available variants: straight, curved or spiral depending on the design. The entire production process of stainless-steel tube slides is performed by highly-qualified Vinci Play employees. They design the tubes, then roll them with high precision, match all the elements of the device, and finally, connect the components using durable and secure welds.

# maxx

## Higher, higher, higher!

The MAXX series are amazing towers that impress with their size and encourage physical activity.

These products reach up to 9 meters in height, creating some of the most impressive play structures.


The devices enable integration with other children during social play. Climbing on them is an amazing adventure, and the twisted tube slides additionally diversify the fun.



2901



2902



2904

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction	Panels			
											steel	inox	wood	HDPE	HPL
2901	-	1380 cm	920 cm	945 cm	4 - 14	30	127,0 m <sup>2</sup>	112 cm	-	680 cm	●	-	-	-	●
2902	-	910 cm	515 cm	1150 cm	4 - 14	30	76,5 m <sup>2</sup>	100 cm	-	900 cm	●	-	-	-	●
2904	-	2635 cm	905 cm	1150 cm	4 - 14	50	199,5 m <sup>2</sup>	112 cm	-	680, 900 cm	●	-	-	-	●

**MODULAR  
SYSTEM**





**MODULAR  
SYSTEM**





2600



2601



2602



2603



2610



2611



2612




2613

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				Panels	
											steel	inox	wood	HDPE/HPL	robinia	
2600	-	760 cm	445 cm	775 cm	4 - 14	18	42,8 m <sup>2</sup>	90 cm	-	360 cm	●	-	-	-	●	
2601	-	890 cm	380 cm	975 cm	4 - 14	32	58,4 m <sup>2</sup>	100 cm	-	530 cm	●	-	-	-	●	
2602	-	1400 cm	615 cm	1250 cm	4 - 14	40	71,8 m <sup>2</sup>	100 cm	-	360, 540 cm	●	-	-	-	●	
2603	-	1635 cm	710 cm	1530 cm	4 - 14	32	114,1 m <sup>2</sup>	100 cm	-	360, 800, 940 cm	●	-	-	-	●	
2610	-	1135 cm	1315 cm	975 cm	4 - 14	40	104,6 m <sup>2</sup>	100 cm	-	360, 530 cm	●	-	-	-	●	
2611	-	1430 cm	1210 cm	1250 cm	4 - 14	40	130,6 m <sup>2</sup>	100 cm	-	360, 530, 540 cm	●	-	-	-	●	
2612	-	1635 cm	1455 cm	1530 cm	4 - 14	40	182,4 m <sup>2</sup>	100 cm	-	360, 365, 540, 725, 925 cm	●	-	-	-	●	
2613	-	2275 cm	1455 cm	1530 cm	4 - 14	50	274,6 m <sup>2</sup>	100 cm	-	360, 365, 530, 725, 925 cm	●	-	-	-	●	



**MODULAR  
SYSTEM**





Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				Panels	
											steel	inox	wood	HDPE	HPL	
2505	-	1320 cm	965 cm	890 cm	4 - 14	47	74,0 m <sup>2</sup>	150 cm	-	220, 560, 660 cm	●	●	-	-	●	●
2502	-	250 cm	245 cm	225 cm	4 - 14	20	28,0 m <sup>2</sup>	150 cm	-	-	●	●	-	-	●	●
2503	-	745 cm	315 cm	450 cm	4 - 14	33	42,3 m <sup>2</sup>	150 cm	-	220 cm	●	●	-	-	●	●
2504	-	965 cm	380 cm	670 cm	4 - 14	45	45,6 m <sup>2</sup>	150 cm	-	560 cm	●	●	-	-	●	●
2506	-	2045 cm	880 cm	670 cm	4 - 14	90	91,9 m <sup>2</sup>	150 cm	-	560 cm	●	●	-	-	●	●
2507	-	2300 cm	1405 cm	890 cm	4 - 14	135	137,3 m <sup>2</sup>	150 cm	-	220, 560, 665 cm	●	●	-	-	●	●

Characteristics of the MAXX series:

- Galvanised steel construction
- Stainless steel construction or elements
- HPL HEXA platforms
- HPL panels
- Polycarbonate (PC) panels
- UV printed PC panels
- Stainless steel slides
- Durable connectors
- Ropes with steel core
- Protective tops
- Stainless steel tube slides

Colour & material options\*:

- Construction:
  - Painted steel RAL7016
  - Painted steel RAL7040
  - Stainless steel
- Slides:
  - Stainless steel
  - Fiberglass
- Tubes:
  - Stainless steel
  - PE

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# jungle

## Wild adventure!

The JUNGLE series will allow you to climb to the heights and conquer the unconquered.

High, up to 9,5 meters above the ground, the greatest adventures will take place like in the crown of trees! Among green leaves, branches and colourful cheerful graphics, everyone will be able to turn into a traveler and explorer.

High tube slides are really fun - not only for small kids, and the climbing elements are a challenge and encouragement to be active.



3231

### See also from the other series:



0672 (p. 235)



0674 (p. 235)



ST1421 (p. 243)

Find all complementary devices on: [www.vinci-play.com/jungle-set](http://www.vinci-play.com/jungle-set)



3201

3202

3203

3204

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels	
											steel	inox	wood	HDPE	HPL
3231	●	1155 cm	815 cm	660 cm	4 - 14	86	89,3 m <sup>2</sup>	270 cm	90, 210 cm	360 cm	●	●	-	●	-
3201	●	350 cm	215 cm	290 cm	1 - 8	11	25,6 m <sup>2</sup>	< 60 cm	-	-	●	●	-	●	-
3202	●	280 cm	175 cm	380 cm	3 - 14	7	21,4 m <sup>2</sup>	120 cm	120 cm	-	●	●	-	●	-
3203	●	390 cm	305 cm	350 cm	3 - 14	19	32,4 m <sup>2</sup>	200 cm	90 cm	-	●	●	-	●	-
3204	●	570 cm	170 cm	380 cm	3 - 14	17	33,7 m <sup>2</sup>	150 cm	120 cm	-	●	●	-	●	-




3227



3240



3230



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels	
											steel	inox	wood	HDPE	HPL
3227		535 cm	375 cm	510 cm	4 - 14	38	43,1 m <sup>2</sup>	270 cm	90, 210 cm	-			-		-
3230		745 cm	555 cm	660 cm	4 - 14	46	51,0 m <sup>2</sup>	270 cm	150 cm	360 cm			-		-
3240		1055 cm	800 cm	955 cm	4 - 14	105	76,5 m <sup>2</sup>	270 cm	180, 210 cm	570 cm			-		-



3241



3245

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels	
											steel	inox	wood	HDPE	HPL
3241		1530 cm	1325 cm	955 cm	4 - 14	162	141,1 m <sup>2</sup>	270 cm	150, 180, 210 cm	360, 570 cm			-		-
3245		1530 cm	1520 cm	955 cm	4 - 14	198	174,3 m <sup>2</sup>	270 cm	90, 180, 210 cm	360, 570 cm			-		-



3260

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction	Panels			
											steel	inox	wood	HDPE	HPL
3260		2050 cm	2000 cm	955 cm	4 - 14	342	281,4 m <sup>2</sup>	270 cm	90, 180, 210 cm	270, 360, 570 cm			-		-

### Characteristics of the JUNGLE series:



Galvanised steel construction



Stainless steel construction or elements



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



UV printed PC panels



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



Stainless steel tube slides

### Colour & material options\*:



Construction:

 Painted steel RAL1011

 Stainless steel



Slides:

- Stainless steel

- Fiberglass



Tubes:

- Stainless steel

- PE

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# space

## Explore the universe!

The SPACE series is a fulfillment of childhood dreams of space travel.

The towers up to 9,5 meters high, like space rockets, will lift children high above the ground. Colourful graphics, lots of activity and play elements, including tube slides made of the highest quality stainless steel, will not let you get bored.



3427

### See also from the other series:



0677 (p. 235)



0673 (p. 235)



ST1421 (p. 243)

Find all complementary devices on: [www.vinci-play.com/space-set](http://www.vinci-play.com/space-set)



3401



3402



3403



3404

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				
											steel	inox	wood	HDPE	HPL
3427	●	535 cm	375 cm	510 cm	4 - 14	38	43,1 m <sup>2</sup>	270 cm	90, 210 cm	-	●	●	-	●	-
3401	●	350 cm	215 cm	290 cm	1 - 8	11	25,6 m <sup>2</sup>	< 60 cm	-	-	●	●	-	●	-
3402	●	280 cm	175 cm	380 cm	3 - 14	7	21,4 m <sup>2</sup>	120 cm	120 cm	-	●	●	-	●	-
3403	●	390 cm	305 cm	350 cm	3 - 14	19	32,4 m <sup>2</sup>	200 cm	90 cm	-	●	●	-	●	-
3404	●	570 cm	170 cm	380 cm	3 - 14	17	33,7 m <sup>2</sup>	150 cm	120 cm	-	●	●	-	●	-



3430



3431

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction Panels				
											steel	inox	wood	HDPE	HPL
3430		745 cm	555 cm	660 cm	4 - 14	46	51,0 m <sup>2</sup>	270 cm	150 cm	360 cm			-		-
3431		1155 cm	815 cm	660 cm	4 - 14	86	89,3 m <sup>2</sup>	270 cm	90, 210 cm	360 cm			-		-



3440



3441



3445

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction	Panels			
											steel	inox	wood	HDPE	HPL
3440		1055 cm	800 cm	955 cm	4 - 14	105	76,5 m <sup>2</sup>	270 cm	180, 210 cm	570 cm			-		-
3441		1530 cm	1325 cm	955 cm	4 - 14	162	141,1 m <sup>2</sup>	270 cm	150, 180, 210 cm	360, 570 cm			-		-
3445		1530 cm	1520 cm	955 cm	4 - 14	198	174,3 m <sup>2</sup>	270 cm	90, 180, 210 cm	360, 570 cm			-		-



3460

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				
											steel	inox	wood	HDPE	HPL
3460		2050 cm	2000 cm	955 cm	4 - 14	342	281,4 m <sup>2</sup>	270 cm	90, 180, 210 cm	270, 360, 570 cm			-		-

### Characteristics of the SPACE series:



Galvanised steel construction



Stainless steel construction or elements



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



UV printed PC panels



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



Stainless steel tube slides

### Colour & material options\*:



Construction:

Painted steel RAL5000

Stainless steel



Slides:

- Stainless steel

- Fiberglass



Tubes:

- Stainless steel

- PE

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)



# castillo

## Explore a castle theme!

Breathtaking castles, monumental towers, passages and hiding places made of rope elements, tube slides... And much more! Each child will be able to feel the atmosphere of medieval times, turn into knights and princesses, fight dragons, and lock the wicked in dungeons.

Castillo towers made of the highest quality materials will provide guaranteed entertainment for users of all ages.



3001-1



3040-1

### See also from the other series:



0826 (p. 189)



0651 (p. 232)



ST1421 (p. 243)

Find all complementary devices on: [www.vinci-play.com/castillo-set](http://www.vinci-play.com/castillo-set)



3002-1



3003-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				
											steel	inox	wood	HDPE	HPL
3001-1	●	350 cm	215 cm	290 cm	1 - 8	11	25,6 m <sup>2</sup>	< 60 cm	-	-	●	●	-	●	-
3040-1	●	1055 cm	800 cm	955 cm	4 - 14	105	76,5 m <sup>2</sup>	270 cm	180, 210 cm	570 cm	●	●	-	●	-
3002-1	●	280 cm	175 cm	380 cm	3 - 14	7	21,4 m <sup>2</sup>	120 cm	120 cm	-	●	●	-	●	-
3003-1	●	390 cm	305 cm	350 cm	3 - 14	19	32,4 m <sup>2</sup>	200 cm	90 cm	-	●	●	-	●	-



3004-1



3027-1



3028-1




3030-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				
											steel	inox	wood	HDPE	HPL
3004-1		570 cm	170 cm	380 cm	3 - 14	17	33,7 m <sup>2</sup>	150 cm	120 cm	-			-		-
3027-1		535 cm	375 cm	510 cm	4 - 14	38	43,1 m <sup>2</sup>	270 cm	90, 210 cm	-			-		-
3028-1		825 cm	735 cm	510 cm	4 - 14	44	63,2 m <sup>2</sup>	270 cm	90, 120 cm	240 cm			-		-
3030-1		745 cm	555 cm	660 cm	4 - 14	46	51,0 m <sup>2</sup>	270 cm	150 cm	360 cm			-		-





3029-1



3041-1



3031-1





3045-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				
											steel	inox	wood	HDPE	HPL
3029-1		1195 cm	1075 cm	510 cm	4 - 14	101	134,5 m <sup>2</sup>	240 cm	90, 120, 150 cm	240 cm					
3041-1		1530 cm	1325 cm	955 cm	4 - 14	162	141,1m <sup>2</sup>	270 cm	150, 180, 210 cm	360, 570 cm					
3031-1		1155 cm	815 cm	660 cm	4 - 14	86	89,3 m <sup>2</sup>	270 cm	90, 210 cm	360 cm					
3045-1		1530 cm	1520 cm	955 cm	4 - 14	198	174,3 m <sup>2</sup>	270 cm	90, 180, 210 cm	360, 570 cm					



3060-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction	Panels
3060-1		2050 cm	2000 cm	955 cm	4 - 14	342	281,4 m <sup>2</sup>	270 cm	90, 180, 210 cm	270, 360, 570 cm	● ● - ●	-



3080

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction	Panels			
										steel	inox	wood	HDPE	HPL
3080	1200 cm	605 cm	645 cm	4 - 14	87	100,9 m <sup>2</sup>	270 cm	120, 150 cm	180 cm	●	●	-	●	-

Characteristics of the CASTILLO series:



Galvanised steel construction



Stainless steel construction or elements



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



UV printed PC panels



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



PP tunnels



Stainless steel tube slides

Colour & material options\*:



Construction:

- Painted steel RAL7016
- Stainless steel



Slides:

- Stainless steel
- Fiberglass



Tubes:

- Stainless steel
- PE

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# steel+

## Simple fun!

The STEEL+ series comprises modern tower structures with many features that will delight both younger and older children.

Colourful towers enriched with musical elements are just the perfect place to have some fun with fellow companions and are also a great spot for relaxation.

A vast variety of devices with educational elements facilitate the integration of children of different fitness levels.



1723



1702



1709

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants			
											steel	inox	wood	HDPE	HPL		
1723	●	313 cm	281 cm	206 cm	1 - 8	13	25,3 m <sup>2</sup>	70 cm	-	-	●	●	-	●	●	●	-
1702	●	278 cm	226 cm	313 cm	1 - 8	9	23,9 m <sup>2</sup>	120 cm	120 cm	-	●	●	-	●	●	●	-
1709	●	521 cm	364 cm	373 cm	3 - 14	27	44,6 m <sup>2</sup>	180 cm	150, 180 cm	-	●	●	-	●	●	●	-



1701



1726



1725



1724



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants			
											steel	inox	wood	HDPE	HPL		
1701	●	224 cm	234 cm	286 cm	1 - 8	9	22,2 m <sup>2</sup>	90 cm	90 cm	-	●	●	-	●	●	●	-
1726	●	660 cm	545 cm	235 cm	1 - 8	38	55,4 m <sup>2</sup>	99 cm	-	-	●	●	-	●	●	●	-
1725	●	700 cm	590 cm	235 cm	1 - 8	57	69,9 m <sup>2</sup>	< 60 cm	59 cm	-	●	●	-	●	●	●	-
1724	●	323 cm	310 cm	283 cm	1 - 8	14	30,5 m <sup>2</sup>	90 cm	90 cm	-	●	●	-	●	●	●	-



1703



1707



1704



1718



1781



1705



1717



1706

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants			
											steel	inox	wood	HDPE	HPL		
1703	-	475 cm	217 cm	343 cm	3 - 14	12	31,7 m <sup>2</sup>	200 cm	150 cm	-	●	●	-	●	●	●	-
1707	●	349 cm	334 cm	343 cm	3 - 14	15	31,2 m <sup>2</sup>	150 cm	150 cm	-	●	●	-	●	●	●	-
1704	-	367 cm	304 cm	313 cm	3 - 14	9	31,5 m <sup>2</sup>	220 cm	120 cm	-	●	●	-	●	●	●	-
1718	●	345 cm	325 cm	345 cm	3 - 14	12	31,0 m <sup>2</sup>	150 cm	150 cm	-	●	●	-	●	●	●	-
1781	-	655 cm	295 cm	230 cm	6 - 14	4	35,5 m <sup>2</sup>	125 cm	-	-	●	●	-	●	●	●	-
1705	-	363 cm	503 cm	313 cm	3 - 14	11	40,6 m <sup>2</sup>	200 cm	120 cm	-	●	●	-	●	●	●	-
1717	●	333 cm	251 cm	316 cm	3 - 14	11	29,3 m <sup>2</sup>	200 cm	-	-	●	●	-	●	●	●	-
1706	-	499 cm	461 cm	316 cm	3 - 14	13	41,4 m <sup>2</sup>	200 cm	120 cm	-	●	●	-	●	●	●	-



1708



1710



1719



1712

**New!**



1732



1733

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants			
											steel	inox	wood	HDPE	HPL		
1708	●	400 cm	356 cm	373 cm	3 - 14	24	40,5 m <sup>2</sup>	220 cm	150 cm	-	●	●	-	●	●	●	-
1710	●	451 cm	395 cm	343 cm	3 - 14	29	45,1 m <sup>2</sup>	200 cm	90, 150 cm	-	●	●	-	●	●	●	-
1719	●	345 cm	325 cm	345 cm	3 - 14	15	38,3 m <sup>2</sup>	220 cm	150 cm	-	●	●	-	●	●	●	-
1712	●	568 cm	396 cm	373 cm	3 - 14	31	52,1 m <sup>2</sup>	220 cm	180 cm	-	●	●	-	●	●	●	-
1732	●	385 cm	365 cm	345 cm	3 - 14	15	39,4 m <sup>2</sup>	170 cm	150 cm	-	●	●	-	●	●	●	-
1733	●	455 cm	425 cm	315 cm	3 - 14	15	40,1 m <sup>2</sup>	120 cm	120 cm	-	●	●	-	●	●	●	-



1711



1713

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction	Panels variants		
												steel	inox	wood
1711		702 cm	338 cm	373 cm	3 - 14	32	55,1 m <sup>2</sup>	200 cm	90, 180 cm	-	  -	   	-	
1713		606 cm	365 cm	343 cm	3 - 14	45	55,8 m <sup>2</sup>	220 cm	120, 150, 180 cm	-	  -	   	-	



1728



1727



1730-1



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants				
											steel	inox	wood	HDPE	HPL			
1728		825 cm	735 cm	510 cm	4 - 14	44	63,2 m <sup>2</sup>	270 cm	90, 120 cm	240 cm			-					-
1727		535 cm	375 cm	510 cm	4 - 14	38	44,1 m <sup>2</sup>	270 cm	90, 210 cm	-			-					-
1730-1		745 cm	555 cm	660 cm	4 - 14	46	51,0 m <sup>2</sup>	270 cm	150 cm	360 cm			-					-



1731



1740



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants				
											steel	inox	wood	HDPE	HPL			
1731		1155 cm	815 cm	660 cm	4 - 14	86	89,3 m <sup>2</sup>	270 cm	90, 210 cm	360 cm			-					-
1740		1055 cm	800 cm	955 cm	4 - 14	105	76,5 m <sup>2</sup>	270 cm	180, 210 cm	570 cm			-					-



1741



1745



1790



Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants			
										steel	inox	wood	HDPE	HPL		
1741	1530 cm	1325 cm	955 cm	4 - 14	162	141,1 m <sup>2</sup>	270 cm	150, 180, 210 cm	360, 570 cm	●	●	-	●	●	●	-
1745	1530 cm	1520 cm	955 cm	4 - 14	198	174,3 m <sup>2</sup>	270 cm	90, 180, 210 cm	360, 570 cm	●	●	-	●	●	●	-
1790	2050 cm	2000 cm	955 cm	4 - 14	342	281,4 m <sup>2</sup>	270 cm	90, 180, 210 cm	270, 360, 570 cm	●	●	-	●	●	●	-





1736



1780

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants				
											steel	inox	wood	HDPE	HPL			
1736		498 cm	324 cm	286 cm	3 - 14	24	37,9 m <sup>2</sup>	90 cm	90 cm	-			-					-
1780		1200 cm	605 cm	645 cm	4 - 14	87	101,4 m <sup>2</sup>	270 cm	120, 150 cm	180 cm			-					-

### Characteristics of the STEEL+ series:



Galvanised steel construction



Stainless steel construction or elements



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



UV printed PC panels



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



PP tunnels



Stainless steel tube slides

### Colour & material options\*:



Colour (panels):

- HDPE - RAL6024
- HDPE - RAL3020
- C11E HDPE - multicolour
- HDPE - RAL5015
- HDPE - RAL8024



Construction:

- Painted steel RAL 7040
- Stainless steel



Slides:

- Stainless steel
- Fiberglass



Tubes:

- Stainless steel
- PE



Anchoring:

- Surface
- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# topicco

## Play a role!

A series of role-playing devices: a train station, a fire station, a fire truck, a lighthouse, a ship, a truck or a roller. These devices release a child's natural tendency to play happily and learn the "adult world" as well as engage in teamwork training.

The TOPICCO series offers a number of elements such as educational panels or manual elements that stimulate motor skills and positively affect the intellectual development of young children.



WD1534



WD1541



WD1542

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants	
											steel	inox	wood	HDPE	HPL
WD1534	●	600 cm	585 cm	630 cm	3 - 14	39	49,4 m <sup>2</sup>	180 cm	-	180, 330 cm	-	-	●	●	-
WD1541	●	510 cm	310 cm	405 cm	1 - 8	22	38,0 m <sup>2</sup>	210 cm	59 cm	210 cm	-	-	●	●	-
WD1542	●	880 cm	830 cm	405 cm	1 - 8	54	94,6 m <sup>2</sup>	210 cm	59 cm	210 cm	-	-	●	●	-



3101



3102



3103



3104

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants	
											steel	inox	wood	HDPE	HPL
3101	●	346 cm	268 cm	202 cm	3 - 12	13	27,9 m <sup>2</sup>	90 cm	90 cm	-	●	-	-	●	-
3102	●	439 cm	207 cm	202 cm	3 - 12	15	29,2 m <sup>2</sup>	90 cm	90 cm	-	●	-	-	●	-
3103	●	296 cm	268 cm	200 cm	3 - 12	14	25,9 m <sup>2</sup>	90 cm	90 cm	-	●	-	-	●	-
3104	●	298 cm	268 cm	206 cm	3 - 12	14	26,2 m <sup>2</sup>	90 cm	90 cm	-	●	-	-	●	-

Characteristics of the TOPICCO series:



Wood construction



Galvanised anchors



Galvanised steel construction or elements



Stainless steel elements



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



UV printed PC panels



Stainless steel slides



PE tube slides



Durable connectors



PP tunnels

Colour & material options\*:



Anti-slip and waterproof platforms:

- HEXA HPL
- HEXA plywood



Slides:

- Stainless steel
- Fiberglass



Tubes:

- PE
- Stainless steel



Anchoring:

- Surface
- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)



# wooden

## Equipment from painted wood

The WOODEN series is an endless source of inspiration for both younger and older children how to have fun.

Various educational and sensory panels, coupled with moving elements, will bring children lots of joy and draw a lot of interest.

The environmentally friendly wooden equipment from this series stimulates the child's comprehensive physical development and also allows a large group of kids to play together at the same time. Thanks to this, child learns how to establish relationships with their fellows and how to work as part of a team.



WD1503



WD1403



WD1437



WD1401



WD1402



WD1407

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants	
											steel	inox	wood	HDPE
WD1503	●	342 cm	336 cm	247 cm	1 - 8	25	33,8 m <sup>2</sup>	< 60 cm	59 cm	35, 59 cm	-	-	●	●●●●●
WD1403	●	204 cm	139 cm	170 cm	3 - 14	7	18,8 m <sup>2</sup>	90 cm	90 cm	90 cm	-	-	●	●●●●●
WD1437	●	349 cm	173 cm	103 cm	1 - 8	15	27,3 m <sup>2</sup>	< 60 cm	-	-	-	-	●	●●●●●
WD1401	●	97 cm	96 cm	139 cm	1 - 8	4	13,8 m <sup>2</sup>	< 60 cm	-	-	-	-	●	●●●●●
WD1402	●	166 cm	99 cm	191 cm	1 - 8	6	15,6 m <sup>2</sup>	< 60 cm	-	35 cm	-	-	●	●●●●●
WD1407	●	260 cm	270 cm	280 cm	3 - 14	13	27,5 m <sup>2</sup>	90 cm	90 cm	90 cm	-	-	●	●●●●●





WD1505



WD1507


**New!**



WD1506



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants				
											steel	inox	wood	HDPE	HPL		
WD1505	●	675 cm	580 cm	280 cm	1 - 8	58	62,1 m <sup>2</sup>	90 cm	90 cm	35, 40, 59, 90 cm	-	-	●	●	●	●	●
WD1507	●	505 cm	215 cm	115 cm	1 - 8	34	36,6 m <sup>2</sup>	< 60 cm	-	35 cm	-	-	●	●	●	●	●
WD1506	●	825 cm	830 cm	280 cm	1 - 8	90	96,2 m <sup>2</sup>	90 cm	59, 90 cm	35, 40, 59, 90 cm	-	-	●	●	●	●	●



WD1501



WD1434



WD1436



WD1504



WD1502

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants					
											steel	inox	wood	HDPE	HPL			
WD1501	●	218 cm	224 cm	277 cm	1 - 8	9	21,7 m <sup>2</sup>	90 cm	90 cm	40, 90 cm	-	-	●	●	●	●	●	●
WD1434	●	215 cm	145 cm	280 cm	1 - 8	7	19,5 m <sup>2</sup>	90 cm	90 cm	59, 90 cm	-	-	●	●	●	●	●	●
WD1436	-	360 cm	315 cm	280 cm	1 - 8	14	30,4 m <sup>2</sup>	90 cm	59, 90 cm	59, 90 cm	-	-	●	●	●	●	●	●
WD1504	●	440 cm	451 cm	367 cm	3 - 12	29	43,4 m <sup>2</sup>	180 cm	120, 150 cm	35, 120, 150, 180 cm	-	-	●	●	●	●	●	●
WD1502	●	247 cm	213 cm	307 cm	1 - 8	11	22,7 m <sup>2</sup>	120 cm	120 cm	120 cm	-	-	●	●	●	●	●	●



WD1408



WD1406




WD1404



WD1405



WD1438



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants	
											steel	inox	wood	HDPE
WD1408	●	365 cm	290 cm	310 cm	3 - 14	13	31,1 m <sup>2</sup>	120 cm	120 cm	90, 120 cm	-	-	●	●●●●●
WD1406	-	316 cm	252 cm	310 cm	3 - 14	11	26,2 m <sup>2</sup>	120 cm	90, 120 cm	90, 120 cm	-	-	●	●●●●●
WD1404	-	314 cm	150 cm	307 cm	3 - 14	7	22,4 m <sup>2</sup>	120 cm	120 cm	120 cm	-	-	●	●●●●●
WD1405	●	328 cm	245 cm	337 cm	3 - 14	13	26,4 m <sup>2</sup>	150 cm	150 cm	150 cm	-	-	●	●●●●●
WD1438	●	328 cm	474 cm	307 cm	3 - 14	12	38,1 m <sup>2</sup>	130 cm	120 cm	120 cm	-	-	●	●●●●●



New!



WD1508



WD1409



WD1410

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants		
											steel	inox	wood	HDPE	HPL
WD1508	-	635 cm	295 cm	230 cm	6 - 14	4	34,8 m <sup>2</sup>	120 cm	-	-	-	-	-	-	-
WD1409	-	460 cm	355 cm	340 cm	3 - 14	19	38,3 m <sup>2</sup>	190 cm	150 cm	90, 150 cm	-	-	-	-	-
WD1410	-	405 cm	335 cm	370 cm	3 - 14	23	41,2 m <sup>2</sup>	220 cm	150 cm	150, 180 cm	-	-	-	-	-



WD1449



WD1412



WD1411



WD1454




WD1413



WD1450

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants	
											steel	inox	wood	HDPE
WD1449	-	322 cm	278 cm	367 cm	3 - 14	16	28,5 m <sup>2</sup>	220 cm	-	120, 150, 180 cm	-	-	●	● ● ● ● ●
WD1412	●	565 cm	424 cm	367 cm	3 - 14	31	50,2 m <sup>2</sup>	210 cm	90, 180 cm	90, 120, 150, 180 cm	-	-	●	● ● ● ● ●
WD1411	●	563 cm	357 cm	367 cm	3 - 14	30	47,4 m <sup>2</sup>	180 cm	150 cm	120, 150, 180 cm	-	-	●	● ● ● ● ●
WD1454	-	910 cm	405 cm	410 cm	3 - 14	30	55,3 m <sup>2</sup>	220 cm	210 cm	120, 150, 180, 210 cm	-	-	●	● ● ● ● ●
WD1413	●	627 cm	319 cm	340 cm	3 - 14	51	56,2 m <sup>2</sup>	220 cm	-	120, 150, 180 cm	-	-	●	● ● ● ● ●
WD1450	●	535 cm	510 cm	235 cm	7 - 16	31	45,3 m <sup>2</sup>	220 cm	120, 150 cm	120, 150 cm	-	-	●	● ● ● ● ●



WD1439



WD1452



WD1453



WD1451

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction				Panels variants				
										steel	inox	wood	HDPE	HPL	HPL	HPL	HPL	
WD1439	-	306 cm	230 cm	230 cm	3 - 14	17	29,9 m <sup>2</sup>	220 cm	-	120, 150 cm	-	-	●	●	●	●	●	●
WD1452	-	528 cm	428 cm	260 cm	7 - 16	31	47,8 m <sup>2</sup>	250 cm	-	150, 180 cm	-	-	●	●	●	●	●	●
WD1453	-	686 cm	547 cm	230 cm	4 - 16	36	54,8 m <sup>2</sup>	200 cm	-	150 cm	-	-	●	●	●	●	●	●
WD1451	-	427 cm	206 cm	260 cm	7 - 16	14	33,2 m <sup>2</sup>	250 cm	-	150, 180 cm	-	-	●	●	●	●	●	●



WD1415



WD1414




WD1433



WD1580



WD1581



WD1418-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants	
											steel	inox	wood	HDPE
WD1433	●	300 cm	275 cm	250 cm	1 - 8	14	25,1 m <sup>2</sup>	< 60 cm	59 cm	35, 59 cm	-	-	●	● ● ● ● ●
WD1414	●	395 cm	330 cm	260 cm	3 - 14	21	31,4 m <sup>2</sup>	90 cm	90 cm	90 cm	-	-	●	● ● ● ● ●
WD1415	●	615 cm	395 cm	290 cm	3 - 14	34	47,7 m <sup>2</sup>	120 cm	90, 120 cm	90, 120 cm	-	-	●	● ● ● ● ●
WD1580	●	1285 cm	740 cm	490 cm	3 - 14	82	108,3 m <sup>2</sup>	180 cm	120, 150, 180 cm	120, 150, 180 cm	-	-	●	● ● ● ● ●
WD1581	●	1100 cm	525 cm	485 cm	3 - 14	52	74,6 m <sup>2</sup>	150 cm	90, 150 cm	35, 90, 120, 150 cm	-	-	●	● ● ● ● ●
WD1418-1	●	1575 cm	805 cm	490 cm	3 - 14	120	134,5 m <sup>2</sup>	180 cm	120, 150, 180* cm	120, 150, 180 cm	-	-	●	● ● ● ● ●

\*Height of tube slides.







WD1430



WD1431



WD1432



WD1550



WD1551



WD1552

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants	
											steel	inox	wood	HDPE
WD1430	●	154 cm	99 cm	120 cm	1 - 8	9	16,2 m <sup>2</sup>	110 cm	-	-	-	-	●	-
WD1431	●	154 cm	99 cm	120 cm	1 - 8	11	16,2 m <sup>2</sup>	110 cm	-	-	-	-	●	-
WD1432	●	154 cm	104 cm	120 cm	1 - 8	9	16,2 m <sup>2</sup>	110 cm	-	-	-	-	●	-
WD1550	●	386 cm	336 cm	260 cm	3 - 12	28	33,3 m <sup>2</sup>	120 cm	90 cm	40, 90, 120 cm	-	-	●	●
WD1551	●	292 cm	220 cm	214 cm	1 - 8	12	25,3 m <sup>2</sup>	< 60 cm	59 cm	59 cm	-	-	●	●
WD1552	●	244 cm	100 cm	184 cm	1 - 8	10	19,9 m <sup>2</sup>	< 60 cm	-	35 cm	-	-	●	●

Characteristics of the WOODEN series:



Wood construction



Galvanised anchors



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



Stainless steel elements



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



PP tunnels



PE tube slides

Colour & material options\*:



Colour (panels):

- C1 HPL - RAL6000
- C2 HPL - RAL3000
- C3 HPL - RAL5024
- C9 HPL - wood pattern
- C11E HDPE - multicolour



Platforms:

- - HEXA HPL
- - HEXA plywood



Slides:

- - Stainless steel
- - Fiberglass



Anchoring:

- - Surface
- - Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# solo.

New!

## Fun for youngsters!

The SOLO series is a paradise for preschoolers, which is ruled by sand, water, sound and movement.

Free fun develops natural creativity of the child, encourages to do experiments and triggers the desire to cooperate with other children.

The richness of colours, manual and sound elements, along with educational panels: all these elements comprehensively stimulate the senses and the intellectual development of child.



0843



0810



0811



0812



0813



0820



0825


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
0843	●	265 cm	210 cm	160 cm	1 - 8	11	25,0 m <sup>2</sup>	100 cm	●	-	-	●	-
0810	-	168 cm	94 cm	166 cm	3 - 12	5	16,5 m <sup>2</sup>	< 60 cm	●	-	-	●	● ● ● ●
0811	-	143 cm	92 cm	74 cm	3 - 12	4	15,4 m <sup>2</sup>	< 60 cm	●	-	-	●	● ● ● ●
0812	-	130 cm	89 cm	96 cm	3 - 12	4	14,8 m <sup>2</sup>	90 cm	●	-	-	●	● ● ● ●
0813	-	143 cm	94 cm	166 cm	3 - 12	6	15,4 m <sup>2</sup>	< 60 cm	●	-	-	●	● ● ● ●
0820	●	170 cm	100 cm	100 cm	3 - 12	5	17,0 m <sup>2</sup>	< 60 cm	●	-	-	● ●	-
0825	-	734 cm	94 cm	166 cm	3 - 12	20	38,6 m <sup>2</sup>	90 cm	●	-	-	●	● ● ● ●



0824



0841




0840



0822






0826



0821



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
0824	●	188 cm	141 cm	155 cm	1 - 8	13	17,6 m <sup>2</sup>	< 60 cm	●	-	-	●●●●	-
0840	●	128 cm	76 cm	119 cm	1 - 8	7	14,2 m <sup>2</sup>	< 60 cm	●	-	-	●●●●	-
0841	●	378 cm	199 cm	144 cm	1 - 8	13	29,4 m <sup>2</sup>	< 60 cm	●	-	-	●●●●	-
0822	●	204 cm	100 cm	73 cm	1 - 8	3	18,5 m <sup>2</sup>	< 60 cm	●	-	-	●●●●	-
0826	-	275 cm	60 cm	165 cm	3 - 12	5	18,4 m <sup>2</sup>	90 cm	●	-	-	●●●●	-
0821	-	173 cm	55 cm	133 cm	1 - 8	3	15,0 m <sup>2</sup>	< 60 cm	●	-	-	●●●●	-



Product code	🦽	Product length	Product width	Product height (A)	Age range	Number of users	Safety zone	Free-fall height	Slide height (B)	Slide length (C)	Platform height (D)	Construction		Panels variants		
												steel	inox	wood	HDPE	HPL
0830	-	177 cm	67 cm	175 cm	3 - 12	3	15,2 m <sup>2</sup>	90 cm	90 cm	135 cm	90 cm	●	-	-	●●●●	-
0831	-	218 cm	67 cm	205 cm	3 - 14	4	16,3 m <sup>2</sup>	120 cm	120 cm	180 cm	120 cm	●	-	-	●●●●	-
0832	-	270 cm	67 cm	235 cm	3 - 14	4	17,6 m <sup>2</sup>	150 cm	150 cm	240 cm	150 cm	●	-	-	●●●●	-
WD1440	-	168 cm	84 cm	141 cm	1 - 8	3	15,8 m <sup>2</sup>	< 60 cm	59 cm	90 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1441	-	203 cm	84 cm	171 cm	1 - 8	3	16,7 m <sup>2</sup>	< 60 cm	90 cm	135 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1442	-	239 cm	84 cm	201 cm	3 - 14	3	17,9 m <sup>2</sup>	< 60 cm	120 cm	180 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1443	-	285 cm	84 cm	231 cm	3 - 14	3	19,5 m <sup>2</sup>	< 60 cm	150 cm	240 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1444	-	321 cm	84 cm	261 cm	3 - 14	3	20,8 m <sup>2</sup>	< 60 cm	180 cm	285 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1445	-	358 cm	84 cm	291 cm	3 - 14	3	22,1 m <sup>2</sup>	< 60 cm	210 cm	330 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1446	-	515 cm	84 cm	380 cm	3 - 14	3	27,0 m <sup>2</sup>	< 60 cm	300 cm	513 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1447	-	635 cm	84 cm	480 cm	3 - 14	3	31,1 m <sup>2</sup>	< 60 cm	400 cm	670 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1448	-	755 cm	84 cm	581 cm	3 - 14	3	35,2 m <sup>2</sup>	< 60 cm	500 cm	826 cm	35 cm	-	-	●	●●●●●	●●●●●





1751



0861

**New!**




Product code		Product length	Product width	Product height (A)	Age range	Number of users	Safety zone	Free-fall height	Slide height (B)	Slide length (C)	Platform height (D)	Construction				
												steel	inox	wood	HDPE	HPL
1751	-	170 cm	85 cm	150 cm	1 - 8	3	15,9 m <sup>2</sup>	< 60 cm	59 cm	90 cm	35 cm	●	-	-	●	-
1752	-	205 cm	85 cm	180 cm	1 - 8	3	16,8 m <sup>2</sup>	< 60 cm	90 cm	135 cm	35 cm	●	-	-	●	-
1753	-	240 cm	85 cm	215 cm	3 - 14	3	17,7 m <sup>2</sup>	< 60 cm	120 cm	180 cm	35 cm	●	-	-	●	-
1754	-	285 cm	85 cm	240 cm	3 - 14	3	18,8 m <sup>2</sup>	< 60 cm	150 cm	240 cm	35 cm	●	-	-	●	-
1755	-	320 cm	85 cm	270 cm	3 - 14	3	19,7 m <sup>2</sup>	< 60 cm	180 cm	285 cm	35 cm	●	-	-	●	-
1756	-	355 cm	85 cm	300 cm	3 - 14	3	20,6 m <sup>2</sup>	< 60 cm	210 cm	330 cm	35 cm	●	-	-	●	-
1757	-	510 cm	85 cm	385 cm	3 - 14	3	24,4 m <sup>2</sup>	< 60 cm	300 cm	513 cm	35 cm	●	-	-	●	-
1758	-	630 cm	85 cm	485 cm	3 - 14	3	27,4 m <sup>2</sup>	< 60 cm	400 cm	670 cm	35 cm	●	-	-	●	-
1759	-	750 cm	85 cm	585 cm	3 - 14	3	30,4 m <sup>2</sup>	< 60 cm	500 cm	826 cm	35 cm	●	-	-	●	-
0861	-	110 cm	50 cm	105 cm	3 - 14	2	7,3 m <sup>2</sup>	< 60 cm	59 cm	90 cm	-	-	●	-	-	-
0862	-	175 cm	50 cm	140 cm	3 - 14	2	8,9 m <sup>2</sup>	< 60 cm	90 cm	155 cm	-	-	●	-	-	-
0863	-	220 cm	50 cm	165 cm	3 - 14	2	9,9 m <sup>2</sup>	< 60 cm	120 cm	215 cm	-	-	●	-	-	-
0864	-	235 cm	50 cm	200 cm	3 - 14	2	10,3 m <sup>2</sup>	< 60 cm	150 cm	270 cm	-	-	●	-	-	-



More configurations  
available on [www.vinci-play.com](http://www.vinci-play.com)



0801-1



0802-1



0828

0800

**New!**



0842

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
0801-1	-	178 cm	178 cm	30 cm	1 - 12	11	20,9 m <sup>2</sup>	< 60 cm	●	-	-	●●●●	●●●●
0802-1	-	323 cm	287 cm	43 cm	1 - 12	18	29,1 m <sup>2</sup>	< 60 cm	●	-	-	●●●●	●●●●
0800	●	30 cm	30 cm	40 cm	1 - 12	1	8,7 m <sup>2</sup>	< 60 cm	●	-	-	●●●●	●●●●
0828	●	125 cm	35 cm	70 cm	2 - 12	1	17,6 m <sup>2</sup>	< 60 cm	-	●	-	●●●●	-
0842	●	140 cm	140 cm	80 cm	1 - 12	8	17,3 m <sup>2</sup>	< 60 cm	●	-	-	●●●●	●●●●●●●●

**MODULAR SYSTEM**




More configurations available on [www.vinci-play.com](http://www.vinci-play.com)



WD1458



WD1429



WD1482




WD1457-1



WD1456

Product code	Icon	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
WD1458	-	258 cm	258 cm	28 cm	1 - 12	16	29,2 m <sup>2</sup>	< 60 cm	-	-	●	●●●●	
WD1429	-	254 cm	221 cm	28 cm	1 - 12	9	21,8 m <sup>2</sup>	< 60 cm	-	-	●	●●●●	
WD1482	●	139 cm	139 cm	78 cm	1 - 12	8	17,3 m <sup>2</sup>	< 60 cm	-	-	●	●●●●	
WD1457-1	-	380 cm	210 cm	35 cm	1 - 12	11	32,7 m <sup>2</sup>	< 60 cm	-	-	●●	-	
WD1456	●	145 cm	62 cm	170 cm	1 - 12	5	13,7 m <sup>2</sup>	< 60 cm	-	-	●●	-	




WD1416




WD1455



WD1427



WD1467



WD1468



WD1469



WD1470



WD1471



WD1472

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
WD1416	-	415 cm	165 cm	140 cm	1 - 12	11	27,0 m <sup>2</sup>	< 60 cm	-	-	●	●●●●	●●●●
WD1455	●	348 cm	171 cm	191 cm	1 - 12	23	28,6 m <sup>2</sup>	< 60 cm	-	-	●	●●●●	●●●●
WD1427	●	167 cm	97 cm	114 cm	1 - 8	5	14,5 m <sup>2</sup>	< 60 cm	-	-	●	●●●●	●●●●
WD1467	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	-	-	●	●●●●	●●●●
WD1468	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	-	-	●	●●●●	●●●●
WD1469	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	-	-	●	●●●●	●●●●
WD1470	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●●●●	●●●●
WD1471	●	84 cm	12 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●●●●	●●●●
WD1472	●	84 cm	15 cm	130 cm	1 - 8	2	10,2 m <sup>2</sup>	< 60 cm	-	-	●●	-	-



WD1473



WD1474



WD1475



WD1476



WD1477



WD1478



WD1560



WD1561



WD1562



WD1563




WD1564



WD1565

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction				Panels		
									steel	inox	wood	HDPE	HPL		
WD1473	●	84 cm	21 cm	130 cm	1 - 8	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●	●	●	●
WD1474	●	84 cm	21 cm	130 cm	1 - 8	2	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●	●	●	●
WD1475	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	●	●	●
WD1476	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	●	●	●
WD1477	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	●	●	●
WD1478	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	-	-	●	●
WD1560	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●	●	●	●
WD1561	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●	●	●	●
WD1562	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●	●	●	●
WD1563	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	●	●	●
WD1564	●	84 cm	15 cm	130 cm	1 - 8	2	10,2 m <sup>2</sup>	< 60 cm	-	-	●	●	●	●	●
WD1565	●	84 cm	10 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	●	●	●




0122



0120



0121



0806-1




0808-1



0809



0804



0685

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction				Panels		
									steel	inox	wood	HDPE	HPL		
0122	●	144 cm	77 cm	97 cm	1 - 12	4	13,2 m <sup>2</sup>	< 60 cm	●	●	-	●	●	●	●
0120	●	76 cm	15 cm	97 cm	1 - 12	2	9,9 m <sup>2</sup>	< 60 cm	●	●	-	●			●
0121	●	80 cm	78 cm	97 cm	1 - 12	3	11,6 m <sup>2</sup>	< 60 cm	●	●	-	●	●	●	●
0806-1	●	90 cm	15 cm	165 cm	3 - 12	2	10,3 m <sup>2</sup>	< 60 cm	●	-	-	●			●
0808-1	●	35 cm	17 cm	100 cm	3 - 12	2	8,7 m <sup>2</sup>	< 60 cm	-	●	-	●			●
0804	●	120 cm	17 cm	130 cm	3 - 12	2	11,4 m <sup>2</sup>	< 60 cm	●	-	-	-			●
0685	-	84 cm	79 cm	123 cm	3 - 12	2	11,5 m <sup>2</sup>	< 60 cm	-	●	-	●			-
0809	-	81 cm	81 cm	300 cm	3 - 12	4	11,7 m <sup>2</sup>	< 60 cm	●	-	-	-			-







1760



1761




1762



1763



1770




1771



1772



1720



1722



1721

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
1760	●	81 cm	14 cm	134 cm	1 - 8	2	10,0m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ● ●	-
1761	●	81 cm	15 cm	134 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ● ●	-
1762	●	81 cm	12 cm	134 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ● ●	-
1763	●	84 cm	25 cm	147 cm	1 - 8	2	10,6 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ● ●	-
1770	●	81 cm	38 cm	134 cm	1 - 8	1	10,9 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ● ●	-
1771	●	130 cm	17 cm	116 cm	1 - 8	2	11,7 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ● ●	-
1772	●	136 cm	77 cm	206 cm	1 - 8	5	14,5 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ● ●	-
1720	●	240 cm	77 cm	206 cm	1 - 8	7	16,2 m <sup>2</sup>	67 cm	●	●	-	● ● ● ● ● ●	-
1721	●	349 cm	166 cm	206 cm	1 - 8	10	21,6 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ● ●	-
1722	●	263 cm	112 cm	206 cm	1 - 8	6	20,2 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ● ●	-



**MODULAR SYSTEM**



**New!**



0131



0132



0130

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
0132	●	435 cm	255 cm	160 cm	1+	18	32,9 m <sup>2</sup>	< 60 cm
0131	●	275 cm	85 cm	160 cm	1+	10	21,7 m <sup>2</sup>	< 60 cm
0130	●	140 cm	105 cm	75 cm	1+	6	16,8 m <sup>2</sup>	< 60 cm



WP2850



WP2853



WP2855



WP2858



WP2863



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
WP2850	●	225 cm	30 cm	115 cm	1+	7	15,0 m <sup>2</sup>	< 60 cm
WP2853	●	175 cm	90 cm	115 cm	1+	9	15,3 m <sup>2</sup>	< 60 cm
WP2855	●	260 cm	100 cm	160 cm	1+	14	19,6 m <sup>2</sup>	< 60 cm
WP2858	●	240 cm	205 cm	115 cm	1+	13	20,4 m <sup>2</sup>	< 60 cm
WP2863	●	325 cm	250 cm	125 cm	1+	20	26,5 m <sup>2</sup>	< 60 cm





0816



0817



0492



0823

Product code	Icon	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
0816	-	94 cm	87 cm	< 60 cm	3 - 12	3	11,9 m <sup>2</sup>	< 60 cm	●	-	-	●	●
0817	-	120 cm	50 cm	59 cm	3 - 12	2	12,0 m <sup>2</sup>	< 60 cm	●	-	-	●	●
0492	●	170 cm	45 cm	80 cm	1 - 16	1	1401 m <sup>2</sup>	< 60 cm	●	●	-	-	-
0823	●	100 cm	395 cm	160 cm	3 - 16	2	19,9 m <sup>2</sup>	99 cm	-	●	-	-	-

Characteristics of the SOLO series:

- Stainless steel construction or elements
- Galvanised steel construction or elements
- Wood construction
- Galvanised anchors
- HPL HEXA platforms
- HDPE panels
- Polycarbonate (PC) panels
- Stainless steel slides
- Durable connectors
- Ropes with steel core
- Protective tops
- PP tunnels

Colour & material options\*:

- Colour (panels):
  - C11E HDPE - multicolour
  - HDPE RAL6024 / ● HPL RAL6000
  - HDPE RAL5015 / ● HPL RAL5024
  - C12E HDPE - grey/black
  - HDPE RAL3020 / ● HPL RAL3000
  - HDPE RAL8024 / ● HPL wood pattern
- Construction:
  - Painted steel
  - Stainless steel
- Platforms:
  - HEXA HPL
  - HEXA plywood
- Slides:
  - Stainless steel
  - Fiberglass
- Anchoring:
  - Surface
  - Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# minisweet

## Colourful series for the youngest

The MINISWEET series consists of playground equipment designed for the youngest children and preschoolers.

Friendly houses, tunnels and slides are an ideal place to have fun together. This is also where the child learns the principles of functioning in a group while perfecting its language skills.

Minisweet devices encourage children to exercise and support the development of key mobility aptitudes. They allow every toddler to enjoy joyful and carefree fun.



0106-1C1



0100C1



0103C1



0101-1C1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels					
											steel	inox	wood	HDPE	HPL		
0106-1C1	●	315 cm	170 cm	220 cm	1 - 8	12	23,7 m <sup>2</sup>	< 60 cm	59 cm	12, 35, 59 cm	●	●	-	●	●	●	●
0100C1	●	100 cm	100 cm	170 cm	1 - 8	3	14,1 m <sup>2</sup>	< 60 cm	-	12 cm	●	●	-	●	●	●	●
0103C1	●	255 cm	240 cm	170 cm	1 - 8	14	23,2 m <sup>2</sup>	< 60 cm	-	12 cm	●	●	-	●	●	●	●
0101-1C1	●	160 cm	100 cm	170 cm	1 - 8	7	15,6 m <sup>2</sup>	< 60 cm	-	12 cm	●	●	-	●	●	●	●



0108-2C2



0102C2



0107C3



0105C3



0109-1C9



0104C9

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels	
											steel	inox	wood	HDPE	HPL
0108-2C2		305 cm	160 cm	170 cm	1 - 8	19	25,1 m <sup>2</sup>	< 60 cm	-	-			-		
0102C2		165 cm	160 cm	170 cm	1 - 8	12	18,1 m <sup>2</sup>	< 60 cm	-	12 cm			-		
0107C3		320 cm	245 cm	220 cm	1 - 8	17	26,2 m <sup>2</sup>	< 60 cm	59 cm	12, 35, 59 cm			-		
0105C3	-	175 cm	160 cm	220 cm	1 - 8	7	20,0 m <sup>2</sup>	< 60 cm	59 cm	35, 59 cm			-		
0109-1C9	-	320 cm	370 cm	220 cm	1 - 8	21	33,0 m <sup>2</sup>	< 60 cm	59 cm	12, 35, 59 cm			-		
0104C9		220 cm	100 cm	220 cm	1 - 8	6	18,1 m <sup>2</sup>	< 60 cm	59 cm	59 cm			-		





0110



0111



0112



0114



0113

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels			
										steel	inox	wood	HDPE	HPL		
0110	260 cm	250 cm	250 cm	1 - 8	15	27,2 m <sup>2</sup>	90 cm	59, 90 cm	59, 90 cm	●	●	-	●	●	●	●
0111	255 cm	200 cm	240 cm	1 - 8	11	21,8 m <sup>2</sup>	< 60 cm	59 cm	59 cm	●	●	-	●	●	●	●
0112	260 cm	160 cm	250 cm	1 - 8	11	20,3 m <sup>2</sup>	90 cm	90 cm	59, 90 cm	●	●	-	●	●	●	●
0113	410 cm	290 cm	270 cm	1 - 8	30	30,7 m <sup>2</sup>	90 cm	59 cm	59, 90 cm	●	●	-	●	●	●	●
0114	335 cm	350 cm	250 cm	1 - 8	26	35,3 m <sup>2</sup>	90 cm	59 cm	59, 90 cm	●	●	-	●	●	●	●

Characteristics of the MINISWEET series:



Stainless steel construction or elements



Galvanised steel construction or elements



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



PP tunnels

Colour & material options\*:



Colour (panels):

- C1 HPL - RAL6000
- C2 HPL - RAL3000
- C11E HDPE - multicolour
- C3 HPL - RAL5024
- C9 HPL - wood pattern



Construction:

- Painted steel RAL7040
- Stainless steel



Platforms:

- HEXA HPL
- HEXA plywood



Slides:

- Stainless steel
- Fiberglass



Anchoring:

- Surface
- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)



# steel!

## Classic tower sets

The STEEL series consists of classic structures that offer unlimited fun for older children. The sets of equipment from this series can be perfectly adapted to the needs of children and the available space.

Rows of towers connected by various attractive movable elements make for a great training ground for motor coordination. They allow a large group of children to play together at the same time, which helps to establish relationships and also teaches teamwork as well as healthy competition.



0204C9



0814C9



0815-2C9



0201-1C9



0200C9

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels				
											steel	inox	wood	HDPE	HPL			
0204C9	-	455 cm	404 cm	321 cm	3 - 14	14	38,2 m <sup>2</sup>	180 cm	120 cm	120 cm	●	-	-	●	●	●	●	●
0814C9	●	100 cm	97 cm	164 cm	1 - 8	4	14,0 m <sup>2</sup>	< 60 cm	-	10 cm	●	-	-	●	●	●	●	●
0815-2C9	●	175 cm	99 cm	164 cm	1 - 8	5	16,9 m <sup>2</sup>	< 60 cm	-	10 cm	●	-	-	●	●	●	●	●
0201-1C9	-	272 cm	166 cm	321 cm	3 - 14	5	21,5 m <sup>2</sup>	120 cm	120 cm	120 cm	●	-	-	●	●	●	●	●
0200C9	-	209 cm	162 cm	176 cm	3 - 14	7	19,7 m <sup>2</sup>	90 cm	90 cm	90 cm	●	-	-	●	●	●	●	●



0212C1



0202-1C1



0203-1C1



0205-1C2



0213C2



0207C2



0208C3



0209C3



0206C3

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels				
										steel	inox	wood	HDPE	HPL			
0212C1	-	283 cm	185 cm	291 cm	3 - 14	8	22,6 m <sup>2</sup>	90 cm	90 cm	90 cm	●	-	-	●	●	●	●
0202-1C1	-	345 cm	274 cm	321 cm	3 - 14	8	28,4 m <sup>2</sup>	120 cm	120 cm	120 cm	●	-	-	●	●	●	●
0203-1C1	-	345 cm	361 cm	321 cm	3 - 14	14	35,0 m <sup>2</sup>	120 cm	120 cm	120 cm	●	-	-	●	●	●	●
0205-1C2	-	540 cm	365 cm	351 cm	3 - 14	16	44,4 m <sup>2</sup>	150 cm	120, 150 cm	120, 150 cm	●	-	-	●	●	●	●
0213C2	-	330 cm	400 cm	292 cm	3 - 14	17	36,6 m <sup>2</sup>	90 cm	90 cm	90 cm	●	-	-	●	●	●	●
0207C2	-	440 cm	470 cm	321 cm	3 - 14	18	44,1 m <sup>2</sup>	120 cm	90, 120 cm	90, 120 cm	●	-	-	●	●	●	●
0208C3	●	495 cm	470 cm	351 cm	3 - 14	30	51,0 m <sup>2</sup>	150 cm	90, 150 cm	90, 150 cm	●	-	-	●	●	●	●
0209C3	●	633 cm	556 cm	352 cm	3 - 14	25	59,6 m <sup>2</sup>	150 cm	120, 150 cm	120, 150 cm	●	-	-	●	●	●	●
0206C3	-	537 cm	457 cm	321 cm	3 - 14	23	55,9 m <sup>2</sup>	210 cm	-	120 cm	●	-	-	●	●	●	●





0211-1C3



0214C3



0210-1C3

Product code	Icon	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels			
											steel	inox	wood	HDPE	HPL		
0211-1C3		1145 cm	910 cm	409 cm	3 - 14	78	160,0 m <sup>2</sup>	210 cm	90, 180, 210 cm	35, 40, 59, 90, 120, 150, 180, 210 cm	●	-	-	●	●	●	●
0214C3	-	809 cm	725 cm	322 cm	3 - 14	45	90,4 m <sup>2</sup>	210 cm	120, 150 cm	120, 150 cm	●	-	-	●	●	●	●
0210-1C3		980 cm	932 cm	351 cm	3 - 14	55	107,6 m <sup>2</sup>	180 cm	90, 120, 150 cm	35, 40, 90, 120, 150 cm	●	-	-	●	●	●	●

Characteristics of the STEEL series:



Galvanised steel construction or elements



HPL HEXA platforms



HDPE panels



Stainless steel elements



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



PP tunnels

Colour & material options\* :



Colour (panels):

- C1 HPL - RAL6000
- C2 HPL - RAL3000
- C3 HPL - RAL5024
- C9 HPL - wood pattern
- C11E HDPE - multicolour



Platforms:

- HEXA HPL
- HEXA plywood



Slides:

- Stainless steel
- Fiberglass



Anchoring:

- Surface
- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)



New!

### Unique houses

The CROOC series is all about beautiful, unique designs, vibrant colours and multi-tower playground sets that allow large group to have fun together.

Fairytale houses encourage children to engage in role-playing activities with their fellows. Element merging platforms, ladders, climbing walls and slides of different difficulty levels comprehensively stimulate the proper motor development of each child.

This series guarantees that the child's energy is channeled effectively.



0307



0310



0306



0303



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels	
											steel	inox	wood	HDPE	HPL
0307	●	180 cm	170 cm	165 cm	3 - 14	8	20,6 m <sup>2</sup>	< 60 cm	-	-	-	-	-	-	● ●
0310	-	201 cm	105 cm	122 cm	5 - 14	8	18,1 m <sup>2</sup>	120 cm	-	-	-	●	●	-	● ●
0306	●	400 cm	322 cm	284 cm	3 - 12	16	32,3 m <sup>2</sup>	120 cm	90, 120 cm	90, 120 cm	-	●	-	-	● ●
0303	●	419 cm	330 cm	331 cm	3 - 14	15	33,5 m <sup>2</sup>	180 cm	90, 180 cm	90, 180 cm	-	●	-	-	● ●

\*Height of tube slides.



0300S1



0300



0304



0305



0301S1



0301

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction				Panels	
											steel	inox	wood	HDPE	HPL	HPL
0300S1	●	450 cm	370 cm	340 cm	5 - 14	19	36,4 m <sup>2</sup>	180 cm	180 cm	90, 180 cm	-	●	-	-	●	●
0300	●	630 cm	370 cm	340 cm	5 - 14	19	42,5 m <sup>2</sup>	180 cm	180* cm	90, 180 cm	-	●	-	-	●	●
0304	-	254 cm	258 cm	244 cm	3 - 12	9	24,0 m <sup>2</sup>	90 cm	90 cm	90 cm	-	●	-	-	●	●
0305	●	324 cm	292 cm	250 cm	3 - 12	15	30,3 m <sup>2</sup>	90 cm	59, 90 cm	59, 90 cm	-	●	-	-	●	●
0301S1	●	775 cm	945 cm	370 cm	5 - 14	43	70,0 m <sup>2</sup>	210 cm	180, 210 cm	90, 120, 180, 210 cm	-	●	-	-	●	●
0301	●	965 cm	945 cm	370 cm	5 - 14	43	76,2 m <sup>2</sup>	210 cm	180, 210* cm	90, 120, 180, 210 cm	-	●	-	-	●	●

\*Height of tube slides.



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels		
											steel	inox	wood	HDPE	HPL	
0302		1460 cm	1060 cm	370 cm	5 - 14	64	112,4 m <sup>2</sup>	210 cm	180, 210* cm	90, 120, 180, 210 cm	-		-	-		
0302S1		1120 cm	945 cm	370 cm	5 - 14	64	100,5 m <sup>2</sup>	210 cm	180, 210 cm	90, 120, 180, 210 cm	-		-	-		

\*Height of tube slides.







Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels
0330	1435 cm	675 cm	620 cm	5 - 14	110	100,9 m <sup>2</sup>	210 cm	210* cm	90, 110, 120, 150, 180, 210 cm	- ● - -	- ●

\*Height of tube slides.

### Characteristics of the CROOC series:



Stainless steel construction or elements



HPL HEXA platforms



HPL panels



Polycarbonate (PC) panels and platforms



Stainless steel slides



Stainless steel tube slides



Durable connectors



Ropes with steel core



Protective tops

### Colour & material options\*:



Colour (panels):

- CSH HPL - multicolour
- C9 HPL - wood pattern



Slides:

- Stainless steel
- Fiberglass



Tubes:

- Stainless steel
- PE



Anchoring:

- Surface
- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)


# climbo

## Climb, crawl and pull-up

The CLIMBOO series comprises equipment that develops the fitness and coordination of older children, increasing their faith in their own abilities.

Various climbing ladders and walls with a varying level of difficulty strengthen the muscles and teach the child to concentrate and maintain balance.

This series is the perfect place to organise competitive games where exciting physical challenges are coupled with maximum safety.



WD1420



WD1464



WD1428



WD1426



WD1417



WD1419



WD1466

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour options	
										steel	inox	wood	elements	ropes
WD1420	-	290 cm	255 cm	200 cm	3 - 14	18	31,8 m <sup>2</sup>	190 cm	-	-	-	●		
WD1464	-	158 cm	10 cm	46 cm	7 - 16	4	12,2 m <sup>2</sup>	< 60 cm	-	-	-	●	-	-
WD1428	-	208 cm	10 cm	131 cm	3 - 14	4	13,8 m <sup>2</sup>	122 cm	-	-	-	●	-	-
WD1426	-	220 cm	87 cm	170 cm	3 - 14	4	18,2 m <sup>2</sup>	99 cm	-	-	-	●	-	-
WD1417	-	162 cm	91 cm	230 cm	3 - 14	9	22,1 m <sup>2</sup>	220 cm	-	-	-	●		
WD1419	-	310 cm	306 cm	230 cm	3 - 14	11	31,2 m <sup>2</sup>	220 cm	-	-	-	●		
WD1466	-	232 cm	158 cm	200 cm	7 - 16	19	25,3 m <sup>2</sup>	190 cm	-	-	-	●	-	-



WD1465



WD1487



WD1460



WD1459



WD1462

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour options	
										steel	inox	wood	elements	ropes
WD1465	-	158 cm	84 cm	200 cm	7 - 16	6	20,2 m <sup>2</sup>	190 cm	-	-	-	●	-	-
WD1487	-	290 cm	255 cm	230 cm	7 - 16	18	30,7 m <sup>2</sup>	220 cm	-	-	-	●	-	-
WD1460	-	232 cm	87 cm	110 cm	1 - 8	7	16,7 m <sup>2</sup>	99 cm	-	-	-	●	● ● ● ●	● ● ● ●
WD1459	-	102 cm	84 cm	104 cm	1 - 12	1	13,5 m <sup>2</sup>	< 60 cm	-	-	-	●	● ● ● ●	-
WD1462	-	240 cm	233 cm	230 cm	3 - 14	23	33,9 m <sup>2</sup>	220 cm	120 cm	-	-	●	● ● ● ●	● ● ● ●





WD1461




WD1463

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour options	
										steel	inox	wood	elements	ropes
WD1461	-	535 cm	306 cm	140 cm	3 - 14	28	44,7 m <sup>2</sup>	< 60 cm	29, 59 cm	-	-	■	●●●●●●●●	●●●●●●●●
WD1463	-	536 cm	316 cm	230 cm	7 - 16	52	60,4 m <sup>2</sup>	220 cm	120, 150 cm	-	-	■	●●●●●●●●	●●●●●●●●





Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour options		
									steel	inox	wood	elements	ropes	
0411	-	250 cm	10 cm	30 cm	3 - 12	5	15,1 m <sup>2</sup>	< 60 cm	29 cm	●	-	-	-	-
0410	-	230 cm	115 cm	59 cm	3 - 14	5	18,1 m <sup>2</sup>	< 60 cm	59 cm	●	-	-	-	-
0409	-	210 cm	125 cm	80 cm	3 - 14	9	19,7 m <sup>2</sup>	80 cm	59, 80 cm	●	-	-	-	-
0499	-	135 cm	185 cm	45 cm	3 - 14	4	19,2 m <sup>2</sup>	< 60 cm	-	-	-	●	●	●
0404-1	-	241 cm	88 cm	121 cm	3 - 14	3	19,1 m <sup>2</sup>	< 60 cm	34 cm	●	-	-	●	●
0401	-	176 cm	92 cm	194 cm	3 - 14	8	19,8 m <sup>2</sup>	180 cm	-	●	-	-	●	●
0402	-	256 cm	172 cm	194 cm	3 - 14	13	26,1 m <sup>2</sup>	180 cm	-	●	-	-	●	●
0403	-	350 cm	311 cm	194 cm	3 - 14	8	30,0 m <sup>2</sup>	180 cm	-	●	-	-	●	●
0405-1	-	474 cm	88 cm	195 cm	3 - 14	10	31,8 m <sup>2</sup>	194 cm	-	●	-	-	●	●
0406	-	241 cm	88 cm	195 cm	3 - 14	6	24,2 m <sup>2</sup>	194 cm	-	●	-	-	●	-
0407	-	302 cm	8 cm	165 cm	3 - 14	6	16,6 m <sup>2</sup>	150 cm	-	●	-	-	●	-
0408	-	169 cm	60 cm	135 cm	3 - 14	6	14,9 m <sup>2</sup>	120 cm	-	●	-	-	●	-



0493



0496



0497



1750



ST1426




ST1420



1716



1714



0498

More configurations available on [www.vinci-play.com](http://www.vinci-play.com)

Product code	Icon	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour options	
										steel	inox	wood	elements	ropes
0493	-	625 cm	90 cm	200 cm	5+	12	33,8 m <sup>2</sup>	80 cm	-	●	●	-	-	-
0496	-	250 cm	50 cm	50 cm	3 - 14	10	16,9 m <sup>2</sup>	< 60 cm	-	●	●	-	-	●
0497	-	560 cm	280 cm	50 cm	3 - 14	4	30,6 m <sup>2</sup>	< 60 cm	-	●	●	-	-	●
1750	-	229 cm	155 cm	166 cm	3 - 14	7	16,2 m <sup>2</sup>	147 cm	-	●	●	-	● ● ● ●	-
ST1426	-	225 cm	90 cm	170 cm	3 - 14	4	18,5 m <sup>2</sup>	99 cm	-	●	●	-	-	-
ST1420	-	290 cm	255 cm	200 cm	3 - 14	18	31,8 m <sup>2</sup>	190 cm	-	●	●	-	-	-
1716	-	453 cm	187 cm	241 cm	3 - 14	17	39,0 m <sup>2</sup>	225 cm	-	●	●	-	-	●
1714	-	260 cm	68 cm	289 cm	3 - 14	4	22,0 m <sup>2</sup>	200 cm	-	●	●	-	● ● ● ● ●	●
0498	-	160 cm	160 cm	55 cm	4+	6	19,2 m <sup>2</sup>	< 60 cm	-	●	-	-	-	●




0412



0413-1




SEE MORE!




0414-1

Product code	Icon	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour options	
										steel	inox	wood	elements	ropes
0412		242 cm	88 cm	121 cm	3 - 14	3	17,2 m <sup>2</sup>	< 60 cm	35 cm	●	-	-		-
0413-1	-	482 cm	401 cm	121 cm	3 - 14	18	46,4 m <sup>2</sup>	< 60 cm	35 cm	●	-	-		
0414-1	-	594 cm	401 cm	121 cm	3 - 14	29	56,8 m <sup>2</sup>	< 60 cm	35 cm	●	-	-		




0419-1



0418-1



0417-1



0416-1



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour options	
										steel	inox	wood	elements	ropes
0419-1	-	700 cm	700 cm	450 cm	3 - 14	48	78,5 m <sup>2</sup>	100 cm	-	●	-	-	-	● ● ● ● ●
0418-1	-	305 cm	305 cm	300 cm	3 - 14	13	34,7 m <sup>2</sup>	99 cm	-	●	-	-	-	● ● ● ● ●
0417-1	-	260 cm	260 cm	250 cm	3 - 14	10	29,6 m <sup>2</sup>	99 cm	-	●	-	-	-	● ● ● ● ●
0416-1	-	170 cm	170 cm	250 cm	3 - 14	3	17,3 m <sup>2</sup>	70 cm	-	●	-	-	-	● ● ● ● ●






0415



0420



0421



0420H



0421H

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour options	
									steel	inox	wood	elements	ropes
0415	2255 cm	326 cm	346 cm	5 - 14	1	80,1 m <sup>2</sup>	140 cm	59 cm	●	-	-	● ●	-
0420	2445 cm	312 cm	395 cm	5 - 14	1	84,4 m <sup>2</sup>	175 cm	98 cm	●	-	-	● ● ● ● ● ●	-
0421	2417 cm	298 cm	395 cm	5 - 14	2	133,4 m <sup>2</sup>	175 cm	98 cm	●	-	-	● ● ● ● ● ●	-
0420H	2445 cm	312 cm	395 cm	5 - 14	1	84,4 m <sup>2</sup>	85 cm	-	●	-	-	● ● ● ● ● ●	-
0421H	2417 cm	250 cm	395 cm	5 - 14	2	133,4 m <sup>2</sup>	85 cm	-	●	-	-	● ● ● ● ● ●	-

Characteristics of the CLIMBOO series:



Stainless steel construction or elements



Galvanised steel construction or elements



Wood construction



Galvanised anchors



HPL HEXA platforms



HDPE panels



Durable connectors



Ropes with steel core



Protective tops



PP tunnels

Colour & material options\*:



Colour (elements):

- C11E HDPE - multicolour
- C12E HDPE - grey/black
- CASTILLO
- C1 HPL - RAL6000
- C2 HPL - RAL3000
- JUNGLE
- C3 HPL - RAL5024
- C9 HPL - wood pattern
- SPACE



Colour (ropes):

- L5 - blue
- L7 - red
- L6 - black
- L8 - beige



Platforms:

- HEXA HPL
- HEXA plywood



Anchoring:

- Surface
- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# nettix<sup>o</sup>

## Ropes, ladders and spinners


The NETTIX series comprises modern equipment in the form of ladders and rope crossings, which constitute a combination of carefree fun and effective fitness training.

Rope climbing stimulates the sense of balance, strengthens the muscles and improves the child's dexterity. It also encourages children to compete with each other.

This series is a creative adventure among ropes, where the boundaries are set only by the children's imagination.




1632



1638



1601



1602



1603



1604

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Ropes options
									steel	inox	wood	
1632	-	365 cm	260 cm	225 cm	4 - 14	7	26,3 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1638	-	925 cm	260 cm	225 cm	4 - 14	15	51,3 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1601	-	336 cm	44 cm	223 cm	4 - 14	10	19,9 m <sup>2</sup>	120 cm	●	-	-	● ● ● ●
1602	-	336 cm	72 cm	223 cm	4 - 14	5	21,8 m <sup>2</sup>	100 cm	●	-	-	● ● ● ●
1603	-	336 cm	60 cm	223 cm	4 - 14	1	21,0 m <sup>2</sup>	115 cm	●	-	-	● ● ● ●
1604	-	336 cm	43 cm	223 cm	4 - 14	4	19,9 m <sup>2</sup>	120 cm	●	-	-	● ● ● ●



1605



1606



1607



1608

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Ropes options	
								steel	inox	wood		
1605	-	336 cm	43 cm	223 cm	4 - 14	4	27,2 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1606	-	336 cm	11 cm	223 cm	4 - 14	5	17,8 m <sup>2</sup>	100 cm	●	-	-	● ● ● ●
1607	-	336 cm	11 cm	223 cm	4 - 14	5	24,9 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1608	-	336 cm	11 cm	223 cm	4 - 14	4	17,8 m <sup>2</sup>	100 cm	●	-	-	● ● ● ●



1609



1635




1630



1610



1636




1631



1633




1634



1637

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Ropes options
									steel	inox	wood	
1609	-	336 cm	43 cm	223 cm	4 - 14	4	19,9 m <sup>2</sup>	100 cm	●	-	-	● ● ● ●
1635	-	258 cm	224 cm	223 cm	4 - 14	10	23,3 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1630	-	725 cm	180 cm	225 cm	4 - 14	14	41,9 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1610	-	336 cm	50 cm	223 cm	4 - 14	3	20,3 m <sup>2</sup>	100 cm	●	-	-	● ● ● ●
1636	-	260 cm	225 cm	225 cm	4 - 14	8	22,2 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1631	-	650 cm	215 cm	225 cm	4 - 14	14	40,0 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1633	-	385 cm	365 cm	225 cm	4 - 14	3	32,9 m <sup>2</sup>	70 cm	●	-	-	-
1634	-	365 cm	260 cm	225 cm	4 - 14	7	25,9 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1637	-	722 cm	625 cm	223 cm	4 - 14	16	51,3 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●



1639



1640



Product code	Icon	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Ropes options
									steel	inox	wood	
1639	-	1109 cm	961 cm	223 cm	4 - 14	49	97,9 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1640	-	914 cm	908 cm	223 cm	4 - 14	44	112,0 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●

Characteristics of the NETTIX series:



Galvanised steel construction



Stainless steel elements



HPL HEXA platforms



Ropes with steel core



Spinning elements



Durable connectors



Stainless steel chains



Protective tops

Colour & material options\*:



Colour (ropes):



L5 - blue



L7 - red



L6 - black



L8 - beige

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# spring

## Rocking and swaying

The SPRING series equals pure energy on springs. It satisfies the child's natural need for unrestrained and carefree swinging.

Colourful vehicles and happy animals encourage kids to jump energetically and sway in the rhythm of body movements.

The spring riders, which are so beloved by children, allow for joyful fun which also carries great benefits for kids' development.



0669



0651



0652



0653



0655



0654



0602



0603




0604-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Colour options	
									HDPE	HPL
0669	-	160 cm	145 cm	90 cm	1 - 12	4	15,4 m <sup>2</sup>	< 60 cm		-
0651	-	74 cm	22 cm	79 cm	1 - 12	1	10,1 m <sup>2</sup>	< 60 cm		-
0652	-	71 cm	22 cm	78 cm	1 - 12	1	10,0 m <sup>2</sup>	< 60 cm		-
0653	-	72 cm	22 cm	80 cm	1 - 12	1	10,0 m <sup>2</sup>	< 60 cm		-
0655	-	72 cm	22 cm	80 cm	1 - 12	1	10,1 m <sup>2</sup>	< 60 cm		-
0654	-	80 cm	22 cm	78 cm	1 - 12	1	10,3 m <sup>2</sup>	< 60 cm		-
0602	-	82 cm	21 cm	79 cm	1 - 12	1	10,4 m <sup>2</sup>	< 60 cm		-
0603	-	80 cm	21 cm	75 cm	1 - 12	1	10,3 m <sup>2</sup>	< 60 cm		-
0604-1	-	78 cm	21 cm	77 cm	1 - 12	1	10,2 m <sup>2</sup>	< 60 cm		-



0606



0623



0616



0609



0615-1



0608-2

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Colour options	
									HDPE	HPL
0606	-	80 cm	43 cm	86 cm	1 - 12	1	11,1 m <sup>2</sup>	< 60 cm		-
0623	-	79 cm	78 cm	78 cm	1 - 12	2	12,4 m <sup>2</sup>	< 60 cm		-
0616	-	85 cm	43 cm	74 cm	1 - 12	1	11,3 m <sup>2</sup>	< 60 cm		-
0609	-	80 cm	43 cm	75 cm	1 - 12	1	11,1 m <sup>2</sup>	< 60 cm		-
0615-1	-	62 cm	43 cm	80 cm	1 - 12	1	10,5 m <sup>2</sup>	< 60 cm		-
0608-2	-	70 cm	45 cm	80 cm	1 - 12	1	10,9 m <sup>2</sup>	< 60 cm		-



0607-1



0633



0622




0632



0631



0630



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Colour options	
									HDPE	HPL
0607-1	-	74 cm	43 cm	81 cm	1 - 12	1	10,9 m <sup>2</sup>	< 60 cm		-
0633	-	73 cm	43 cm	75 cm	1 - 12	1	10,9 m <sup>2</sup>	< 60 cm		-
0622	-	79 cm	69 cm	84 cm	1 - 12	2	12,0 m <sup>2</sup>	< 60 cm		-
0632	-	78 cm	43 cm	82 cm	1 - 12	1	11,1 m <sup>2</sup>	< 60 cm		-
0631	-	78 cm	43 cm	82 cm	1 - 12	1	11,1 m <sup>2</sup>	< 60 cm		-
0630		110 cm	82 cm	82 cm	1 - 12	2	13,8 m <sup>2</sup>	< 60 cm		-



0682



0671



0674



0673



0672

**New!**

Optional backrests available on [www.vinci-play.com](http://www.vinci-play.com)



0677

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Colour options	
									HDPE	HPL
0682	-	165 cm	95 cm	140 cm	1 - 12	2	16,4 m <sup>2</sup>	< 60 cm		-
0671	-	260 cm	116 cm	89 cm	3 - 12	8	16,0 m <sup>2</sup>	< 60 cm		-
0674	-	265 cm	120 cm	105 cm	1 - 12	8	21,8 m <sup>2</sup>	< 60 cm		-
0672	-	115 cm	80 cm	90 cm	1 - 12	2	13,8 m <sup>2</sup>	< 60 cm		-
0677	-	250 cm	120 cm	100 cm	3 - 12	8	15,7 m <sup>2</sup>	< 60 cm		-
0673	-	150 cm	85 cm	115 cm	1 - 12	4	15,4 m <sup>2</sup>	< 60 cm		-



0626



0635



0636



0611-1

New!



0670



0610



0660

See also from the ROBINIA series: p.118



RB1363



RB1364


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Colour options	
									HDPE	HPL
0626	-	124 cm	21 cm	101 cm	1 - 12	2	11,7 m <sup>2</sup>	< 60 cm		-
0611-1	-	110 cm	110 cm	54 cm	1 - 12	4	12,5 m <sup>2</sup>	< 60 cm		-
0635	-	95 cm	40 cm	55 cm	1 - 12	1	6,1 m <sup>2</sup>	< 60 cm		-
0636	-	85 cm	45 cm	95 cm	1 - 12	1	6,0 m <sup>2</sup>	< 60 cm		-
0610	-	160 cm	21 cm	86 cm	1 - 12	2	12,9 m <sup>2</sup>	< 60 cm		-
0670	-	333 cm	25 cm	85 cm	1 - 12	4	18,8 m <sup>2</sup>	< 60 cm		-
0660	-	206 cm	181 cm	87 cm	1 - 12	6	18,8 m <sup>2</sup>	< 60 cm		-



0600-1



0613-1




0614



0601-1

New!

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Colour options	
									HDPE	HPL
0600-1	-	48 cm	29 cm	84 cm	1 - 12	1	9,5 m <sup>2</sup>	< 60 cm		-
0614	-	210 cm	185 cm	85 cm	1 - 12	6	18,8 m <sup>2</sup>	< 60 cm		-
0613-1	-	140 cm	120 cm	78 cm	1 - 12	4	14,3 m <sup>2</sup>	< 60 cm		-
0601-1	-	140 cm	29 cm	84 cm	1 - 12	2	12,6 m <sup>2</sup>	< 60 cm		-



0627



0612-1



0619

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Colour options	
									HDPE	HPL
0627	-	493 cm	431 cm	45 cm	3 - 14	27	45,4 m <sup>2</sup>	< 60 cm		-
0612-1	-	104 cm	27 cm	46 cm	3 - 12	1	11,3 m <sup>2</sup>	< 60 cm		-
0619	-	100 cm	100 cm	45 cm	3 - 14	3	12,6 m <sup>2</sup>	< 60 cm		-

New!



0681



0617-1



0683



0621-1



0624



0625

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Colour options	
									HDPE	HPL
0681	-	67 cm	60 cm	55 cm	3 - 12	2	12,3 m <sup>2</sup>	< 60 cm		-
0617-1	-	45 cm	45 cm	61 cm	3 - 14	1	9,3 m <sup>2</sup>	< 60 cm		-
0683	-	55 cm	55 cm	59 cm	3 - 12	1	9,6 m <sup>2</sup>	< 60 cm	-	-
0621-1	-	150 cm	100 cm	45 cm	3 - 14	5	16,1 m <sup>2</sup>	< 60 cm		-
0624	-	127 cm	32 cm	46 cm	3 - 12	5	12,1 m <sup>2</sup>	< 60 cm	-	-
0625	-	298 cm	167 cm	45 cm	3 - 12	4	21,8 m <sup>2</sup>	< 60 cm	-	-

Characteristics of the SPRING series:



Durable steel spring



Stainless steel elements



Stainless steel construction or elements



Galvanized steel construction or elements



HDPE elements



HPL HEXA platforms



Stainless steel chains



Polycarbonate (PC) panels

Colour & material options\*:



Colour (panels):

- C11E HDPE - multicolour
- C12E HDPE - grey/black



Anchoring:

- Surface
- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# swing

New!

## Swinging in full swing!

The SWING series includes classic equipment beloved by younger and older children.

Colourful single swings, see-saw swings, multi-swings with bird's nest seats and weight-balanced multi-swings offer a pleasant thrill for children and encourage them to play with their friends.

Rhythmic swing movement is an effective body balancing exercise that has a positive effect on the development of the muscular and nervous system.



ST0514



ST0513



ST0522



ST0524



WD1425




ST0500



ST0525

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST0514	-	110 cm	15 cm	145 cm	1 - 14	1	10,8 m <sup>2</sup>	< 60 cm	●	●	-	
ST0513	●	100 cm	290 cm	170 cm	3 - 12	7	15,5 m <sup>2</sup>	105 cm	●	●	-	
ST0522	-	240 cm	39 cm	81 cm	1 - 8	2	9,7 m <sup>2</sup>	< 60 cm	●	●	-	
ST0524	-	310 cm	40 cm	90 cm	3 - 14	2	11,4 m <sup>2</sup>	99 cm	●	●	-	
ST0525	-	380 cm	40 cm	90 cm	3 - 14	4	13,1 m <sup>2</sup>	99 cm	●	●	-	
WD1425	-	270 cm	40 cm	115 cm	3 - 14	2	11,1 m <sup>2</sup>	99 cm	-	-	●	
ST0500	-	270 cm	36 cm	80 cm	3 - 12	2	11,3 m <sup>2</sup>	99 cm	●	-	-	



ST0530-1



ST0531



ST0528



ST0529



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST0530-1		405 cm	115 cm	120 cm	3 - 12	2	27,3 m <sup>2</sup>	< 60 cm		-	-	 
ST0531		290 cm	150 cm	120 cm	14+	1	24,6 m <sup>2</sup>	< 60 cm		-	-	   
ST0528	-	175 cm	120 cm	135 cm	5 - 12	2	18,0 m <sup>2</sup>	< 60 cm		-	-	   
ST0529		245 cm	90 cm	95 cm	5 - 12	2	19,3 m <sup>2</sup>	73 cm		-	-	   



Available seats:



More configurations available on [www.vinci-play.com](http://www.vinci-play.com)



ST0510



ST0511



ST0512

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST0510	-	40 cm	155 cm	180 cm	1 - 3/3 - 14	1	11,4 m <sup>2</sup>	99 cm	<input checked="" type="radio"/>	<input type="radio"/>	-	
ST0511	-	40 cm	300 cm	180 cm	1 - 3/3 - 14	2	21,2 m <sup>2</sup>	99 cm	<input checked="" type="radio"/>	<input type="radio"/>	-	
ST0512	-	40 cm	440 cm	180 cm	1 - 3/3 - 14	3	29,8 m <sup>2</sup>	99 cm	<input checked="" type="radio"/>	<input type="radio"/>	-	

Available suspensions:

Anti-wrap



Standard



ST1421

**MODULAR SYSTEM**



Available seats:



ST1422



ST1491



ST1424



ST0520



ST1423

More configurations available on [www.vinci-play.com](http://www.vinci-play.com)



ST1492



ST1497



ST1494

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST1421	-	195 cm	250 cm	240 cm	1 - 3/3 - 14	1	13,0 m <sup>2</sup>	130 cm	●	●	-	
ST1422	-	195 cm	365 cm	240 cm	1 - 3/3 - 14	2	21,5 m <sup>2</sup>	130 cm	●	●	-	
ST1491	-	195 cm	550 cm	240 cm	1 - 3/3 - 14	3	35,1 m <sup>2</sup>	130 cm	●	●	-	
ST1424	-	195 cm	665 cm	240 cm	1 - 3/3 - 14	4	43,7 m <sup>2</sup>	130 cm	●	●	-	
ST0520	-	195 cm	250 cm	240 cm	1+	2	13,0 m <sup>2</sup>	175 cm	●	●	-	
ST1423	●	195 cm	320 cm	240 cm	3 - 12	7	18,1 m <sup>2</sup>	130 cm	●	●	-	
ST1492	●	195 cm	505 cm	240 cm	1 - 3/3 - 14	8	31,8 m <sup>2</sup>	130 cm	●	●	-	
ST1497	●	195 cm	575 cm	240 cm	3 - 12	14	37,0 m <sup>2</sup>	130 cm	●	●	-	
ST1494	●	195 cm	615 cm	240 cm	1 - 3/3 - 14	9	40,3 m <sup>2</sup>	130 cm	●	●	-	

Available suspensions:

Anti-wrap



Standard



WD1421-1

MODULAR SYSTEM



WD1422-1



WD1491

Available seats:



WD1424-1



WD0520



WD1423-1



WD1492



WD1497



WD1494

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
WD1421-1	-	195 cm	250 cm	240 cm	1 - 3/3 - 14	1	13,0 m <sup>2</sup>	130 cm	-	-	●	●●●●●●●●
WD1422-1	-	195 cm	365 cm	240 cm	1 - 3/3 - 14	2	21,5 m <sup>2</sup>	130 cm	-	-	●	●●●●●●●●
WD1491	-	195 cm	550 cm	240 cm	1 - 3/3 - 14	3	35,1 m <sup>2</sup>	130 cm	-	-	●	●●●●●●●●
WD1424-1	-	195 cm	665 cm	240 cm	1 - 3/3 - 14	4	43,7 m <sup>2</sup>	130 cm	-	-	●	●●●●●●●●
WD0520	-	195 cm	250 cm	240 cm	1+	2	13,0 m <sup>2</sup>	175 cm	-	-	●	●●●●●●●●
WD1423-1	●	195 cm	320 cm	240 cm	3 - 12	7	18,1 m <sup>2</sup>	130 cm	-	-	●	●●●●●●●●
WD1492	●	195 cm	505 cm	240 cm	1 - 3/3 - 14	8	31,8 m <sup>2</sup>	130 cm	-	-	●	●●●●●●●●
WD1497	●	195 cm	575 cm	240 cm	3 - 12	14	37,0 m <sup>2</sup>	130 cm	-	-	●	●●●●●●●●
WD1494	●	195 cm	615 cm	240 cm	1 - 3/3 - 14	9	40,3 m <sup>2</sup>	130 cm	-	-	●	●●●●●●●●

See also from the ROBINIA series: p. 120



RB1351



RB1421

Available suspensions:

Anti-wrap



Standard



ST0541

New!


H2,50



ST0517



ST0515



ST0516

Available seats:



MODULAR SYSTEM



More configurations available on [www.vinci-play.com](http://www.vinci-play.com)


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST0541	-	225 cm	265 cm	275 cm	1 - 3/3 - 14	1	13,6 m <sup>2</sup>	145 cm	●	-	-	
ST0515	-	640 cm	610 cm	235 cm	1 - 3/3 - 14	5	46,4 m <sup>2</sup>	130 cm	●	-	-	
ST0516	-	560 cm	640 cm	235 cm	1 - 3/3 - 14	6	54,5 m <sup>2</sup>	130 cm	●	-	-	
ST0517	●	238 cm	337 cm	293 cm	3 - 12	1	18,1 m <sup>2</sup>	145 cm	●	-	-	



ST0509



ST0533

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST0509		643 cm	558 cm	281 cm	3 - 12	6	49,0 m <sup>2</sup>	130 cm		-	-	
ST0533	-	345 cm	30 cm	230 cm	3 - 12	1	49,0 m <sup>2</sup>	145 cm		-	-	



ST0519-1



ST0518



ST0521

Available seats:



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST0518	-	55 cm	400 cm	320 cm	6 - 14	1	29,1 m <sup>2</sup>	< 60 cm	●	-	-	
ST0519-1	-	221 cm	199 cm	242 cm	3 - 14	3	52,8 m <sup>2</sup>	130 cm	●	-	-	
ST0521	-	490 cm	310 cm	270 cm	3 - 14	4	13,5 m <sup>2</sup>	130 cm	●	-	-	

Characteristics of the SWING series:



Stainless steel construction or elements



Galvanised steel construction or elements



Wood construction



Galvanised anchors



Stainless steel chains



Certified swing seats



Durable connectors



Protective tops



Ropes with steel core

Colour & material options\*:



Colour (construction parts):

- C1 - RAL6029
- C4 - RAL1023
- C13 - RAL9005
- CASTILLO
- SPACE
- C2 - RAL3020
- C6 - RAL2009
- C8 - NCS-S-1060-G-60Y
- JUNGLE
- C3 - RAL5015
- C12 - RAL7040
- C1 - stainless steel
- STEEL+



Construction:

- Painted steel
- Painted wood
- Stainless steel



Anchoring:

- Surface
- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# hoop

New!

## Spin, spin!


The HOOP series consists of roundabouts and spinners which drive the world of laughing children.

Spinning is an important activity for the child's development as it promotes the maturation of the nervous system, stimulates the sense of balance, strengthens the muscles and the skeletal system. At the same time it is a source of exciting sensations. For an older child, it is often a favourite place of crazy fun with friends.

Colourful carousels encourage both younger and older children to have fun together.



0721



0720



0726



0728

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options					
									steel	inox	wood	HDPE	HPL				
0721	-	125 cm	125 cm	285 cm	5 - 14	8	19,9 m <sup>2</sup>	180 cm	-	<input type="radio"/>	-	-	<input type="radio"/>				
0720	-	155 cm	155 cm	235 cm	3 - 12	21	24,2 m <sup>2</sup>	100 cm	-	<input type="radio"/>	-	-	-	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
0726	<input type="radio"/>	175 cm	175 cm	85 cm	3 - 12	2	26,0 m <sup>2</sup>	100 cm	-	<input type="radio"/>	-	-	-	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
0728	<input type="radio"/>	220 cm	220 cm	90 cm	3 - 12	6	30,2 m <sup>2</sup>	100 cm	-	<input type="radio"/>	-	-	-	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>




0703-1




0708-1



0702-2



0705-2



0706-1

See also from the ROBINIA series: p. 119



RB1372



RB1373

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options	
									steel	inox	wood	HDPE	HPL
0703-1	-	120 cm	120 cm	73 cm	3 - 12	6	21,2 m <sup>2</sup>	100 cm	-	●	-	-	● ● ● ● ● ●
0708-1	-	120 cm	120 cm	13 cm	3 - 12	4	21,2 m <sup>2</sup>	100 cm	-	●	-	-	● ● ● ● ● ●
0702-2	-	120 cm	120 cm	73 cm	3 - 12	4	21,2 m <sup>2</sup>	100 cm	-	●	-	-	● ● ● ● ● ●
0705-2	-	150 cm	150 cm	71 cm	3 - 12	5	23,8 m <sup>2</sup>	100 cm	-	●	-	-	● ● ● ● ● ●
0706-1	-	150 cm	150 cm	68 cm	3 - 12	8	23,8 m <sup>2</sup>	100 cm	-	●	-	-	● ● ● ● ● ●



0710



0700-1



0701-1



0712



0713

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
0710	-	55 cm	55 cm	60 cm	3 - 12	1	16,2 m <sup>2</sup>	100 cm	-	●	-	-
0700-1	-	50 cm	50 cm	45 cm	3 - 12	3	15,9 m <sup>2</sup>	100 cm	●	-	-	-
0701-1	-	50 cm	50 cm	140 cm	3 - 12	1	15,9 m <sup>2</sup>	100 cm	●	-	-	
0712	-	73 cm	73 cm	146 cm	3 - 12	2	17,6 m <sup>2</sup>	100 cm	-	●	-	
0713	-	90 cm	42 cm	147 cm	7 - 16	1	11,4 m <sup>2</sup>	< 60 cm	-	●	-	



0719



0711



0714

New!

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
0719	-	260 cm	260 cm	225 cm	5 - 12	3	58,0 m <sup>2</sup>	100 cm	●	-	-	
0711	-	72 cm	72 cm	180 cm	7 - 16	4	35,4 m <sup>2</sup>	100 cm	-	●	-	
0714	-	265 cm	35 cm	170 cm	5 - 12	2	34,6 m <sup>2</sup>	120 cm	●	-	-	

Characteristics of the HOOP series:



Stainless steel construction or elements



Galvanised steel construction or elements



HPL platforms



HPL panels



HDPE panels



Spinning elements



Movable elements

Colour & material options\*:



Colour (panels & construction parts):

- C5 HPL - multicolour
- C3 HPL RAL5015
- C6 HPL RAL1017
- CASTILLO
- SPACE
- C8 HPL NCS-S 1060-G60Y
- C12 HPL RAL7038
- JUNGLE



Construction:

- Painted steel
- Stainless steel



Anchoring:

- Surface
- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# arena



## Be like Lewy!

The ARENA is a multifunctional playing field that can be an independent sports facility, perfectly suited for public spaces. In the Arena you can play football, basketball, handball, hockey, tennis and many more.

The highest quality construction and materials are resistant to the loads associated with the use of the field. Thanks to the modularity of the size and functional design, as well as the possibility to choose the material and colour version, the Arena can be adapted to individual needs.



**MODULAR  
SYSTEM**







### 1. Determine the size of the Arena

Using modular side panels, an Arena of any size can be created. The corners, depending on the needs, can have a right angle or be cut (set at an angle).



### 2. Choose the design and material options

The structure of the Arena can be secured with a durable hot-dip galvanized coating, or galvanized and additionally secured with a three-layer paint.

Steel modular panels from which we create the Arena come in three options:

- vertical steel tubular profiles permanently welded to the frame, creating a durable, stable structure;
- walls made of HDPE board, resistant to weather conditions, reinforced with steel profiles;
- vertical rails made of recycled composite, resistant to moisture and low temperatures.



### 3. Set the height

Thanks to the modular panels, the height of the side walls can be freely adjusted to individual needs. Each panel is 1 m high. The durable safety net is available in the height of 2 or 3 m.

There are five combinations to choose from:

- one row of panels;
- two rows of panels;
- three rows of panels;
- two rows of panels + 3 m safety net;
- three rows of panels + 2 m safety net.



### 4. Select the entrance type

The type of entrance to the Arena can be adjusted to suit any needs. Five types are available: a panel with an opening, an openable wicket with or without additional blockade against the entry of bicycles, an offset panel or a lockable technical entrance.



**MODULAR SYSTEM**





### 7. Choice of complementary elements:

Additional elements of Arena equipment are designed so that they can be placed anywhere in the walls of the playing field. Four elements to choose from:

- stand-up bench;
- a small "Brazilian" gate;
- free-standing basketball basket;
- volleyball net.



### 5. Select football goals

- Football goals come in four configurations:
- without top panel;
  - with top panel;
  - with top panel and the basketball basket on the front;
  - with top panel and two basketball baskets: front and rear.

### 6. Pick side elements in the goals

- The side walls of the goals come in three variants:
- open;
  - with a crossbar to prevent the bicycle from entering the field;
  - completely closed (full goal).




2431



2432



2451



2441



2452



2495



2498



2421



2422



2423



240606-001



240606-002



241308-001

Product code		Product length	Product width	Product height	Age range	Construction			Panels	
						steel	inox	wood	HDPE	composite
2431	●	190 cm	120 cm	380 cm	3+	●	-	-	-	-
2432	●	190 cm	145 cm	385 cm	3+	●	-	-	-	-
2451	●	130 cm	30 cm	80 cm	3+	●	-	-	-	-
2452	●	320 cm	110 cm	210 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●
2441	●	1135 cm	10 cm	260 cm	3+	●	-	-	-	-
2495	●	180 cm	30 cm	105 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●
2498	-	16 cm	18 cm	96 cm	-	●	-	-	-	-
2421	●	320 cm	235 cm	385 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●
2422	●	820 cm	235 cm	385 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●
2423	●	1175 cm	290 cm	385 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●
240606-001	●	615 cm	670 cm	105 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●
240606-002	●	615 cm	670 cm	205 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●
241308-001	●	1315 cm	860 cm	105 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●



241308-002



241708-001



241708-002



242011-001



242011-002



242011-003



242311-001



242415-001



242917-001

Product code		Product length	Product width	Product height	Age range	Construction			Panels					
						steel	inox	wood	HDPE			composite		
241308-002	●	1460 cm	820 cm	385 cm	3+	●	-	-	●	●	●	●	●	●
241708-001	●	1965 cm	820 cm	385 cm	3+	●	-	-	●	●	●	●	●	●
241708-002	●	2240 cm	980 cm	505 cm	3+	●	-	-	●	●	●	●	●	●
242011-001	●	2210 cm	1070 cm	385 cm	3+	●	-	-	●	●	●	●	●	●
242011-002	●	2210 cm	1260 cm	505 cm	3+	●	-	-	●	●	●	●	●	●
242011-003	●	2470 cm	1195 cm	505 cm	3+	●	-	-	●	●	●	●	●	●
242311-001	●	2465 cm	1070 cm	385 cm	3+	●	-	-	●	●	●	●	●	●
242415-001	●	2565 cm	1615 cm	505 cm	3+	●	-	-	●	●	●	●	●	●
242917-001	●	3325 cm	1805 cm	505 cm	3+	●	-	-	●	●	●	●	●	●

Characteristics of the ARENA products:



Galvanised steel construction or elements



Stainless steel elements



Composite panels



HDPE panels



Stainless steel chains



Durable connectors



Protective tops


\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# jumpoo


## Jump to the sky!

Jumping on the trampolines is a great fun, but also a great training! It allows you to strengthen your muscles, improve fitness and coordination, and at the same time reduce stress and tension, allowing you to relax.


Our trampolines are available in various colours and thanks to the special structure of the elements, any combination of shapes.




2222




2211



2212




2213




2214



2221



2220



2223



2224

Product code		Product length	Product width	Product height	Age range	Safety zone	Free-fall height	Colour variants
2222	-	605 cm	380 cm	-	4 - 15	58,3 m <sup>2</sup>	90 cm	
2211	-	150 cm	150 cm	-	4 - 15	12,6 m <sup>2</sup>	90 cm	
2212	-	150 cm	150 cm	-	4 - 15	14,1 m <sup>2</sup>	90 cm	
2213	-	200 cm	200 cm	-	4 - 15	26,8 m <sup>2</sup>	90 cm	
2214		300 cm	150 cm	-	4 - 15	27,3 m <sup>2</sup>	90 cm	
2221	-	375 cm	375 cm	-	4 - 15	41,2 m <sup>2</sup>	90 cm	
2220	-	300 cm	300 cm	-	4 - 15	38,9 m <sup>2</sup>	90 cm	
2223	-	745 cm	325 cm	-	4 - 15	60,0 m <sup>2</sup>	90 cm	
2224	-	905 cm	680 cm	-	4 - 15	93,0 m <sup>2</sup>	90 cm	

Characteristics of the JUMPOO series:



Galvanised steel construction



Stainless steel elements



Surface: coloured rubber



Durable anti-slip PA lamellas

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)



# fitness

New!

## Keeping fit!

The FITNESS series was created with wellness in mind, encouraging to train and lead a healthy lifestyle.

The series devices are available in several colour and material options which will allow you to create a professional outdoor gym responding to various needs.



1123



1103-1



1101



1102



1109



1110



1104-1



1105-1



1107-1



1108



1106

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	robinia	
1123	●	85 cm	65 cm	120 cm	14+	140 kg	12,1 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●●●
1103-1	●	159 cm	38 cm	132 cm	14+	140 kg	13,6 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●●●
1101	●	101 cm	88 cm	199 cm	14+	140 kg	13,6 m <sup>2</sup>	99 cm	●	●	-	●●●●●●●●
1102	●	93 cm	79 cm	199 cm	14+	140 kg	12,8 m <sup>2</sup>	99 cm	●	●	-	●●●●●●●●
1109	●	85 cm	44 cm	139 cm	14+	140 kg	11,3 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●●●
1110	●	85 cm	63 cm	174 cm	14+	140 kg	12,0 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●●●
1104-1	●	69 cm	74 cm	167 cm	14+	140 kg	12,8 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●●●
1105-1	●	93 cm	83 cm	167 cm	14+	140 kg	13,1 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●●●
1107-1	●	101 cm	75 cm	167 cm	14+	140 kg	14,7 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●●●
1108	●	77 cm	66 cm	137 cm	14+	140 kg	11,9 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●●●
1106	●	134 cm	63 cm	141 cm	14+	140 kg	17,9 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●●●



New!



1122



1124



1125

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	robinia	
1122		85 cm	65 cm	145 cm	14+	140 kg	12,1 m <sup>2</sup>	< 60 cm			-	
1124		75 cm	70 cm	170 cm	14+	140 kg	11,9 m <sup>2</sup>	< 60 cm			-	
1125		95 cm	85 cm	170 cm	14+	140 kg	13,3 m <sup>2</sup>	< 60 cm			-	





1121



1120



1118



1111-1



1113



1114



1112



1119




1115



1116-1



1117



1198

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	robinia	
1121	●	205 cm	150 cm	130 cm	14+	140 kg	19,4 m <sup>2</sup>	90 cm	●	●	-	● ● ● ● ● ● ● ● ● ●
1120	●	155 cm	90 cm	120 cm	14+	140 kg	15,8 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ● ● ● ● ● ●
1118	●	110 cm	65 cm	130 cm	14+	140 kg	13,0 m <sup>2</sup>	96 cm	●	●	-	● ● ● ● ● ● ● ● ● ●
1111-1	●	111 cm	49 cm	132 cm	14+	140 kg	13,2 m <sup>2</sup>	89 cm	●	●	-	● ● ● ● ● ● ● ● ● ●
1113	●	214 cm	123 cm	132 cm	14+	140 kg	16,8 m <sup>2</sup>	112 cm	●	●	-	● ● ● ● ● ● ● ● ● ●
1114	●	78 cm	65 cm	142 cm	14+	140 kg	11,9 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ● ● ● ● ● ●
1112	●	79 cm	71 cm	132 cm	14+	140 kg	12,1 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ● ● ● ● ● ●
1119	●	85 cm	50 cm	125 cm	14+	140 kg	11,5 m <sup>2</sup>	60 cm	●	●	-	● ● ● ● ● ● ● ● ● ●
1115	●	167 cm	64 cm	166 cm	14+	140 kg	15,0 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ● ● ● ● ● ●
1116-1	●	188 cm	75 cm	167 cm	14+	140 kg	16,4 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ● ● ● ● ● ●
1117	●	79 cm	66 cm	132 cm	14+	140 kg	12,0 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ● ● ● ● ● ●
1198	-	20 cm	22 cm	95 cm	-	-	-	-	●	●	-	● ● ● ● ● ● ● ● ● ●

New!



1157



1139

1143

1145



1131



1132



1133



1134



1137



1138



1140



1141



1142



1144



1146



1147



1148



1149



1150



1151



1152



1153



1154



1156

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	robinia	
1157	●	85 cm	65 cm	140 cm	14+	140 kg	12,1 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●●●
1139	●	212 cm	75 cm	167 cm	14+	140 kg	18,2 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●●●
1143	●	171 cm	75 cm	167 cm	14+	140 kg	17,4 m <sup>2</sup>	89 cm	●	●	-	●●●●●●●●
1145	●	85 cm	67 cm	174 cm	14+	140 kg	12,2 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●●●
1131	●	220 cm	88 cm	199 cm	14+	140 kg	17,2 m <sup>2</sup>	99 cm	●	●	-	●●●●●●●●
1138	●	124 cm	75 cm	167 cm	14+	140 kg	16,1 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●●●
1146	●	86 cm	85 cm	139 cm	14+	140 kg	12,9 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●●●
1151	●	259 cm	75 cm	167 cm	14+	140 kg	19,4 m <sup>2</sup>	89 cm	●	●	-	●●●●●●●●
1132	●	105 cm	88 cm	204 cm	14+	140 kg	13,8 m <sup>2</sup>	104 cm	●	●	-	●●●●●●●●
1140	●	225 cm	93 cm	167 cm	14+	140 kg	18,2 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●●●
1147	●	134 cm	85 cm	174 cm	14+	140 kg	15,0 m <sup>2</sup>	89 cm	●	●	-	●●●●●●●●
1152	●	141 cm	88 cm	208 cm	14+	140 kg	14,9 m <sup>2</sup>	108 cm	●	●	-	●●●●●●●●
1133	●	141 cm	88 cm	204 cm	14+	140 kg	14,9 m <sup>2</sup>	104 cm	●	●	-	●●●●●●●●
1141	●	137 cm	93 cm	167 cm	14+	140 kg	15,8 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●●●
1148	●	102 cm	85 cm	174 cm	14+	140 kg	13,3 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●●●
1153	●	214 cm	185 cm	208 cm	14+	140 kg	21,6 m <sup>2</sup>	112 cm	●	●	-	●●●●●●●●
1134	●	100 cm	93 cm	199 cm	14+	140 kg	13,6 m <sup>2</sup>	99 cm	●	●	-	●●●●●●●●
1142	●	123 cm	78 cm	167 cm	14+	140 kg	16,5 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●●●
1149	●	214 cm	146 cm	174 cm	14+	140 kg	20,1 m <sup>2</sup>	112 cm	●	●	-	●●●●●●●●
1154	●	123 cm	88 cm	199 cm	14+	140 kg	14,3 m <sup>2</sup>	99 cm	●	●	-	●●●●●●●●
1137	●	183 cm	85 cm	174 cm	14+	140 kg	15,6 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●●●
1144	●	99 cm	85 cm	174 cm	14+	140 kg	13,2 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●●●
1150	●	85 cm	85 cm	174 cm	14+	140 kg	12,8 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●●●
1156	●	102 cm	85 cm	174 cm	14+	140 kg	13,2 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●●●





RB1124




RB1123



RB1125



RB1122



RB1104



RB1105



RB1106



RB1113

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	robinia	
RB1124	●	80 cm	85 cm	190 cm	14+	140 kg	12,7 m <sup>2</sup>	< 60 cm	-	-	●	-
RB1123	●	90 cm	65 cm	125 cm	14+	140 kg	12,3 m <sup>2</sup>	< 60 cm	-	-	●	-
RB1125	●	100 cm	100 cm	190 cm	14+	140 kg	14,1 m <sup>2</sup>	< 60 cm	-	-	●	-
RB1122	●	90 cm	70 cm	145 cm	14+	140 kg	12,5 m <sup>2</sup>	< 60 cm	-	-	●	-
RB1104	●	75 cm	74 cm	178 cm	14+	140 kg	13,0 m <sup>2</sup>	< 60 cm	-	-	●	-
RB1105	●	93 cm	90 cm	178 cm	14+	140 kg	13,4 m <sup>2</sup>	< 60 cm	-	-	●	-
RB1106	●	140 cm	65 cm	141 cm	14+	140 kg	18,2 m <sup>2</sup>	< 60 cm	-	-	●	-
RB1113	●	218 cm	133 cm	145 cm	14+	140 kg	20,5 m <sup>2</sup>	112 cm	-	-	●	-



RB1116



RB1117



RB1112



RB1108



RB1111



RB1114



RB1109



RB1110



RB1198

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	robinia	
RB1116		188 cm	79 cm	178 cm	14+	140 kg	16,5 m <sup>2</sup>	< 60 cm	-	-		-
RB1117		89 cm	70 cm	155 cm	14+	140 kg	12,5 m <sup>2</sup>	< 60 cm	-	-		-
RB1112		85 cm	73 cm	145 cm	14+	140 kg	12,4 m <sup>2</sup>	< 60 cm	-	-		-
RB1108		84 cm	70 cm	155 cm	14+	140 kg	12,3 m <sup>2</sup>	< 60 cm	-	-		-
RB1111		119 cm	51 cm	143 cm	14+	140 kg	13,6 m <sup>2</sup>	89 cm	-	-		-
RB1114		78 cm	73 cm	155 cm	14+	140 kg	12,2 m <sup>2</sup>	< 60 cm	-	-		-
RB1109		89 cm	47 cm	139 cm	14+	140 kg	11,6 m <sup>2</sup>	< 60 cm	-	-		-
RB1110		85 cm	66 cm	174 cm	14+	140 kg	12,2 m <sup>2</sup>	< 60 cm	-	-		-
RB1198	-	20 cm	22 cm	95 cm	-	-	-	-	-	-		-

Characteristics of the FITNESS series:



Galvanised steel construction



Stainless steel construction or elements



Robinia wood construction



HPL HEXA platforms



HPL elements



Polycarbonate (PC) panels



Durable connectors



Protective tops



Movable elements

Colour & material options\*:



Colour (construction in steel):

- C8 - NCS-S-1060-G-60Y
- C17 - RAL4008
- Ci - stainless steel
- C3 - RAL5015
- C12 - RAL7040
- C18 - NCS-S 2040-B10G
- C16 - RAL6013



Construction:

- Painted steel
- Robinia wood
- Stainless steel



Anchoring:

- Surface
- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)





2307



2308



2309



2310



2311



2312



2313



2314



2315



2316



2317



2322



Product code	Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction			Colour options	
								steel	inox	robinia		
2307	-	168 cm	12 cm	241 cm	14+	140 kg	12,7 m <sup>2</sup>	130 cm	●	●	-	● ● ● ● ● ● ● ● ● ●
2308	-	234 cm	12 cm	241 cm	14+	140 kg	24,5 m <sup>2</sup>	231 cm	●	●	-	● ● ● ● ● ● ● ● ● ●
2309	-	123 cm	12 cm	241 cm	14+	140 kg	19,7 m <sup>2</sup>	229 cm	●	●	-	● ● ● ● ● ● ● ● ● ●
2310	-	123 cm	12 cm	241 cm	14+	140 kg	18,9 m <sup>2</sup>	230 cm	●	●	-	● ● ● ● ● ● ● ● ● ●
2311	-	153 cm	123 cm	347 cm	14+	140 kg	29,2 m <sup>2</sup>	245 cm	●	●	-	● ● ● ● ● ● ● ● ● ●
2312	-	123 cm	86 cm	351 cm	14+	140 kg	25,5 m <sup>2</sup>	249 cm	●	●	-	● ● ● ● ● ● ● ● ● ●
2313	●	123 cm	12 cm	241 cm	14+	140 kg	11,3 m <sup>2</sup>	126 cm	●	●	-	● ● ● ● ● ● ● ● ● ●
2314	-	233 cm	122 cm	241 cm	14+	140 kg	20,6 m <sup>2</sup>	139 cm	●	●	-	● ● ● ● ● ● ● ● ● ●
2315	-	233 cm	59 cm	242 cm	14+	140 kg	17,2 m <sup>2</sup>	139 cm	●	●	-	● ● ● ● ● ● ● ● ● ●
2316	-	440 cm	130 cm	55 cm	14+	140 kg	22,8 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ● ● ● ● ● ●
2317	-	345 cm	15 cm	285 cm	14+	140 kg	20,2 m <sup>2</sup>	170 cm	●	●	-	● ● ● ● ● ● ● ● ● ●
2322	●	335 cm	12 cm	245 cm	14+	140 kg	17,9 m <sup>2</sup>	130 cm	●	●	-	● ● ● ● ● ● ● ● ● ●



2323



2325



2326




2327



2328



2399



2329

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	robinia	
2323	-	348 cm	233 cm	241 cm	14+	140 kg	32,6 m <sup>2</sup>	240 cm	●	●	-	● ● ● ● ● ●
2325	-	489 cm	453 cm	347 cm	14+	140 kg	50,5 m <sup>2</sup>	245 cm	●	●	-	● ● ● ● ● ●
2326	-	543 cm	344 cm	241 cm	14+	140 kg	54,8 m <sup>2</sup>	228 cm	●	●	-	● ● ● ● ● ●
2327	-	608 cm	499 cm	251 cm	14+	140 kg	64,6 m <sup>2</sup>	228 cm	●	●	-	● ● ● ● ● ●
2328	-	789 cm	600 cm	347 cm	14+	140 kg	84,4 m <sup>2</sup>	245 cm	●	●	-	● ● ● ● ● ●
2329	-	1137 cm	789 cm	351 cm	14+	140 kg	129,1 m <sup>2</sup>	249 cm	●	●	-	● ● ● ● ● ●
2399	-	104 cm	12 cm	204 cm	-	-	-	-	●	●	-	● ● ● ● ● ●



RB2301



RB2302



RB2303



RB2304



RB2307



RB2308



RB2305



RB2306




RB2309



RB2310



RB2313



RB2312



RB2311

Product code	Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction			Colour options	
								steel	inox	robinia		
RB2301	-	198 cm	69 cm	72 cm	14+	140 kg	16,4 m <sup>2</sup>	72 cm	-	-	●	-
RB2302	-	198 cm	75 cm	130 cm	14+	140 kg	16,7 m <sup>2</sup>	112 cm	-	-	●	-
RB2303	-	198 cm	131 cm	130 cm	14+	140 kg	19,5 m <sup>2</sup>	112 cm	-	-	●	-
RB2304	-	354 cm	19 cm	138 cm	14+	140 kg	19,0 m <sup>2</sup>	127 cm	-	-	●	-
RB2305	-	153 cm	89 cm	90 cm	14+	140 kg	14,7 m <sup>2</sup>	< 60 cm	-	-	●	-
RB2306	-	160 cm	89 cm	90 cm	14+	140 kg	14,9 m <sup>2</sup>	< 60 cm	-	-	●	-
RB2307	-	175 cm	18 cm	250 cm	14+	140 kg	14,0 m <sup>2</sup>	130 cm	-	-	●	-
RB2308	-	242 cm	19 cm	250 cm	14+	140 kg	26,4 m <sup>2</sup>	231 cm	-	-	●	-
RB2309	-	130 cm	19 cm	250 cm	14+	140 kg	21,4 m <sup>2</sup>	229 cm	-	-	●	-
RB2310	-	131 cm	20 cm	250 cm	14+	140 kg	21,3 m <sup>2</sup>	230 cm	-	-	●	-
RB2313	●	129 cm	18 cm	250 cm	14+	140 kg	12,3 m <sup>2</sup>	126 cm	-	-	●	-
RB2312	-	128 cm	90 cm	351 cm	14+	140 kg	27,0 m <sup>2</sup>	249 cm	-	-	●	-
RB2311	-	157 cm	128 cm	347 cm	14+	140 kg	30,9 m <sup>2</sup>	245 cm	-	-	●	-



RB2314



RB2315



RB2322

**New!**



RB2323

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	robinia	
RB2314	-	241 cm	129 cm	250 cm	14+	140 kg	22,1 m <sup>2</sup>	139 cm	-	-	●	-
RB2315	-	242 cm	59 cm	250 cm	14+	140 kg	17,9 m <sup>2</sup>	139 cm	-	-	●	-
RB2322	●	345 cm	30 cm	245 cm	14+	140 kg	19,3 m <sup>2</sup>	130 cm	-	-	●	-
RB2323	-	358 cm	241 cm	250 cm	14+	140 kg	34,7 m <sup>2</sup>	230 cm	-	-	●	-



RB2324



RB2325



RB2326



RB2327



RB2329



RB2328



RB2399

Product code	Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction			Colour options
								steel	inox	robinia	
RB2324	468 cm	384 cm	250 cm	14+	140 kg	42,2 m <sup>2</sup>	228 cm	-	-	●	-
RB2325	494 cm	464 cm	347 cm	14+	140 kg	52,3 m <sup>2</sup>	245 cm	-	-	●	-
RB2326	554 cm	352 cm	250 cm	14+	140 kg	57,8 m <sup>2</sup>	228 cm	-	-	●	-
RB2327	619 cm	508 cm	255 cm	14+	140 kg	68,2 m <sup>2</sup>	228 cm	-	-	●	-
RB2328	798 cm	607 cm	347 cm	14+	140 kg	92,4 m <sup>2</sup>	245 cm	-	-	●	-
RB2329	1150 cm	798 cm	351 cm	14+	140 kg	144,7 m <sup>2</sup>	249 cm	-	-	●	-
RB2399	109 cm	20 cm	210 cm	-	-	-	-	-	-	●	-

Characteristics of the WORKOUT series:



Galvanised steel construction



Stainless steel construction or elements



HPL elements



HPL HEXA platforms



Stainless steel chains



UV printed PC and dibond



Robinia wood construction



Durable connectors



HDPE elements



Protective tops



Ropes with steel core

Colour & material options\*:



Colour (construction in steel):



C8 - NCS-S-1060-G-60Y



C17 - RAL4008



Ci - stainless steel



Construction:



C12 - RAL7040



C3 - RAL5015



C16 - RAL6013



C18 - NCS-S 2040-B10G



Painted steel



Robinia wood



Stainless steel

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# workout pro

New series!

## Effective and professional training

The WORKOUT PRO series is advanced equipment designed to create professional training environments, ideal for competitive and professional athletes.

Each device is designed to provide the tools for effective and intensive exercises.

The structures included in the series are characterized by solidity, durability and austere design, which increases functionality and comfort of use.



2351



2356



2352



2357



2354



2353



2355

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	robinia	
2351	-	235 cm	110 cm	230 cm	14+	140 kg	29,2 m <sup>2</sup>	235 cm	●	●	-	● ● ● ● ● ● ● ● ● ●
2357	-	665 cm	70 cm	80 cm	14+	140 kg	32,2 m <sup>2</sup>	80 cm	●	●	-	● ● ● ● ● ● ● ● ● ●
2356	-	450 cm	125 cm	275 cm	14+	140 kg	42,1 m <sup>2</sup>	225 cm	●	●	-	● ● ● ● ● ● ● ● ● ●
2352	-	450 cm	125 cm	245 cm	14+	140 kg	28,8 m <sup>2</sup>	134 cm	●	●	-	● ● ● ● ● ● ● ● ● ●
2354	-	655 cm	175 cm	35 cm	14+	140 kg	42,7 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ● ● ● ● ● ●
2353	-	570 cm	120 cm	110 cm	14+	140 kg	33,7 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ● ● ● ● ● ●
2355	-	175 cm	175 cm	245 cm	14+	140 kg	20,6 m <sup>2</sup>	135 cm	●	●	-	● ● ● ● ● ● ● ● ● ●



RB2356



RB2352



RB2353



RB2355



RB2351



RB2354

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	robinia	
RB2356	-	465 cm	140 cm	275 cm	14+	140 kg	44,2 m <sup>2</sup>	225 cm	-	-	●	-
RB2352	-	460 cm	140 cm	245 cm	14+	140 kg	31,5 m <sup>2</sup>	134 cm	-	-	●	-
RB2355	-	190 cm	190 cm	245 cm	14+	140 kg	22,1 m <sup>2</sup>	135 cm	-	-	●	-
RB2351	-	255 cm	120 cm	260 cm	14+	140 kg	30,8 m <sup>2</sup>	235 cm	-	-	●	-
RB2353	-	580 cm	140 cm	110 cm	14+	140 kg	36,0 m <sup>2</sup>	< 60 cm	-	-	●	-
RB2354	-	665 cm	185 cm	35 cm	14+	140 kg	44,3 m <sup>2</sup>	< 60 cm	-	-	●	-

Characteristics of the WORKOUT PRO series:



Galvanised steel construction



Stainless steel construction or elements



HPL elements



HPL HEXA platforms



Stainless steel chains



UV printed PC and dibond



Robinia wood construction



Durable connectors



HDPE elements



Protective tops



Ropes with steel core

Colour & material options\*:



Colour (construction in steel):



C8 - NCS-S-1060-G-60Y



C17 - RAL4008



Ci - stainless steel



Construction:



C12 - RAL7040



C3 - RAL5015



C16 - RAL6013



C18 - NCS-S 2040-B10G



Painted steel



Robinia wood



Stainless steel


\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# active

New!

## Stay healthy!


Especially for seniors, we have prepared devices that help maintain or restore proper body movement. Keeping in good shape through activity is a very important issue, thanks to which the elderly can enjoy health even longer.



2707




2701




2708


New!



2709



2710




2711

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	robinia	
2707	●	405 cm	105 cm	180 cm	14+	140 kg	26,6 m <sup>2</sup>	70 cm	●	●	-	
2701	●	85 cm	35 cm	170 cm	14+	140 kg	11,0 m <sup>2</sup>	< 60 cm	●	●	-	
2708	●	810 cm	105 cm	120 cm	14+	140 kg	43,0 m <sup>2</sup>	< 60 cm	●	●	-	
2709	●	490 cm	105 cm	120 cm	14+	140 kg	30,1 m <sup>2</sup>	< 60 cm	●	●	-	
2710	●	490 cm	105 cm	115 cm	14+	140 kg	30,1 m <sup>2</sup>	< 60 cm	●	●	-	
2711	●	490 cm	105 cm	120 cm	14+	140 kg	30,1 m <sup>2</sup>	< 60 cm	●	●	-	



2703



2702




2704



2705



2706



Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	robinia	
2703		225 cm	225 cm	130 cm	14+	140 kg	19,7 m <sup>2</sup>	< 60 cm	<input type="checkbox"/>	<input type="checkbox"/>	-	
2702		85 cm	35 cm	170 cm	14+	140 kg	11,0 m <sup>2</sup>	< 60 cm	<input type="checkbox"/>	<input type="checkbox"/>	-	
2704		195 cm	40 cm	125 cm	14+	140 kg	14,1 m <sup>2</sup>	< 60 cm	<input type="checkbox"/>	<input type="checkbox"/>	-	
2705		195 cm	60 cm	155 cm	14+	140 kg	14,4 m <sup>2</sup>	< 60 cm	<input type="checkbox"/>	<input type="checkbox"/>	-	
2706		195 cm	65 cm	110 cm	14+	140 kg	14,4 m <sup>2</sup>	< 60 cm	<input type="checkbox"/>	<input type="checkbox"/>	-	

### Characteristics of the ACTIVE series:



Galvanised steel construction



Stainless steel construction or elements



Movable elements



HPL HEXA platforms



UV printed dibond



Polycarbonate (PC) panels



Robinia wood construction



Protective tops



Durable steel spring



Durable connectors

### Colour & material options\*:



Colour (construction in steel):

- C8 - NCS-S-1060-G-60Y
- C12 - RAL7040
- C16 - RAL6013
- C17 - RAL4008
- C3 - RAL5015
- C18 - NCS-S 2040-B10G
- Ci - stainless steel



Construction:

- Painted steel
- Stainless steel

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)



### Let's create a dog zone!

The WOOF series are devices for dogs, allowing them to develop and facilitate socialization with other furry friends.

These devices are ideal for starting agility training with your pet. Activity on devices from the WOOF series engages the dog both physically and mentally, contributing to improving its agility and coordination. Our products for dogs significantly affect their quality of life, while enriching urban infrastructure.



RB5004



RB5001



RB5002



RB5008



RB5006



RB5010



RB5005

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB5004	-	130 cm	15 cm	145 cm	-	-	-	-
RB5001	-	160 cm	25 cm	80 cm	-	-	-	-
RB5002	-	180 cm	70 cm	95 cm	-	-	-	-
RB5008	-	325 cm	25 cm	140 cm	-	-	-	-
RB5006	-	410 cm	95 cm	175 cm	-	-	-	-
RB5010	-	420 cm	30 cm	95 cm	-	-	-	-
RB5005	-	345 cm	70 cm	125 cm	-	-	-	-



RB5007



RB5009



RB5099

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB5007	-	95 cm	95 cm	35 cm	-	-	-	-
RB5009	-	240 cm	110 cm	85 cm	-	-	-	-
RB5099	-	55 cm	40 cm	115 cm	-	-	-	-

Characteristics of the WOOF series:



Robinia wood construction



Stainless steel elements



HPL HEXA platforms



Durable connectors



HPL panels



HDPE panels


# - park -

## Small park architecture

The PARK series is a necessary complement to a kid-friendly playground.

Comfortable benches and tables, colourful litter bins, information boards and fences – all these elements ensure comfortable relaxation for children, their parents and caregivers.

The modern and aesthetically pleasing design of street furniture harmoniously blends in with the playground equipment.



0913



0923



0924



0925



0926



0916



0917



0900-2



0902-2

Product code		Product length	Product width	Product height	Construction		Colour options		
					steel	wood	elements	HDPE	HPL
0913	-	146 cm	129 cm	54 cm	-	-	-		-
0923	-	159 cm	35 cm	36 cm	●	-	-		-
0924	-	159 cm	42 cm	78 cm	●	-	-		-
0925	-	159 cm	35 cm	36 cm	●	-	●	-	-
0926	-	159 cm	42 cm	78 cm	●	-	●	-	-
0916	-	160 cm	40 cm	50 cm	●	-		-	-
0917	-	160 cm	45 cm	85 cm	●	-		-	-
0900-2	-	160 cm	38 cm	43 cm	●	-	●	-	-
0902-2	-	160 cm	48 cm	80 cm	●	-	●	-	-




0915



0914



0933



0934



0911



0912



0909



0910



0935



0905-1



0904

See also from the ROBINIA series : p.138



RB1392



RB1395

Product code		Product length	Product width	Product height	Construction		Colour options		
					steel	wood	elements	HDPE	HPL
0915	-	160 cm	57 cm	74 cm	●	-	-	-	-
0914	-	171 cm	160 cm	74 cm	●	-	-	-	-
0933	-	36 cm	35 cm	100 cm	●	-	-	-	●
0934	-	36 cm	35 cm	100 cm	●	-	-	●●●●●	-
0911	-	112 cm	49 cm	43 cm	-	-	-	●●	-
0912	-	111 cm	50 cm	43 cm	-	-	-	●●	-
0909	-	43 cm	32 cm	74 cm	●	-	●●	-	-
0910	-	45 cm	32 cm	73 cm	●	-	●●	-	-
0935	-	135 cm	35 cm	95 cm	●	-	-	●●	-
0905-1	-	44 cm	31 cm	95 cm	●	-	-	●●	-
0904	-	44 cm	31 cm	95 cm	●	-	-	●●	-




WD1484



WD1485



WD1486



0920




0927



0928



0929



0921-1



0922



0940



0936



0938

Product code		Product length	Product width	Product height	Construction		Colour options		
					steel	wood	elements	HDPE	HPL
WD1484	-	120 cm	13 cm	76 cm	-	●	-		
WD1485	-	170 cm	14 cm	76 cm	-	●	-		
WD1486	-	280 cm	12 cm	76 cm	-	●	-		
0920	-	205 cm	5 cm	90 cm	●	-	-	-	
0927	-	105 cm	8 cm	90 cm	●	-	-	-	
0928	-	315 cm	8 cm	90 cm	●	-	-	-	
0929	-	105 cm	6 cm	95 cm	●	-	-	-	
0921-1	-	261 cm	6 cm	116 cm	●	-	-		-
0922	-	112 cm	21 cm	120 cm	●	-	-	-	-
0936	-	87 cm	8 cm	84 cm	●	-		-	-
0938	-	70 cm	12 cm	81 cm	●	-	-	-	-
0940	-	210 cm	47 cm	30 cm	●	-	-	-	-




WD1483



0906



0907



0908

Product code		Product length	Product width	Product height	Construction		elements	Colour options	
					steel	wood		HDPE	HPL
WD1483	-	50 cm	10 cm	170 cm	-	●	-	-	-
0906	-	50 cm	4 cm	171 cm	●	-	-	-	-
0907	-	59 cm	4 cm	169 cm	●	-	-	-	-
0908	-	170 cm	15 cm	171 cm	●	-	●●	-	-

Characteristics of the PARK series:



Galvanised steel construction



Wood construction



Galvanised anchors



HDPE panels



HPL panels



UV printed dibond

Colour & material options\*:



Colour (panels):

- C1 HPL - RAL6000
- C2 HPL - RAL3000
- C11E HDPE - multicolour
- C3 HPL - RAL5024
- C6 HPL - RAL1017
- C12E HDPE - grey/black
- C9 HPL - wood pattern
- C12 HPL - RAL7038



Construction:

- Painted steel
- Robinia wood
- Stainless steel




Anchoring:

- Surface
- Deep


\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# All products

recycled



# All products











								
RC1462 p.78	RC1460 p.78	RC0499 p.78	RC1419 p.78	RC1464 p.79	RC1465 p.79	RC1466 p.79	RC1487 p.79	RC1417 p.79
								
RC1420 p.79	RC0607 p.80	RC0622 p.80	RC0633 p.80	RC0630 p.80	RC0608 p.81	RC0606 p.81	RC0615 p.81	RC0609 p.81
								
RC0627 p.82	RC0612 p.82	RC0619 p.82	RC0671 p.83	RC0660 p.83	RC0670 p.83	RC0712 p.84	RC1425 p.86	RC0522 p.86
								
RC1492 p.87	RC0520 p.87	RC1421 p.87	RC1422 p.87	RC1423 p.87	RC1424 p.87	RC1491 p.87	RC1494 p.87	RC1497 p.87
								
RC0962 p.88	RC0923 p.88	RC0924 p.88	RC0960 p.88	RC0961 p.88	RC0934 p.88	RC1483 p.88	RC0921 p.89	RC1484 p.89
								
RC1485 p.89	RC1486 p.89	RC0942 p.89	RC0943 p.89	RC0944 p.89	RC0945 p.89			
								
RB1903 p.94	RB1920 p.94	RB1921 p.94	RB1901 p.94	RB1902 p.94	RB1904 p.95	RB1208 p.96	RB1209 p.96	RB1308 p.96
								
RB1306 p.96	RB1307 p.96	RB1309 p.96	RB1334 p.98	RB1301 p.98	RB1302 p.98	RB1313 p.99	RB1314 p.99	RB1315 p.99
								
RB1305 p.99	RB1384 p.99	RB1311 p.99	RB1316 p.99	RB1201 p.100	RB1202 p.100	RB1203 p.100	RB1205 p.100	RB1206 p.100
								
RB1207 p.100	RB1211 p.101	RB1215 p.101	RB1216 p.103	RB1217 p.103	RB1241 p.104	RB1242 p.104	RB1243 p.104	RB1244 p.104

recycled

Robinia



# All products

**Yobinia**

									
RB1245 p.104	RB1246 p.104	RB1231 p.105	RB1232 p.105	RB1234 p.105	RB1235 p.105	RB1233 p.105	RB1236 p.105	RB1237 p.105	RB1238 p.105
									
RB1238 p.106	RB1239 p.106	RB1247 p.107	RB1330 p.108	RB1340 p.108	RB1339 p.108	RB1937 p.109	RB1931 p.109	RB1932 p.109	RB1932 p.109
									
RB1933 p.109	RB1934 p.109	RB1336 p.109	RB1337 p.109	RB1338 p.109	RB1345 p.109	RB1346 p.109	RB1323 p.111	RB1324 p.111	RB1324 p.111
									
RB1322 p.111	RB1321 p.111	RB1344 p.111	RB1341 p.111	RB1342 p.111	RB1343 p.111	RB1326 p.112	RB1327 p.112	RB1328 p.112	RB1328 p.112
									
RB1347 p.112	RB0492 p.112	RB1329 p.112	RB1331 p.112	RB1333 p.112	RB2851 p.114	RB2852 p.114	RB2854 p.114	RB2856 p.114	RB2856 p.114
									
RB2859 p.114	RB2862 p.114	RB2864 p.114	RB2866 p.115	RB2867 p.115	RB1290 p.117	RB1291 p.117	RB1292 p.117	RB1293 p.117	RB1293 p.117
									
RB1294 p.117	RB1295 p.117	RB1296 p.117	RB1297 p.117	RB1298 p.117	RB1299 p.117	RB1361 p.118	RB1368 p.118	RB1367 p.118	RB1367 p.118
									
RB1363 p.118	RB1370 p.118	RB1364 p.118	RB1362 p.118	RB1366 p.118	RB1365 p.118	RB1369 p.118	RB1372 p.119	RB1373 p.119	RB1373 p.119
									
RB1375 p.119	RB0700 p.119	RB1351 p.120	RB1352 p.120	RB0514 p.120	RB0510 p.120	RB0511 p.120	RB0512 p.120	RB1421 p.122	RB1421 p.122
									
RB1422 p.122	RB1491 p.122	RB1497 p.122	RB0520 p.122	RB0517 p.122	RB1492 p.123	RB1494 p.123	RB1424 p.123	RB1423 p.123	RB1423 p.123

# All products

Robinia

								
RB0513 p.123	RB0515 p.123	RB0521-1 p.123	RB1251 p.124	RB1252 p.124	RB1259 p.124	RB1258 p.124	RB1269 p.124	RB1270 p.124
								
RB1253 p.124	RB1278 p.125	RB1283 p.125	RB1284 p.125	RB1254 p.125	RB1255 p.125	RB1257 p.125	RB1256 p.125	RB1263 p.125
								
RB1267 p.125	RB1264 p.125	RB1265 p.125	RB1266 p.125	RB1228 p.126	RB1227 p.126	RB1229 p.126	RB1289 p.126	RB1261 p.126
								
RB1357 p.126	RB1286 p.129	RB1250 p.129	RB1279 p.129	RB1262 p.129	RB1260 p.129	RB1274 p.129	RB1272 p.129	RB1271 p.129
								
RB1287 p.129	RB1280 p.129	RB1273 p.129	RB1282 p.130	RB1281 p.130	RB1312 p.130	RB1310 p.130	RB1288 p.130	RB1285 p.130
								
RB1275 p.130	RB1276 p.130	RB1277 p.130	RB1420 p.131	RB1380 p.131	RB1385 p.132	RB1386 p.132	RB1385H p.132	RB1386H p.132
								
RB1353 p.133	RB1354 p.133	RB1358 p.133	RB1359 p.133	RB1355 p.133	RB1356 p.133	RB1268 p.133	RB1360 p.133	RB1218 p.134
								
RB1219 p.134	RB1221 p.134	RB1220 p.134	RB1951 p.134	RB1952 p.134	RB1953 p.134	RB1954 p.134	RB1955 p.134	RB1956 p.134
								
RB1224 p.135	RB1223 p.135	RB1222 p.135	RB1957 p.135	RB1958 p.135	RB1959 p.135	RB1960 p.135	RB1961 p.135	RB1962 p.135
								
RB1319 p.136	RB1379 p.136	RB1381 p.137	RB1382 p.137	RB1383 p.137	RB1387 p.138	RB1388 p.138	RB1389 p.138	RB1350 p.138

# All products

## Yobinia



## maxx



## jungle



## space



## castillo



# All products

castillo steel+

									
3041-1 p.161	3031-1 p.161	3045-1 p.161	3060-1 p.162	3080 p.163					
									
1723 p.164	1702 p.164	1709 p.164	1701 p.165	1726 p.165	1725 p.165	1724 p.165	1703 p.166	1707 p.166	
									
1704 p.166	1718 p.166	1781 p.166	1705 p.166	1717 p.166	1706 p.166	1708 p.167	1710 p.167	1719 p.167	
									
1712 p.167	1732 p.167	1733 p.167	1711 p.168	1713 p.168	1728 p.169	1727 p.169	1730-1 p.169	1731 p.170	
									
1740 p.170	1741 p.171	1745 p.171	1790 p.171	1736 p.173	1780 p.173				
									
WD1534 p.174	WD1541 p.174	WD1542 p.174	3101 p.175	3102 p.175	3103 p.175	3104 p.175			
									
WD1503 p.176	WD1403 p.176	WD1437 p.176	WD1401 p.176	WD1402 p.176	WD1407 p.176	WD1505 p.178	WD1507 p.178	WD1506 p.178	
									
WD1501 p.179	WD1434 p.179	WD1436 p.179	WD1504 p.179	WD1502 p.179	WD1408 p.180	WD1406 p.180	WD1404 p.180	WD1405 p.180	
									
WD1438 p.180	WD1508 p.181	WD1409 p.181	WD1410 p.181	WD1449 p.182	WD1412 p.182	WD1411 p.182	WD1454 p.182	WD1413 p.182	
									
WD1450 p.182	WD1439 p.183	WD1452 p.183	WD1453 p.183	WD1451 p.183	WD1433 p.184	WD1414 p.184	WD1415 p.184	WD1580 p.184	

topicco wooden

# All products

solo • wooden



WD1581 p.184



WD1418-1 p.184



WD1430 p.187



WD1431 p.187



WD1432 p.187



WD1550 p.187



WD1551 p.187



WD1552 p.187



0843 p.188



0810 p.188



0811 p.188



0812 p.188



0813 p.188



0820 p.188



0825 p.188



0824 p.189



0840 p.189



0841 p.189



0822 p.189



0826 p.189



0821 p.189



0830 p.190



0831 p.190



0832 p.190



WD1440 p.190



WD1441 p.190



WD1442 p.190



WD1443 p.190



WD1444 p.190



WD1445 p.190



WD1446 p.190



WD1447 p.190



WD1448 p.190



1751 p.191



WD1441 p.190



1753 p.191



1754 p.191



1755 p.191




1756 p.191



1757 p.191



1758 p.191



1759 p.153



0861 p.191



0862 p.191



0863 p.191



0864 p.191



0801-1 p.192



0802-1 p.192



0800 p.192



0828 p.192



0842 p.192



WD1458 p.193



WD1429 p.193



WD1482 p.193



WD1457-1 p.193



WD1456 p.193



WD1416 p.194



WD1455 p.194



WD1427 p.194



WD1467 p.194



WD1468 p.194



WD1469 p.194



WD1470 p.194



WD1471 p.194



WD1472 p.194



WD1473 p.195



WD1474 p.195



WD1475 p.195



WD1476 p.195



WD1477 p.195



WD1478 p.195



WD1560 p.195



WD1561 p.195



WD1562 p.195



WD1563 p.195



WD1564 p.195



WD1565 p.195



0122 p.196



0120 p.196



0121 p.196



0806-1 p.196



0808-1 p.196



0804 p.196



0685 p.196



0809 p.196



1760 p.199



1761 p.199



1762 p.199




1763 p.199

# All products


									<b>solo</b>
1770 p.199	1771 p.199	1772 p.199	1720 p.199	1721 p.199	1722 p.199	0130 p.200	0131 p.200	0132 p.200	
									<b>minisweet</b>
WP2850 p.201	WP2853 p.201	WP2855 p.201	WP2858 p.201	WP2863 p.201	0816 p.203	0817 p.203	0492 p.203	0823 p.203	
									<b>steel</b>
0106-1C1 p.204	0100C1 p.204	0103C1 p.204	0101-1C1 p.204	0108-2C2 p.205	0102C2 p.205	0107C3 p.205	0105C3 p.205	0109-1C9 p.205	
									<b>steel</b>
0104C9 p.205	0110 p.207	0111 p.207	0112 p.207	0113 p.207	0114 p.207	0204C9 p.208	0814C9 p.208	0815-2C9 p.208	
									<b>steel</b>
0201-1C9 p.208	0200C9 p.208	0212C1 p.209	0202-1C1 p.209	0203-1C1 p.209	0205-1C2 p.209	0213C2 p.209	0207C2 p.209	0208C3 p.209	
									<b>crooc</b>
0209C3 p.209	0206C3 p.209	0211-1C3 p.211	0214C3 p.211	0210-1C3 p.211	0307 p.212	0310 p.212	0306 p.212	0303 p.212	
									<b>crooc</b>
0300S1 p.213	0300 p.213	0304 p.213	0305 p.213	030151 p.213	0301 p.213	0302 p.214	0302S1 p.214	0330 p.217	
									<b>climbo</b>
WD1420 p.218	WD1464 p.218	WD1428 p.218	WD1426 p.218	WD1417 p.218	WD1419 p.218	WD1466 p.218	WD1465 p.219	WD1487 p.219	
									<b>climbo</b>
WD1460 p.219	WD1459 p.219	WD1462 p.219	WD1461 p.220	WD1463 p.220	0411 p.222	0410 p.222	0409 p.222	0499 p.222	

# All products


climbo



nettix



spring



# All products



spring

0626 p.236 0611-1 p.236 0635 p.236 0636 p.236 0610 p.236 0670 p.236 0660 p.236 0600-1 p.237 0614 p.237  
 0613-1 p.237 0601-1 p.237 0627 p.238 0612-1 p.238 0619 p.238 0681 p.239 0617-1 p.239 0683 p.239 0621-1 p.239



0624 p.239 0625 p.239



swing

ST0514 p.240 ST0513 p.240 ST0522 p.240 ST0524 p.240 WD1425 p.240 ST0500 p.240 ST0525 p.240 ST0530-1 p.241 ST0531 p.241



ST0528 p.241 ST0529 p.241 ST0510 p.242 ST0511 p.242 ST0512 p.242 ST1421 p.243 ST1422 p.243 ST1491 p.243 ST1424 p.243



ST0520 p.243 ST1423 p.243 ST1492 p.243 ST1497 p.243 ST1494 p.243 WD1421-1 p.244 WD1422-1 p.244 WD1491 p.244 WD1424-1 p.244



WD0520 p.244 WD1423-1 p.244 WD1492 p.244 WD1497 p.244 WD1494 p.244 ST0541 p.245 ST0515 p.245 ST0516 p.245 ST0517 p.245



ST0509 p.246 ST0533 p.246 ST0518 p.247 ST0519-1 p.247 ST0521 p.247



hoop

0721 p.248 0720 p.248 0726 p.248 0728 p.248 0703-1 p.249 0708-1 p.249 0702-2 p.249 0705-2 p.249 0706-1 p.249



0710 p.250 0700-1 p.250 0701-1 p.250 0712 p.250 0713 p.250 0719 p.251 0711 p.251 0714 p.251

# All products

**arena**



2431 p.256 2432 p.256 2451 p.256 2452 p.256 2441 p.256 2495 p.256 2498 p.256 2421 p.256 2422 p.256



2423 p.256 240606-001 p.256 240606-002 p.256 241308-001 p.256 241308-002 p.257 241708-001 p.257 241708-002 p.257 242011-001 p.257 242011-002 p.257



242011-003 p.257 242311-001 p.257 242415-001 p.257 242917-001 p.257

**fitness jumpoo**



2222 p.258 2211 p.258 2212 p.258 2213 p.258 2214 p.258 2221 p.258 2220 p.258 2223 p.258 2224 p.258



1123 p.260 1103-1 p.260 1101 p.260 1102 p.260 1109 p.260 1110 p.260 1104-1 p.260 1105-1 p.260 1107-1 p.260



1108 p.225 1106 p.260 1122 p.261 1124 p.261 1125 p.261 1121 p.263 1120 p.263 1118 p.263 1111-1 p.263



1113 p.263 1114 p.263 1112 p.263 1119 p.263 1115 p.263 1116-1 p.263 1117 p.263 1198 p.263 1157 p.264



1139 p.264 1143 p.264 1145 p.264 1131 p.264 1138 p.264 1146 p.264 1151 p.264 1132 p.264 1140 p.264



1147 p.264 1152 p.264 1133 p.264 1141 p.264 1148 p.264 1153 p.264 1134 p.264 1142 p.264 1149 p.264



1154 p.264 1137 p.264 1144 p.264 1150 p.264 1156 p.264 RB1124 p.266 RB1123 p.266 RB1125 p.266 RB1122 p.266

# All products



RB1104 p.266 RB1105 p.266 RB1106 p.266 RB1113 p.266 RB1116 p.267 RB1117 p.267 RB1112 p.267 RB1108 p.267 RB1111 p.267



RB1114 p.267 RB1109 p.267 RB1110 p.267 RB1198 p.267



2324 p.268 2301 p.268 2302 p.268 2303 p.268 2304 p.268 2305 p.268 2306 p.268 2318 p.268 2319 p.268



2320 p.268 2321 p.268 2307 p.269 2308 p.269 2309 p.269 2310 p.269 2311 p.269 2312 p.269 2313 p.269



2314 p.269 2315 p.269 2316 p.269 2317 p.269 2322 p.269 2323 p.270 2325 p.270 2326 p.270 2327 p.270



2328 p.270 2329 p.270 2399 p.270 RB2301 p.271 RB2302 p.271 RB2303 p.271 RB2304 p.271 RB2305 p.271 RB2306 p.271



RB2307 p.271 RB2308 p.271 RB2309 p.271 RB2310 p.271 RB2313 p.271 RB2312 p.271 RB2311 p.271 RB2314 p.272 RB2315 p.272



RB2322 p.272 RB2323 p.272 RB2324 p.273 RB2325 p.273 RB2326 p.273 RB2327 p.273 RB2328 p.273 RB2329 p.273 RB2399 p.273



2351 p.274 2357 p.274 2356 p.274 2352 p.274 2354 p.274 2353 p.274 2355 p.274 RB2356 p.275 RB2352 p.275



RB2355 p.275 RB2351 p.275 RB2353 p.275 RB2354 p.275


fitness

workout

workout pro

# All products

active




2707 p.276



2701 p.276




2708 p.276



2709 p.276



2710 p.276



2711 p.276



2703 p.277



2702 p.277



2704 p.277



2705 p.277



2706 p.277

wöof



RB5004 p.278



RB5001 p.278



RB5002 p.278



RB5008 p.278



RB5006 p.278



RB5010 p.278



RB5005 p.278



RB5007 p.279



RB5009 p.279



RB5099 p.279

park



0913 p.280



0923 p.280



0924 p.280



0925 p.280



0926 p.280



0916 p.280



0917 p.280



0900-2 p.280



0902-2 p.280



0915 p.281



0914 p.281



0933 p.281



0934 p.281



0911 p.281



0912 p.281



0909 p.281



0910 p.281



0935 p.281



0905-1 p.281



0904 p.281



WD1484 p.282



WD1485 p.282



WD1486 p.282



0920 p.282



0927 p.282



0928 p.282



0929 p.282



0921-1 p.282



0922 p.282



0936 p.282



0938 p.282



0940 p.282



WD1483 p.283



0906 p.283



0907 p.283



0908 p.283

# Index

Product	Page	Product	Page	Product	Page	Product	Page	Product	Page	Product	Page	Product	Page
0100C1	204	0310	212	0617-1	239	0726	248	0913	280	1132	264	1703	166
0101-1C1	204	0330	217	0619	238	0728	248	0914	281	1133	264	1704	166
0102C2	205	0401	222	0621-1	239	0800	192	0915	281	1134	264	1705	166
0103C1	205	0402	222	0622	234	0801-1	192	0916	280	1137	264	1706	166
0104C9	205	0403	222	0623	233	0802-1	192	0917	280	1138	264	1707	166
0105C3	205	0404-1	222	0624	239	0804	196	0920	282	1139	264	1708	167
0106-1C1	204	0405-1	222	0625	239	0806-1	196	0921-1	282	1140	264	1709	164
0107C3	205	0406	222	0626	236	0808-1	196	0922	282	1141	264	1710	167
0108-2C2	205	0407	222	0627	238	0809	196	0923	280	1142	264	1711	168
0109-1C9	205	0408	222	0630	234	0810	188	0924	280	1143	264	1712	167
0110	207	0409	222	0631	234	0811	188	0925	280	1144	264	1713	168
0111	207	0410	222	0632	234	0812	188	0926	280	1145	264	1714	223
0112	207	0411	222	0633	234	0813	188	0927	282	1146	264	1716	223
0113	207	0412	224	0635	236	0814C9	208	0928	282	1147	264	1717	166
0114	207	0413-1	224	0636	236	0815-2C9	208	0929	282	1148	264	1718	166
0120	196	0414-1	224	0651	232	0816	203	0933	281	1149	264	1719	167
0121	196	0415	227	0652	232	0817	203	0934	281	1150	264	1720	199
0122	196	0416-1	225	0653	232	0820	188	0935	281	1151	264	1721	199
0130	200	0417-1	225	0654	232	0821	189	0936	282	1152	264	1722	199
0131	200	0418-1	225	0655	232	0822	189	0938	282	1153	264	1723	164
0132	200	0419-1	225	0660	236	0823	203	0940	282	1154	264	1724	165
0200C9	208	0420	227	0669	232	0824	189	1101	260	1156	264	1725	165
0201-1C9	208	0420H	227	0670	236	0825	188	1102	260	1157	264	1726	165
0202-1C1	209	0421	227	0671	235	0826	189	1103-1	260	1198	263	1727	169
0203-1C1	209	0421H	227	0672	235	0828	192	1104-1	260	1601	228	1728	169
0204C9	208	0492	203	0673	235	0830	190	1105-1	260	1602	228	1730-1	169
0205-1C2	209	0493	223	0674	235	0831	190	1106	260	1603	228	1731	170
0206C3	209	0496	223	0677	235	0832	190	1107-1	260	1604	228	1732	167
0207C2	209	0497	223	0681	239	0840	189	1108	260	1605	229	1733	167
0208C3	209	0498	223	0683	239	0841	189	1109	260	1606	229	1736	173
0209C3	209	0499	222	0682	235	0842	192	1110	260	1607	229	1740	170
0210-1C3	211	0600-1	237	0685	196	0843	188	1111-1	263	1608	229	1741	171
0211-1C3	211	0601-1	237	0700-1	250	0861	191	1112	263	1609	230	1745	171
0212C1	209	0602	232	0701-1	250	0862	191	1113	263	1610	230	1750	223
0213C2	209	0603	232	0702-2	249	0863	191	1114	263	1630	230	1751	191
0214C3	211	0604-1	232	0703-1	249	0864	191	1115	263	1631	230	1752	191
0300	213	0606	233	0705-2	249	0900-2	280	1116-1	263	1632	228	1753	191
0300S1	213	0607-1	234	0706-1	249	0902-2	280	1117	263	1633	230	1754	191
0301	213	0608-2	233	0708-1	249	0904	281	1118	263	1634	230	1755	191
0301S1	213	0609	233	0710	250	0905-1	281	1119	263	1635	230	1756	191
0302	214	0610	236	0711	251	0906	283	1120	263	1636	230	1757	191
0302S1	214	0611-1	236	0712	250	0907	283	1121	263	1637	230	1758	191
0303	212	0612-1	238	0713	250	0908	283	1122	261	1638	228	1759	191
0304	213	0613-1	237	0714	251	0909	281	1123	260	1639	231	1760	199
0305	213	0614	237	0719	251	0910	281	1124	261	1640	231	1761	199
0306	212	0615-1	233	0720	248	0911	281	1125	261	1701	165	1762	199
0307	212	0616	233	0721	248	0912	281	1131	264	1702	164	1763	199

# Index

Product	Page	Product	Page	Product	Page	Product	Page	Product	Page	Product	Page	Product	Page
1770	199	2354	274	2707	276	3460	157	RB1217	103	RB1270	124	RB1323	111
1771	199	2355	274	2708	276	RB0492	112	RB1218	134	RB1271	129	RB1324	111
1772	199	2356	274	2709	276	RB0510	120	RB1219	134	RB1272	129	RB1326	112
1780	173	2357	274	2710	276	RB0511	120	RB1220	134	RB1273	129	RB1327	112
1781	166	2399	270	2711	276	RB0512	120	RB1221	134	RB1274	129	RB1328	112
1790	171	240606-001	286	2901	144	RB0513	123	RB1222	135	RB1275	130	RB1329	112
2211	258	240606-002	286	2902	144	RB0514	120	RB1223	135	RB1276	130	RB1330	108
2212	258	241308-001	286	2904	144	RB0515	123	RB1224	135	RB1277	130	RB1331	112
2213	258	241308-002	287	3001-1	158	RB0517	122	RB1227	126	RB1278	128	RB1333	112
2214	258	241708-001	287	3002-1	158	RB0520	122	RB1228	126	RB1279	129	RB1334	98
2220	258	241708-002	287	3003-1	158	RB0521-1	123	RB1229	126	RB1280	129	RB1336	109
2221	258	242011-001	287	3004-1	159	RB0700	119	RB1231	105	RB1281	130	RB1337	109
2222	258	242011-002	287	3027-1	159	RB0941	139	RB1232	105	RB1282	130	RB1338	109
2223	258	242011-003	287	3028-1	159	RB0943	139	RB1233	105	RB1283	128	RB1339	108
2224	258	2421	286	3029-1	161	RB0946	139	RB1234	105	RB1284	128	RB1340	108
2301	268	2422	286	3030-1	159	RB0949	139	RB1235	105	RB1285	130	RB1341	111
2302	268	2423	286	3031-1	161	RB0951	139	RB1236	105	RB1286	129	RB1342	111
2303	268	242311-001	287	3040-1	158	RB0952	139	RB1237	105	RB1287	129	RB1343	111
2304	268	242415-001	287	3041-1	161	RB0953	139	RB1238	106	RB1288	130	RB1344	111
2305	268	242917-001	287	3045-1	161	RB1104	266	RB1239	106	RB1289	126	RB1345	109
2306	268	2431	286	3060-1	162	RB1105	266	RB1241	104	RB1290	117	RB1346	109
2307	269	2432	286	3080	163	RB1106	266	RB1242	104	RB1291	117	RB1347	112
2308	269	2441	286	3101	175	RB1108	267	RB1243	104	RB1292	117	RB1348	138
2309	269	2451	286	3102	175	RB1109	267	RB1244	104	RB1293	117	RB1349	138
2310	269	2452	286	3103	175	RB1110	267	RB1245	104	RB1294	117	RB1350	138
2311	269	2495	286	3104	175	RB1111	267	RB1246	104	RB1295	117	RB1351	120
2312	269	2498	286	3201	150	RB1112	267	RB1247	107	RB1296	117	RB1352	120
2313	269	2502	149	3202	150	RB1113	266	RB1250	128	RB1297	117	RB1353	133
2314	269	2503	149	3203	150	RB1114	267	RB1251	124	RB1298	117	RB1354	133
2315	269	2504	149	3204	150	RB1116	267	RB1252	124	RB1299	117	RB1355	133
2316	269	2505	149	3227	151	RB1117	267	RB1253	124	RB1301	98	RB1356	133
2317	269	2506	149	3230	151	RB1122	266	RB1254	128	RB1302	98	RB1357	126
2318	268	2507	149	3231	150	RB1123	266	RB1255	128	RB1305	99	RB1358	133
2319	268	2600	147	3240	151	RB1124	66	RB1256	128	RB1306	96	RB1359	133
2320	268	2601	147	3241	152	RB1125	266	RB1257	128	RB1307	96	RB1360	133
2321	268	2602	147	3245	152	RB1198	267	RB1258	124	RB1308	96	RB1361	118
2322	268	2603	147	3260	153	RB1201	100	RB1259	124	RB1309	96	RB1362	118
2323	270	2610	147	3401	154	RB1202	100	RB1260	129	RB1310	130	RB1363	118
2324	268	2611	147	3402	154	RB1203	100	RB1261	126	RB1311	99	RB1364	118
2325	270	2612	147	3403	154	RB1205	100	RB1262	129	RB1312	130	RB1365	118
2326	270	2613	147	3404	154	RB1206	100	RB1263	125	RB1313	99	RB1366	118
2327	270	2701	276	3427	154	RB1207	100	RB1264	125	RB1314	99	RB1367	118
2328	270	2702	277	3430	155	RB1208	96	RB1265	125	RB1315	99	RB1368	118
2329	270	2703	277	3431	155	RB1209	96	RB1266	125	RB1316	99	RB1369	118
2351	274	2704	277	3440	156	RB1211	101	RB1267	125	RB1319	136	RB1370	118
2352	274	2705	277	3441	156	RB1215	101	RB1268	133	RB1321	111	RB1372	119
2353	274	2706	277	3445	156	RB1216	103	RB1269	124	RB1322	111	RB1373	119

# Index

Product	Page	Product	Page	Product	Page								
RB1375	119	RB1954	134	RB2867	115	RC0944	89	RC1449	66	RC1551	71	WD1404	180
RB1379	136	RB1955	134	RB5001	278	RC0945	89	RC1450	69	RC1552	71	WD1405	180
RB1380	131	RB1956	134	RB5002	278	RC0960	88	RC1451	69	RC1560	78	WD1406	180
RB1381	137	RB1957	135	RB5004	278	RC0961	88	RC1452	69	RC1561	78	WD1407	176
RB1382	137	RB1958	135	RB5005	278	RC0962	88	RC1455	72	RC1562	78	WD1408	180
RB1383	137	RB1959	135	RB5006	278	RC1401	62	RC1456	72	RC1563	78	WD1409	181
RB1384	99	RB1960	135	RB5007	279	RC1402	62	RC1457	72	RC1564	78	WD1410	181
RB1385	132	RB1961	135	RB5008	278	RC1403	62	RC1458	75	RC1565	78	WD1411	182
RB1385H	132	RB1962	135	RB5009	279	RC1404	66	RC1459	78	RC1580	71	WD1412	182
RB1386	132	RB2301	271	RB5010	278	RC1405	66	RC1460	78	RC1581	71	WD1413	182
RB1386H	132	RB2302	271	RB5099	279	RC1406	66	RC1461	78	ST0500	240	WD1414	184
RB1387	138	RB2303	271	RC0499	78	RC1407	62	RC1462	78	ST0509	246	WD1415	184
RB1388	138	RB2304	271	RC0520	87	RC1408	66	RC1463	78	ST0510	242	WD1416	194
RB1389	138	RB2305	271	RC0522	86	RC1409	66	RC1464	79	ST0511	242	WD1417	218
RB1390	138	RB2306	271	RC0606	81	RC1410	66	RC1465	79	ST0512	242	WD1418-1	184
RB1391	138	RB2307	271	RC0607	80	RC1411	67	RC1466	79	ST0513	240	WD1419	218
RB1392	138	RB2308	271	RC0608	81	RC1412	67	RC1467	78	ST0514	240	WD1420	218
RB1393	138	RB2309	271	RC0609	81	RC1413	67	RC1468	78	ST0515	248	WD1421-1	244
RB1394	138	RB2310	271	RC0612	82	RC1414	70	RC1469	78	ST0516	248	WD1422-1	244
RB1395	138	RB2311	271	RC0615	81	RC1415	70	RC1470	78	ST0517	248	WD1423-1	244
RB1396	139	RB2312	271	RC0619	82	RC1416	72	RC1471	78	ST0518	247	WD1424-1	244
RB1397	139	RB2313	271	RC0622	80	RC1417	79	RC1472	78	ST0519-1	247	WD1425	240
RB1398	139	RB2314	272	RC0627	82	RC1418	71	RC1473	78	ST0520	243	WD1426	218
RB1399	138	RB2315	272	RC0630	80	RC1419	78	RC1474	78	ST0521	247	WD1427	194
RB1420	131	RB2322	272	RC0633	80	RC1420	79	RC1475	78	ST0522	240	WD1428	218
RB1421	122	RB2323	272	RC0660	83	RC1421	87	RC1476	78	ST0524	240	WD1429	193
RB1422	122	RB2324	273	RC0670	83	RC1422	87	RC1477	78	ST0525	240	WD1430	187
RB1423	123	RB2325	273	RC0671	83	RC1423	87	RC1478	78	ST0528	241	WD1431	187
RB1424	123	RB2326	273	RC0685	76	RC1424	87	RC1482	72	ST0529	241	WD1432	187
RB1491	122	RB2327	273	RC0712	84	RC1425	86	RC1483	88	ST0530-1	241	WD1433	184
RB1492	123	RB2328	273	RC0800	72	RC1427	72	RC1484	89	ST0531	241	WD1434	179
RB1494	123	RB2329	273	RC0801	73	RC1429	73	RC1485	89	ST0533	246	WD1436	179
RB1497	122	RB2351	275	RC0802	73	RC1433	71	RC1486	89	ST0541	245	WD1437	176
RB1901	94	RB2352	275	RC0810	7	RC1434	68	RC1487	87	ST1420	223	WD1438	180
RB1902	94	RB2353	275	RC0811	74	RC1436	68	RC1491	87	ST1421	243	WD1439	183
RB1903	94	RB2354	275	RC0812	74	RC1437	62	RC1492	87	ST1422	243	WD1440	190
RB1904	95	RB2355	275	RC0813	74	RC1438	66	RC1494	87	ST1423	243	WD1441	190
RB1920	94	RB2356	275	RC0816	76	RC1439	69	RC1497	87	ST1424	243	WD1442	190
RB1921	94	RB2399	273	RC0817	76	RC1440	77	RC1501	65	ST1426	223	WD1443	190
RB1931	109	RB2851	114	RC0824	72	RC1441	77	RC1502	65	ST1491	243	WD1444	190
RB1932	109	RB2852	114	RC0825	74	RC1442	77	RC1503	62	ST1492	243	WD1445	190
RB1933	109	RB2854	114	RC0921	89	RC1443	77	RC1504	65	ST1494	243	WD1446	190
RB1934	109	RB2856	114	RC0923	88	RC1444	77	RC1505	65	ST1497	243	WD1447	190
RB1937	109	RB2859	114	RC0924	88	RC1445	77	RC1506	65	WD0520	244	WD1448	190
RB1951	134	RB2862	114	RC0934	88	RC1446	77	RC1507	65	WD1401	176	WD1449	182
RB1952	134	RB2864	114	RC0942	89	RC1447	77	RC1508	67	WD1402	176	WD1450	182
RB1953	134	RB2866	115	RC0943	89	RC1448	77	RC1550	71	WD1403	176	WD1451	183





# Legend



Colour variants



Facilitated access for children with disabilities



100% recycled HDPE



Reinforced belt fabric



Carousel platforms made of HPL



Polycarbonate (PC) panels



Composite panels



Composite posts



Steel construction and/or elements made of hot-dip galvanised and powder coated steel



HPL - the highest quality, water and UV resistant high pressure laminated panels or elements



Connectors, screws, washers and nuts made of stainless steel and/or galvanised steel protected with plastic caps



Polypropylene (PP) or Nylon combination ropes with steel core



Stainless steel (AISI 304 or 316)  
- stainless steel structure  
- stainless handrails and rods



Anchoring options:  
- deep to the ground – 55 cm  
- to concrete with plates – 5 cm  
- to concrete with plates – 55 cm



Rubber / PP protective tops



Spinning elements



HDPE - high density polyethylene panels or elements



Stainless steel or PE tube slides



Climbing stones



Attested stainless steel chains



UV printed PC or dibond panels



Construction made of impregnated laminated wood, post dimensions: 90 x 90 mm



Steel spring 20 mm, sand-blasted, iron phosphated and double powder coated



Stainless steel or fiberglass slides with side panels made of HDPE or HPL



Tunnels made of durable, vandal-proof, double-layered material



Certified swing seats:  
- Flat seats of rubber compound with aluminium insert  
- Toddler seats for small children with soft gripping



Platforms and climbing walls made from anti-slip and waterproof plywood or HPL HEXA panels – effective protection against environmental factors and wear-resistant

\*The colours of the products in this catalogue may not correspond to the actual ones. Vinci Group reserves the right to make any changes and upgrades of its products at any time without notice. Information provided in this catalogue was accurate at the time of printing. Vinci Group accepts no responsibility for any loss or damage caused to any person or company as a result of any error, omission or misleading information, and this catalogue does not oblige to any form of contract.





**vinci  
play**

9 Seminaryjna St.  
99-400 Łowicz, Poland

e-mail: [info@vinci-play.com](mailto:info@vinci-play.com)  
mob: +48 793 404 991 / +48 780 047 378  
tel: +48 (42) 203 24 99 ext. 22 or 26  
fax: +48 (22) 300 15 91

[www.vinci-play.com](http://www.vinci-play.com)