

Product technical sheet

RECYCLED RC0685







3 - 12 years

2 kids

11,5 m²

Material specification

- $\bullet\,$ Powder galvanized and powder coated or stainless steel construction of 80 x 80 mm profile,
- The platform is made of recycled HDPE panel, resistant to weather conditions
- Handles made of durable HDPE plate, resistant to weather conditions,
- Screws covered with plastic caps and/or stainless steel screws,
- Safe end caps on top of the structure made of synthetic material,



Physical development






rocking







Product technical sheet

RECYCLED RC0685

Product data

Length	84 cm	
Width	79 cm	
Total height	123 cm	
Age group	3 - 12 years	
Number of users	2 kids	
Safety zone	11,5 m2	
Free fall height	<60 cm	
The height of the platforms	33 cm	
In accordance with norm EN	1176-1:2017	
Weight of the heaviest part	29 kg	
Dimensions of the largest part	8479x1 cm	
Availability of spare parts	YES	
Installation time	ne 1,5 h	

Data is subject to change without prior notice.

Additional information

- equipment intended for public playgrounds;
- equipment has a certificate issued by an accredited entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of jimming the head, fingers or any other body parts;
- anchoring on flat surface, 80/70/60 cm deep;
- render is for reference only, the actual appearance of the equipment and its color may vary;

Guarantee



30 year guarantee -Structural strength of steel 15 and stainless steel components



15 year guarantee -Structural failure of steel and stainless steel, for dynamic equipment



10 year guarantee - Structural failure of high density polyethylene and high pressure laminates components



5 year guarantee - Corrosion of stainless steel and hot dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements

Detailed information in the guarantee card



VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991



99-400 Łowicz

Vinci Group Sp. z o.o.

Seminaryjna 9 Street



Surfaces according to EN 1176-1:2017

	Description (mm)	Layer thickness (cm)	Maximum fall heights (cm)
Turf/ top layer of soil (A,B,C)	-	-	≤100
bark (A.C.)	(A,C) Particle size from 20 to 80 40	≤200	
bark (A,C)		40	≤300
woodchips (A,C)	Particle size from 5 to 30	30	≤200
		40	≤300
sand or gravel (A,C)	Particle size from 0,25 to 8	30	≤200
		40	≤300
synthetic attested (A,B,C)	Tested according to EN 1177		60

Product technical sheet

RECYCLED RC0685

Amount of safe surface corresponding with free fall height:

HIC <60

11,5 m²

Data is subject to change without prior notice.

