

Product technical sheet


1 - 12 years

RECYCLED RC1416

JI JI

11 kids

27,0 m²



Material specification

- The structure is made of a durable, moisture-resistant and low-temperature recycled composite,
- The covers are made of recycled HDPE panel, resistant to weather conditions
- Elements made from recycled HDPE plates, resistant to weather conditions,
- Screws covered with plastic caps and/or stainless steel screws,




Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991





biuro@vinci-play.com info@vinci-play.com www.vinci-play.com











Guarantee



30 year guarantee -Structural strength of steel and stainless steel components

Detailed information in the guarantee card

15 year guarantee dynamic equipment

15

Structural failure of steel and stainless steel, for

10

10 year guarantee - Structural failure of high density polyethylene and high pressure laminates components



5 year guarantee - Corrosion of stainless steel and hot dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements

Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz

VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com

Product technical sheet **RECYCLED RC1416**

Product data

Length	415 cm	
Width	165 cm	
Total height	140 cm	
Age group	1 - 12 years	
Number of users	11 kids	
Safety zone	27,0 m2	
Free fall height	<60 cm	
In accordance with norm EN	1176-1:2017	
Weight of the heaviest part	11 kg	
Dimensions of the largest part	240x40x3 cm	
Availability of spare parts	YES	
Installation time	5,5 h	

Data is subject to change without prior notice.

Additional information

- equipment intended for public playgrounds;
- equipment has a certificate issued by an accredited • entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of • jamming the head, fingers or any other body parts;
- anchoring on flat surface, 80/70/60 cm deep; •
- render is for reference only, the actual appearance of the equipment and its color may vary;

2/3



Surfaces according to EN 1176-1:2017


	Description (mm)	Layer thickness (cm)	Maximum fall heights (cm)
Turf/ top layer of soil (A,B,C)	-	-	≤100
bark (A,C) Particle size from 20 to 80	30	≤200	
	to 80	40	≤300
woodchips (A,C) Particle size from 5 to 30	30	≤200	
	40	≤300	
cond or gravel (A C)	sand or gravel (A,C) Particle size from 0,25 to 8	30	≤200
Sand of gravel (A,C)		40	≤300
synthetic attested (A,B,C)	Tested according to EN 1177		60


Product technical sheet RECYCLED RC1416

Amount of safe surface corresponding with free fall height:

HIC <60	27,0 m ²

Data is subject to change without prior notice.





Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com