

**Product technical sheet** 

# **RECYCLED RC1477**



### Material specification

- The structure is made of a durable, moisture-resistant and low-temperature recycled composite,
- Educational panels made of recycled HDPE plates, resistant to weather conditions, green HDPE panels made of 100% recycled, e.g. ocean waste such as fishing nets and ropes,
- Stainless steel screws and/or screws covered with plastic caps,




Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991




biuro@vinci-play.com info@vinci-play.com www.vinci-play.com









#### **Guarantee**



30 year guarantee -Structural strength of steel and stainless steel components

Detailed information in the guarantee card



15

15 year guarantee -Structural failure of steel and stainless steel, for

10

10 year guarantee - Structural failure of high density polyethylene and high pressure laminates components



5 year guarantee - Corrosion of stainless steel and hot dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements

Vinci Group Sp. z o.o.
Seminaryjna 9 Street
99-400 Łowicz

VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com

١

## **Product technical sheet RECYCLED RC1477**

#### **Product data**

Length	84 cm	
Width	11 cm	
Total height	130 cm	
Age group	1 - 8 years	
Number of users	1 kids	
Safety zone	10,0 m2	
Free fall height	<60 cm	
In accordance with norm EN	1176-1:2017	
Weight of the heaviest part	11 kg	
Dimensions of the largest part	120x9x9 cm	
Availability of spare parts	YES	
Installation time	1 h	

Data is subject to change without prior notice.

#### **Additional information**

- equipment adapted for the disabled; intended for public playgrounds;
- equipment has a certificate issued by an accredited • entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of • jimming the head, fingers or any other body parts;
- anchoring on flat surface, 80/70/60 cm deep;
- render is for reference only, the actual appearance of • the equipment and its color may vary;



## Surfaces according to EN 1176-1:2017


	Description (mm)	Layer thickness (cm)	Maximum fall heights (cm)
Turf/ top layer of soil (A,B,C)	-	-	≤100
bork (A.C)	,C) Particle size from 20 to 80	30	≤200
bark (A,C)		40	≤300
woodchips (A,C) Particle size from 5 to 30	30	≤200	
	to 30	40	≤300
cond or gravel (A C)	el (A,C) Particle size from 0,25 to 8	30	≤200
sand or gravel (A,C)		40	≤300
synthetic attested (A,B,C)	Tested according to EN 1177		60


# Product technical sheet RECYCLED RC1477

#### Amount of safe surface corresponding with free fall height:

HIC <60	10,0 m <sup>2</sup>

Data is subject to change without prior notice.





Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com