vinci play

vinci Play

Product technical sheet

RECYCLED RC1562



Material specification

- The structure is made of a durable, moisture-resistant and low-temperature recycled composite,
- Music panels made of recycled HDPE plates, resistant to weather conditions, green HDPE panels made of 100% recycled, e.g. ocean waste such as fishing nets and ropes,
- Electronic playing elements in music panels loaded mechanically by spinning the handle,
- Stainless steel screws and/or screws covered with plastic caps,

1



29/01/2024

VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991





biuro@vinci-play.com info@vinci-play.com www.vinci-play.com


1/3











Guarantee



30 year guarantee -Structural strength of steel and stainless steel components

Detailed information in the guarantee card



15

15 year guarantee -Structural failure of steel and stainless steel, for

10

10 year guarantee - Structural failure of high density polyethylene and high pressure laminates components



5 year guarantee - Corrosion of stainless steel and hot dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements

Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz

VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com

Product technical sheet RECYCLED RC1562

Product data

Length	84 cm
Width	20 cm
Total height	130 cm
Age group	2 - 14 years
Number of users	1 kids
Safety zone	10,4 m2
Free fall height	<60 cm
In accordance with norm EN	1176-1:2017
Weight of the heaviest part	11 kg
Dimensions of the largest part	120x9x9 cm
Availability of spare parts	YES
Installation time	1 h

Data is subject to change without prior notice.

Additional information

- equipment adapted for the disabled; intended for public playgrounds;
- equipment has a certificate issued by an accredited • entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of • jamming the head, fingers or any other body parts;
- anchoring on flat surface, 80/70/60 cm deep; •
- render is for reference only, the actual appearance of • the equipment and its color may vary;

29/01/2024



Surfaces according to EN 1176-1:2017


	Description (mm)	Layer thickness (cm)	Maximum fall heights (cm)	
Turf/ top layer of soil (A,B,C)	-	-	≤100	
bork (A.C)	Particle size from 20	30	≤200	
bark (A,C)	to 80	40	≤300	
woodshing (A.C)	Particle size from 5	30	≤200	
woodchips (A,C)	to 30	to 30	40	≤300
sand or gravel (A,C)	Particle size from	30 40	≤200	
sand of graver (A,C)	0,25 to 8		≤300	
synthetic attested (A,B,C)	Tested according to EN 1177		60	

Product technical sheet RECYCLED RC1562

Amount of safe surface corresponding with free fall height:

HIC <60	10,4 m ²	

Data is subject to change without prior notice.



Seminaryjna 9 Street 99-400 Łowicz

29/01/2024

Vinci Group Sp. z o.o.

VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991

450



30

biuro@vinci-play.com info@vinci-play.com www.vinci-play.com