



Product technical sheet

ROBINIA RB1231







3+

12 kids

29,8 m²

Material specification

- ullet Construction made of Robinia very durable acacia wood with a diameter of \sim 18 cm without sharp edges, resistant to weather conditions,
- Telescope made of stainless steel and durable HDPE plate, resistant to weather conditions,
- Flags / sails made of durable HPL plate, resistant to weather conditions,
- Rudder made of durable HDPE plate, resistant to weather conditions,
- Steel ropes in polypropylene braid, connected with durable aluminum, stainless steel and/or plastic elements,
- Calibrated stainless steel chains, preventing fingers entrapment,
- Screws covered with plastic caps and/or stainless steel screws,



Facilitating disability



easy access



integration



Intellectual development



manipulation



siaht



Physical development



balance




passage


M: +48 793 404 991














Product technical sheet

ROBINIA RB1231

Product data

Length	490 cm	
Width	290 cm	
Total height	400 cm	
Age group	3+ years	
Number of users	12 kids	
Safety zone	29,8 m2	
Free fall height	90 cm	
In accordance with norm EN	1176-1:2017	
Weight of the heaviest part	115 kg	
Dimensions of the largest part	500x18x18 cm	
Availability of spare parts	YES	
Installation time	2,5 h	
· · · · · · · · · · · · · · · · · · ·		

Data is subject to change without prior notice.

Additional information

- equipment adapted for the disabled; intended for public playgrounds;
- equipment has a certificate issued by an accredited entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of jimming the head, fingers or any other body parts;
- anchoring on flat surface, 100/80/70/60 cm deep;
- render is for reference only, the actual appearance of the equipment and its color may vary;

Guarantee



30 year guarantee -Structural strength of steel and stainless steel components



15 year guarantee -Structural failure of steel and stainless steel, for dynamic equipment



10 year guarantee - Structural failure of high density polyethylene and high pressure laminates components



5 year guarantee - Corrosion of stainless steel and hot dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements

Detailed information in the guarantee card



VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991





Surfaces according to EN 1176-1:2017

	Description (mm)	Layer thickness (cm)	Maximum fall heights (cm)
Turf/ top layer of soil (A,B,C)	-	-	≤100
bark (A,C) Particle size from 20 to 80	30	≤200	
	to 80	40	≤300
woodchips (A,C) Particle size from 5 to 30	30	≤200	
	40	≤300	
sand or gravel (A (1)	Particle size from	30	≤200
	0,25 to 8	40	≤300
synthetic attested (A,B,C) Tested according to EN 1177		90	

Product technical sheet

ROBINIA RB1231

Amount of safe surface corresponding with free fall height:

HIC <60	7,3 m ²
HIC 67	13,0 m²
HIC 90	9,5 m²

Data is subject to change without prior notice.

