



### **Product technical sheet**

# **ROBINIA RB1327**







1+

8 kids

21,0 m<sup>2</sup>



### **Material specification**

- ullet Construction made of Robinia very durable acacia wood with a diameter of  $\sim$  18 cm without sharp edges, resistant to weather conditions,
- Platforms made of Robinia very durable acacia wood, resistant to weather conditions,
- Transparent polycarbonate panels with a weather-resistant print,
- Side panels made of Robinia very durable acacia wood without sharp edges, resistant to weather conditions
- Educational paneles and moving elements made of HPL plate, resistant to weather conditions
- Elements made of safe, certified rubber with textile reinforcement,
- Steel ropes in polypropylene braid, connected with durable plastic elements, stainless steel or aluminum,
- Calibrated stainless steel chains, preventing fingers entrapment,
- Stainless steel bars,
- Screws covered with plastic caps and/or stainless steel screws,



#### **Facilitating disability**



easy access



integration



#### Intellectual development



manipulation

thinking



sensorics




**Physical development** 





community











#### **Product technical sheet**

# **ROBINIA RB1327**

#### **Product data**

Length	260 cm	
Width	170 cm	
Total height	215 cm	
Age group	1+ years	
Number of users	8 kids	
Safety zone	21,0 m2	
Free fall height	< 60 cm	
The height of the platforms	29 cm	
In accordance with norm EN	1176-1:2017	
Weight of the heaviest part	61 kg	
Dimensions of the largest part	270x18x18 cm	
Availability of spare parts	YES	
Installation time	3 h	

Data is subject to change without prior notice.

#### **Additional information**

- equipment adapted for the disabled; intended for public playgrounds;
- equipment has a certificate issued by an accredited entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of jimming the head, fingers or any other body parts;
- anchoring on flat surface, 80/70/60 cm deep;
- render is for reference only, the actual appearance of the equipment and its color may vary;

#### **Guarantee**



30 year guarantee -Structural strength of steel and stainless steel components



15 year guarantee -Structural failure of steel and stainless steel, for dynamic equipment



10 year guarantee - Structural failure of high density polyethylene and high pressure laminates components



5 year guarantee - Corrosion of stainless steel and hot dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements

Detailed information in the guarantee card





# Surfaces according to EN 1176-1:2017

	Description (mm)	Layer thickness (cm)	Maximum fall heights (cm)
Turf/ top layer of soil (A,B,C)	-	-	≤100
hark (A (1)	Particle size from 20	30	≤200
	to 80	40	≤300
woodchips (A,C)	Particle size from 5 to 30	30	≤200
		40	≤300
sand or gravel (A,C)	Particle size from 0,25 to 8	30	≤200
		40	≤300
synthetic attested (A,B,C)	Tested according to EN 1177		< 60

### **Product technical sheet**

# **ROBINIA RB1327**

Amount of safe surface corresponding with free fall height:

HIC <60 21,0 m<sup>2</sup>

Data is subject to change without prior notice.

