

Product technical sheet

SOLO 0813





15,4 m²

Material specification

- Hot-dip galvanized and powder coated or powder galvanized and powder coated steel construction,
- Platforms made of durable anti-slip and waterproof plywood or HPL plate, •
- Roofs, side panels made of durable HDPE or HPL plate, resistant to weather • conditions,
- Handles made of durable HDPE plate, resistant to weather conditions, •
- Screws covered with plastic caps and/or stainless steel screws,




Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz


VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991




biuro@vinci-play.com info@vinci-play.com www.vinci-play.com









Guarantee



30 year guarantee -Structural strength of steel and stainless steel components

Detailed information in the guarantee card



15

Structural failure of steel

10

10 year guarantee - Structural failure of high density polyethylene and high pressure laminates components



5 year guarantee - Corrosion of stainless steel and hot dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements

SOLO 0813

Product technical sheet

Product data

Length	143 cm	
Width	94 cm	
Total height	166 cm	
Age group	3 - 12 years	
Number of users	6 kids	
Safety zone	15,4 m2	
Free fall height	<60 cm	
The height of the platforms	10 cm	
In accordance with norm EN	1176-1:2017	
Weight of the heaviest part	21 kg	
Dimensions of the largest part	155x5x5x cm	
Availability of spare parts	YES	
Installation time	2 h	
Color options		

Data is subject to change without prior notice.

Additional information

- equipment intended for public playgrounds;
- equipment has a certificate issued by an accredited • entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of • jimming the head, fingers or any other body parts;
- anchoring on flat surface, 80/70/60 cm deep; •
- render is for reference only, the actual appearance of the equipment and its color may vary;

Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz

VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com



Surfaces according to EN 1176-1:2017

	Description (mm)	Layer thickness (cm)	Maximum fall heights (cm)
Turf/ top layer of soil (A,B,C)	-	-	≤100
bork (A.C)	Particle size from 20 to 80	30	≤200
bark (A,C)		40	≤300
woodshing (A.C)	Particle size from 5 to 30	30	≤200
woodchips (A,C)		40	≤300
cond or gravel (A C)	and or gravel (A,C) Particle size from 0,25 to 8	30	≤200
sand of graver (A,C)		40	≤300
synthetic attested (A,B,C)	Tested according to EN 1177		60


Product technical sheet


SOLO 0813

Amount of safe surface corresponding with free fall height:

HIC <60 15,4 m ²

Data is subject to change without prior notice.





Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com